

PRODUCT OVERVIEW: FOLPAN® 500C

Why FOLPAN® 500C?

FOLPAN® 500C has been shown to provide excellent preventative protection against fungal diseases of grapes, potatoes and tomatoes. It can be used with confidence in conjunction with other fungicides and insecticidal treatments (with some exceptions). It is a suspension concentrate organic-based fungicide with application and control varying by crop type.

Mixing instructions:



Half fill the spray tank with clean water.

For the crops pictured below, mix the required volume of Folpan® 500 SC with a little water.







Agitate the tank continuously. Do not allow the mixture to settle.

Add the FOLPAN® 500 SC mixture to your half-full tank and then top up with water.



NOTE: Mix any other products to be added in water separately before adding them to the tank.

Use only as directed on the label : https://www.adama.com/south-africa/en/products/fungicides/folpan500sc

Which crops can FOLPAN® 500 be used on?

FOLPAN® 500 SC fungicide is registered for use on:

Table grapes



Tomatoes



Wine grapes



Potatoes



Always read the warnings and directions on the label and follow these with care. Alternatively, contact your ADAMA field team for more information.




FOLPAN® 500 SC is potentially carcinogenic product

Is it safe?

that is known to cause allergic skin reactions. It should be used with extreme caution and with all the necessary precautions in place. It is very toxic to aquatic environments with long lasting effects. Avoid release into the environment, wear protective gear, collect any spillage, and dispose of all containers responsibly.


ALWAYS READ THE LABEL: CAREFULLY FOLLOW USAGE INSTRUCTIONS AND WARNINGS. Find the



FOLPAN® 500 SC label here.

treatment with upper and lower leaf surface covering.

FOLPAN® 500 SC should be applied as a preventative



mildew

Application

- Which diseases?
- Wine Grapes: Dead-arm disease, anthracnose, Botrytis rot, downy mildew

• Table Grapes: Dead-arm disease, anthracnose, downy

(Phytophthora infestans)

• Potatoes: Early Blight (Alernaria solani), Late Blight

 Tomatoes: Early Blight (Alernaria solani), Late Blight (Phytophthora infestans)

FOLPAN[®] 500 SC - Active ingredients: Folpet, Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt, Fumaric acid | Registration number L4662 referencing Act/Wet 36 of/van 1947 | Address of Registration holder: 99 Jip de Jager Drive, The Vineyards Office Estate, Simeka House | De Bron 7530, South Africa





