SAFETY DATA SHEET

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Merpan 80 WDG

Revision date 08-Jun-2023 Version 4 Supersedes Date: 15-Dec-2019 Product Code(s)

FNG56785-27

Print Date 08-Jun-2023 MCW-3002 9201600

1. Identification

Product identifier

Merpan 80 WDG

Other means of identification

Synonyms Captan 800 WDG

Formulation type WDG
Registration Number(s) L5456
Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fungicide; Professional use **Uses advised against** No information available

Detailed information about the manufacturer, supplier, and/or importer

Supplier

ADAMA SOUTH AFRICA (PTY) LTD Ground Floor, Simeka House The Vineyards Office Estate 99 Jip de Jager Drive Bellville 7530

Emergency telephone number

Emergency Telephone +27 82 446 8946 (Griffon Poison Centre)

+27 86 155 5777 (Tygerberg Poison Information Centre) +27 86 100 6366 and +27 83 253 6618 (SPILL TECH)

E-mail address infocpt@adama.com

2. Hazard(s) identification

Classification of the substance or mixture

| Serious eye damage/eye irritation | Category 2 - (H319) |
|-----------------------------------|---------------------|
| Skin sensitization | Category 1 - (H317) |
| Carcinogenicity | Category 2 - (H351) |
| Acute aquatic toxicity | Category 1 - (H400) |

Label elements

Signal word Warning

Hazard pictograms



Hazard statements H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation H351 - Suspected of causing cancer H400 - Very toxic to aquatic life

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P203 - Obtain, read and follow all safety instructions before use

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 + P265 - Wash face, hands and any exposed skin thoroughly after handling. Do not touch eyes

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P318 - If exposed or concerned get medical advice.

P321 - Specific treatment (see supplemental first aid instructions on this label)

P333+317 - If skin irritation or rash occurs get medical help P337 + P317 - If eye irritation persists: Get medical help

P362 + P364 - Take off contaminated clothing and wash it before reuse

P391 - Collect spillage P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product is classified as hazardous according to the criteria in South Africa - GHS classification and labelling of chemicals – SANS10234 and the Regulations for Hazardous Chemical Agents - 2021.

Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

3. Composition/information on ingredients

Substance

Not applicable

Mixture

Synonyms

Captan 800 WDG

| Chemical name | CAS No | Weight-% | EC No | INTERNATIONAL GHS CLASSIFICATION | M-Factor |
|---------------|----------|----------|-----------|----------------------------------|----------|
| Captan | 133-06-2 | 75 - 85 | 205-087-0 | Acute Tox. 3 (H331) | M=10 |
| | | | | Eye Dam. 1 (H318) | |
| | | | | Skin Sens. 1 (H317) | |

| | | | | Carc. 2 (H351) Aquatic Acute 1 (H400) | |
|---|-------------|-------|-----------|---|--|
| Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt | 68425-94-5 | 2 - 4 | 614-476-8 | Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412) | |
| Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt | 102980-04-1 | 1 - 4 | | Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412) | |
| disodium maleate | 371-47-1 | < 1 | 206-738-1 | Acute Tox. 4 (H302) Skin Sens. 1B (H317) STOT SE 3 (H335) | |

Full text of H- and EUH-phrases: see section 16

Additional information

Note: The other ingredients do not cause or contribute towards the correct GHS classification of Merpan 80 WDG and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021, Regulation 14(b), not listed in the table above.

4. First-aid measures

Description of necessary first aid measures

General advice In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible). First aider: Pay attention to self-protection.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call

a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Consult a physician if necessary.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical

attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.

For emergency responders

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms/effects, acute and delayed

Symptoms None known.

Indication of immediate medical attention and special treatment needed, if necessary

5. Fire-fighting measures

Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosive properties Not an explosive.

Specific/special fire-fighting measures

Specific/special fire-fighting

measures

No information available.

Special protective equipment and precautions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

Preventive measures for safe handling

Advice on safe handling Avoid generation of dust. Handle in accordance with good industrial hygiene and safety

practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Precautions for safe handling

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure guidelines

| Chemical name | ACGIH TLV | | |
|---------------|---|--|--|
| Captan | TWA: 5 mg/m³ inhalable particulate matter | | |
| 133-06-2 | | | |

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear suitable gloves.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

| Property | <u>Values</u> | <u>Method</u> | <u>Remarks</u> |
|-----------------------------------|---------------------|---------------|-------------------------------|
| Appearance | | | |
| Physical state | : Solid | | |
| Color | : beige | | |
| Odor | : Aromatic | | |
| Odor threshold | : No data available | | |
| pH | : 8.9 - 9.9 | CIPAC MT 75.3 | solution (1%) |
| Melting point / freezing point °C | : No data available | | |
| Boiling point / boiling range °C | : No data available | | |
| Flash point °C | : No data available | | Not Applicable |
| Evaporation rate | : No data available | | |
| Flammability (solid, gas) | : Not flammable | EEC A.10 | |
| Upper/lower flammability or | : No data available | | |
| explosive limits | | | |
| Vapor pressure kPa | : No data available | | |
| Vapor density | : No data available | | |
| Relative density | : No data available | | |
| Solubility(ies) mg/l | : No data available | | |
| Partition coefficient Log Pow | : | | See Section 12 for additional |
| | | | Ecological Information |
| Autoignition temperature °C | : 382 C | EEC A.16 | |
| | | | |

No data available Decomposition temperature °C Kinematic viscosity mm2/s 40 °C: Not applicable

Explosive properties Not an explosive **EEC A.14**

Oxidizing properties Not oxidizina Surface tension No data available

Particle Size : 125 and 500 um CIPAC MT170

Other information

Bulk density g/ml : 0.62 CIPAC MT 186

10. Stability and reactivity

Reactivity

No information available. Reactivity

Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on toxicological effects

Acute toxicity

| | <u>Values</u> | <u>Species</u> | Method | Remarks |
|-----------------|---------------|----------------|----------|---------|
| Oral LD50 mg/kg | : > 2000 | Rat | OECD 401 | |

Dermal LD50 mg/kg > 5000 Rat **OPPTS 870,1200** Inhalation LC50 LC50

No data available Not Applicable

granules

Skin corrosion/irritation : Non-irritating to the skin Rabbit OECD 404 Serious eye damage/eye irritation : Irritating to eyes Rabbit OECD 405 Skin sensitizer **OECD 406** Sensitization Guinea pig

Chronic toxicity

Germ cell mutagenicity

Chemical name

Captan : Not classified

Carcinogenicity

Chemical name

Captan

: H351 - Suspected of causing cancer

Reproductive toxicity .

Chemical name

Captan : Not toxic for the reproductive system

STOT - Single Exposure

Chemical name

Captan : Not classified

STOT - Repeated Exposure

Chemical name

Captan : Not classified

Aspiration hazard Chemical name

Captan : Not classified

12. Ecological information

Ecotoxicity

Aquatic toxicity

Acute toxicity Species Values Method Remarks Fish 96-hour LC50 mg/l Oncorhynchus mykiss OECD 203 Static 0.17 Crustacea 48-hour EC50 mg/l Daphnia magna **OECD 202** semi-static 4.30 Algae 72-hour EC50 mg/l Scenedesmus **OECD 201** Static 4.07 :

subspicatus

Other plants EC50 mg/l : No data available No data available

Chronic aquatic toxicity Values Species Method Remarks
Fish NOEC mg/l : 0.24 Rainbow trout

Crustacea NOEC mg/l : 0.675 Daphnia magna
Algae NOEC mg/l : No data available

Algae NOEC mg/l : No data available Other plants NOEC mg/l : No data available

Terrestrial Toxicity
Birds Oral LD50 mg/kg

Chemical name

Captan : >2000 Mallard duck

Bees Oral LD50 µg/bee

Chemical name

Captan : >100

Abiotic Degradation Water DT50 days Chemical name

Captan : <1 251 °C

Soil DT50 days Chemical name

Captan : 0.5 - 5.7 aerobic 251 °C

Biodegradation

Revision date 08-Jun-2023

Chemical name

Captan : Not readily biodegradable OECD 301 B

Log Pow <u>Values</u> <u>Method</u> <u>Remarks</u>

Conton

Captan : 2.57 pH 7; 25 ° C

Bioconcentration factor (BCF)

Chemical name

Captan : 113 - 250

Adsorption/Desorption Values Method Remarks
Chemical name

Captan : 29 - 198 KOC

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal.

14. Transport information

<u>ADR</u>

14.1 UN number UN3077

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)

14.3 Transport hazard class(es) 9
Labels 9
14.4 Packing group III

Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9,

III, (-)

14.5 Environmental hazard Yes

14.6 Special Precautions for Users

Special Provisions 274, 335, 601, 375

Classification code M7
Tunnel restriction code (-)

RID

14.1 UN number UN3077

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)

14.3 Transport hazard class(es) 9
Labels 9
14.4 Packing group III

Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9,

Ш

14.5 Environmental hazard Yes

14.6 Special Precautions for Users

Special Provisions 274, 335, 375, 601

Classification code M7

IMDG

14.1 UN number UN3077

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)

14.3 Hazard Class

ADAMA Page 8/10

14.4 Packing group

Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9,

III, Marine pollutant

14.5 Marine pollutant P
Environmental hazard Yes

14.6 Special Precautions for Users

Special Provisions 274, 335, 966, 967, 969

EmS-No F-A, S-F

IMDG Stowage and segregation Category A SW23

14.7. Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

IATA

14.1 UN number UN3077

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)

14.3 Transport hazard class(es)914.4 Packing group

Description UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9,

III Yes

14.5 Environmental hazard

14.6 Special Precautions for Users

Special Provisions A97, A158, A179, A197, A215

ERG Code



^{*} Note: UN3077 & UN3082 – These products may be transported as non-dangerous goods under the special provisions of IMDG Code 2.10.2.7; ADR SP375 and ICAO/IATA A197 when packed in single or inner packaging of up to 5L for liquids or 5 kg or less for solids

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Registration Requirements: Fertilizer, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947). Pesticide Handling, Storage and Disposal Safety: SANS10206: 2020. Safety Data Sheet and Occupational Exposure Limit Requirements: Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. SANS11014:2010. Control of and handling of poisonous/hazardous and non-poisonous/non-hazardous substances/chemicals in workplaces: Hazardous Substances Act, 1973 (Act No.15 of 1973). Occupational Health and Safety Act No. 85 of 1993.

16. Other information

Full text of H-Statements referred to under section 3

H228 - Flammable solid

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

No data available Date of preparation of the SDS

Revision date 08-Jun-2023

Changes made to the last version are labeled with this sign ***. **Revision Note**

Key or legend to abbreviations and acronyms used in the safety data sheet

International Maritime Dangerous Goods (IMDG) **IMDG** International Air Transport Association (IATA) IATA

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) TWA STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

А3 A3 - Animal Carcinogen

Abbreviations and acronyms

European Agreement concerning the International Carriage of Dangerous Goods by Road

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CAS Number -Chemical Abstracts Service number EC Number -**EINECS and ELINCS Number**

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

International Maritime Dangerous Goods IMDG -LC50 -Lethal Concentration to 50 % of a test population

LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose)

OECD -Organization for Economic Co-operation and Development

Persistent, Bioaccumulative and Toxic substance PBT -

RID -Regulations concerning the International Carriage of Dangerous Goods by Rail

STOT -Specific Target Organ Toxicity

vPvB -Very Persistent and Very Bioaccumulative

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Classification of the mixture

Classification procedure

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet