



SAFETY DATA SHEET

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Methomex 200 SL

Revision date 26-Sep-2024

Version 2 Supersedes Date: 01-Feb-2023

Product Code(s) INS05043-27

Print Date 26-Sep-2024

ADM.03050.I.1.A

919400

1. Identification

Product identifier

Methomex 200 SL

Other means of identification

Synonyms	Methomyl 200 SL
Formulation type	SL
Registration Number(s)	L5253
Pure substance/mixture	Mixture

Recommended use of the chemical and restrictions on use

Recommended use	Insecticide Professional use
Uses advised against	No information available
Other information	Relevant restrictions on use: Restricted to be sold to and used by a registered Pest Control Operator and only for those uses covered by the Pest Control Operator's scope.

Detailed information about the manufacturer, supplier, and/or importer

Supplier

ADAMA SOUTH AFRICA (PTY) LTD
Ground Floor, Simeka House
The Vineyards Office Estate
99 Jip de Jager Drive
Bellville 7530

Emergency telephone number

Emergency Telephone	+27 82 446 8946 (Griffon Poison Centre) +27 86 155 5777 (Tygerberg Poison Information Centre) +27 86 100 6366 and +27 83 253 6618 (SPILL TECH)
---------------------	--

E-mail address	SDS@ADAMA.COM
----------------	---------------

2. Hazard(s) identification

Classification of the substance or mixture

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 5 - (H313)
Acute toxicity - Inhalation (Dusts/Mists)	Category 3 - (H331)

Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 1 - (H370)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)
Flammable liquids	Category 2 - (H225)

Label elements**Signal word**

Danger

Hazard pictograms**Hazard statements**

H301 - Toxic if swallowed
 H313 - May be harmful in contact with skin
 H318 - Causes serious eye damage
 H331 - Toxic if inhaled
 H370 - Causes damage to organs
 H410 - Very toxic to aquatic life with long lasting effects
 H225 - Highly flammable liquid and vapor

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand
 P102 - Keep out of reach of children
 P103 - Read label before use
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P233 - Keep container tightly closed
 P240 - Ground/bond container and receiving equipment
 P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment
 P242 - Use only non-sparking tools
 P243 - Take precautionary measures against static discharge
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P264 + P265 - Wash face, hands and any exposed skin thoroughly after handling. Do not touch eyes
 P270 - Do not eat, drink or smoke when using this product
 P271 - Use only outdoors or in a well-ventilated area
 P273 - Avoid release to the environment
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P301 + P316 - IF SWALLOWED: Get emergency medical help immediately
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 P302 + P317 - IF ON SKIN: Get medical help
 P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P308 + P313 - IF exposed or concerned: Get medical advice/attention
 P321 - Specific treatment (see supplemental first aid instructions on this label)
 P305 + P354 + P338 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present, and easy to do. Continue rinsing.
 P317 - Get medical help
 P330 - Rinse mouth
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
 P391 - Collect spillage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
 P403 + P235 - Store in a well-ventilated place. Keep cool
 P405 - Store locked up
 P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product is classified as hazardous according to the criteria in South Africa - GHS classification and labelling of chemicals – SANS10234 and the Regulations for Hazardous Chemical Agents - 2021.

Other hazards

Carbamate pesticides.

See section 4 for more information.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

3. Composition/information on ingredients

Substance

Not applicable

Mixture**Synonyms**

Methomyl 200 SL

Chemical name	CAS No	Weight-%	EC No	INTERNATIONAL GHS CLASSIFICATION	M-Factor
Methanol	67-56-1	56-63	200-659-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	
Methomyl	16752-77-5	19-24	240-815-0	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	M=100 M=100

Full text of H- and EUH-phrases: see section 16

Additional information

Note: The other ingredients do not cause or contribute towards the correct GHS classification of Methomex 200 SL and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021, Regulation 14(b), not listed in the table above.

4. First-aid measures

Description of necessary first aid measures**General advice**

Poison, may be fatal or cause blindness if swallowed. Acetylcholinesterase Inhibiting Pesticides. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). First aider: Pay attention to self-protection.

Inhalation

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if symptoms occur.

Ingestion Get immediate medical advice/attention. Rinse mouth. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. Immediate medical attention is required.

For emergency responders

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms/effects, acute and delayed

Symptoms Acetylcholinesterase Inhibiting Pesticides. May cause blindness if swallowed.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians ANTIDOTE: Atropine sulphate. Contains: methanol.

5. Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Flammable properties HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames

Explosive properties Not expected.

Specific/special fire-fighting measures

Specific/special fire-fighting measures No information available.

Special protective equipment and precautions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

Preventive measures for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse.

Precautions for safe handling

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

8. Exposure controls/personal protection

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV
Methanol	STEL: 250 ppm

67-56-1	TWA: 200 ppm S*
Methomyl 16752-77-5	TWA: 0.2 mg/m ³ inhalable fraction and vapor S*

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear suitable gloves. Impervious gloves.

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties**Information on basic physical and chemical properties**

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: liquid		
Color	: colorless to light yellow		
Odor	: cabbage Sulfurous		
Odor threshold	: No data available		
pH	: 6 - 7	CIPAC MT 75.2	
Melting point / freezing point °C	: No data available		
Boiling point / boiling range °C	: No data available		
Flash point °C	: 20	CIPAC MT 12.2	CC (closed cup)
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not applicable		
Upper/lower flammability or explosive limits	: No data available		
Vapor pressure kPa	: No data available		
Vapor density	: No data available		
Relative density	: 1.114 - 1.214	CIPAC MT 3.2.1	
Solubility(ies) mg/l	: No data available		
Partition coefficient Log Pow	:		See Section 12 for additional Ecological Information
Autoignition temperature °C	: 320°C	EEC A.15	
Decomposition temperature °C	: No data available		
Kinematic viscosity mm ² /s 40 °C	: 3.321 cSt	ASTM D445-53T	20°C
Explosive properties	: Not expected	EEC A.14	
Oxidizing properties	: Not expected	EEC A.17	
Surface tension	: 72.0 mN/m	EC A.5	20°C

Particle Size : Not applicable

Other information

Bulk density g/ml : Not applicable

10. Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on toxicological effects

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: 113	Rat	OECD 423	
Dermal LD50 mg/kg	: > 2000	Rat	OECD 402	
Inhalation LC50 LC50	: 0.64	Rat	OECD 403	
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Causes serious eye damage	Rabbit	OECD 405	
Sensitization	: No data available			

Chronic toxicity

Germ cell mutagenicity

Chemical name

Methomyl : Not classified

Carcinogenicity

Chemical name

Methomyl : Not Carcinogenic

Reproductive toxicity

Chemical name

Methomyl : Not toxic for the reproductive system

STOT - Single Exposure**Chemical name**

Methomyl : No data available

STOT - Repeated Exposure**Chemical name**

Methomyl : No data available

Aspiration hazard**Chemical name**

Methomyl : No data available

12. Ecological information**Ecotoxicity****Aquatic toxicity****Acute toxicity**

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish 96-hour LC50 mg/l	: 8.06	Cyprinus carpio	OECD 203	
Crustacea 48-hour EC50 mg/l	: No data available			
Algae 72-hour EC50 mg/l	: No data available			
Other plants EC50 mg/l	: No data available			

Chronic aquatic toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish NOEC mg/l	: No data available			
Crustacea NOEC mg/l	: No data available			
Algae NOEC mg/l	: No data available			
Other plants NOEC mg/l	: No data available			

Terrestrial Toxicity**Birds Oral LD50 mg/kg****Chemical name**

Methomyl : 24.2 Bobwhite quail

Bees Oral LD50 µg/bee**Chemical name**

Methomyl : 0.28

Abiotic Degradation**Water DT50 days****Chemical name**

Methomyl : 30 251 °C

Soil DT50 days**Chemical name**

Methomyl : 4-8 201 °C

Biodegradation**Chemical name**

Methomyl : Readily biodegradable

Log Pow**Chemical name**

	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Methomyl	: 0.093		

Bioconcentration factor (BCF)**Chemical name**

Methomyl : No data available

Adsorption/Desorption**Chemical name**

Methomyl : 72 KOC

13. Disposal considerations**Disposal methods****Waste from residues/unused products**

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. Transport information**ADR**

14.1 UN number UN2758
 14.2 UN proper shipping name CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl)
 14.3 Transport hazard class(es) 3
 Subsidiary hazard class 6.1
 Labels 3 + 6.1
 14.4 Packing group II
 Description UN2758, CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl), 3 (6.1), II, (D/E), Environmentally Hazardous
 14.5 Environmental hazard Yes
 14.6 Special Precautions for Users
 Special Provisions 61, 274
 Classification code FT2
 Tunnel restriction code (D/E)

RID

14.1 UN number UN2758
 14.2 UN proper shipping name CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl)
 14.3 Transport hazard class(es) 3
 Labels 3 + 6.1
 14.4 Packing group II
 Description UN2758, CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl), 3 (6.1), II, Environmentally Hazardous
 14.5 Environmental hazard Yes
 14.6 Special Precautions for Users
 Special Provisions 61, 274
 Classification code FT2

IMDG

14.1 UN number UN2758
 14.2 UN proper shipping name CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl)
 14.3 Hazard Class 3
 Subsidiary hazard class 6.1
 14.4 Packing group II
 Description UN2758, CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl), 3 (6.1), II, (20°C C.C.), Marine pollutant
 14.5 Marine pollutant P

Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	61, 274
EmS-No	F-E, S-D
IMDG Stowage and segregation	Category B. Clear of living quarters.
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

IATA

14.1 UN number	UN2758
14.2 UN proper shipping name	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl)
14.3 Transport hazard class(es)	3
Subsidiary hazard class	6.1
14.4 Packing group	II
Description	UN2758, CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC (Methanol, Methomyl), 3 (6.1), II
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	A4
ERG Code	3P

**15. Regulatory information****Safety, health and environmental regulations specific for the product in question**

Registration Requirements: Fertilizer, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947). Pesticide Handling, Storage and Disposal Safety: SANS10206: 2020. Safety Data Sheet and Occupational Exposure Limit Requirements: Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. SANS11014:2010. Control of and handling of poisonous/hazardous and non-poisonous/non-hazardous substances/chemicals in workplaces: Hazardous Substances Act, 1973 (Act No.15 of 1973). Occupational Health and Safety Act No. 85 of 1993.

16. Other information**Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapor
H300 - Fatal if swallowed
H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H331 - Toxic if inhaled
H370 - Causes damage to organs
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Date of preparation of the SDS	No data available
Revision date	26-Sep-2024
Revision Note	Changes made to the last version are labeled with this sign ***.

Key or legend to abbreviations and acronyms used in the safety data sheet

IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Abbreviations and acronyms

ADR -	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN -	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CAS Number -	Chemical Abstracts Service number
EC Number -	EINECS and ELINCS Number
EINECS -	European Inventory of Existing Commercial Substances
ELINCS -	European List of notified Chemical Substances
IATA -	International Air Transport Association
ICAO-TI -	Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG -	International Maritime Dangerous Goods
LC50 -	Lethal Concentration to 50 % of a test population
LD50 -	Lethal Dose to 50% of a test population (Median Lethal Dose)
OECD -	Organization for Economic Co-operation and Development
PBT -	Persistent, Bioaccumulative and Toxic substance
RID -	Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT -	Specific Target Organ Toxicity
vPvB -	Very Persistent and Very Bioaccumulative

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)**Classification of the mixture**

H301 - Toxic if swallowed
H313 - May be harmful in contact with skin
H331 - Toxic if inhaled
H318 - Causes serious eye damage
H370 - Causes damage to organs
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H225 - Highly flammable liquid and vapor

Classification procedure

Classification based on test data
Classification based on test data
Classification based on test data
Classification based on test data
Classification based on Calculation method
Classification based on Calculation method
Classification based on Calculation method
Classification based on test data

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet