

SAFETY DATA SHEET

This Safety Data Sheet was created pursuant to the requirements of: The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

BROMOTRIL P 500 SC

Revision date: 19 September 2024 Version: 5 Supersedes Date:

Print date: 19 September 2024

28 June 2023

1. Product and Company Identification

Identification of the product/preparation

Product Name BROMOTRIL P 500 SC Trade Name/Synonyms Bromoxynil 500 SC

Registration Number L7019

Product Description and Formulation Type A suspension concentrate herbicide

Active Ingredient Bromoxynil.

Formula C7H3Br2NO **CAS Number** 1689-84-5

Relevant restrictions on use*** Restricted to be sold to and used by a registered

> Pest Control Operator and only for those uses covered by the Pest Control Operator's scope.

Supplier, Manufacturer, and/or Importer

Supplier

ADAMA SOUTH AFRICA (PTY) LTD **Company Name**

Ground Floor, Simeka House **Address** The Vineyards Office Estate

99 Jip de Jager Drive

Belville 7530 **Phone Number** +27 21 982 1460 Web-Address www.adama.com

Emergency Phone Numbers

Emergency Operator Nature of Emergency Telephone Number 24 Hour Poisoning Emergency Griffon Poison Information +27(0)82 446 8946

Helplines - National Advisory Bodies Centre

> Tygerberg Poison Information +27(0)861 555 777

Centre:

Spill Response and Transport +27(0)86 100 0366; SPILL TECH® **Incidents** +27 (0)83 253 6618

Product Properties and Hazards ADAMA South Africa (Pty) Ltd +27(0)21 982 1460

ADAMA Page **1** of **16**



Relevant identified uses of the product and uses advised against

BROMOTRIL P 500 SC is a selective suspension concentrate contact herbicide for the post-emergence control of certain broadleaf weeds. The product should not be used for any other purpose or in any other manner contrary to the information supplied on the product label.

2. Hazard(s) Identification

Classification of the substance or mixture

According to the criteria in South Africa - GHS classification and labelling of chemicals – SANS10234 and the Regulations for Hazardous Chemical Agents – 2021.

GHS Classification:

Hazard Class	Category	Hazard Statement Number
Acute Toxicity, Oral	3	H301
Respiratory/Skin Sensitization	1	H317
Acute Toxicity, Inhalation	2	H330
Reproductive Toxicity	2	H361d
Aquatic Toxicity, Acute	1	H400
Aquatic Toxicity, Chronic	1	H410

Label Elements Pictograms:







Signal Word:

Danger

Hazard Statements:

Statement	Hazard Statement			
Number				
H301	Toxic if swallowed.			
H317	May cause allergic skin reaction.			
H330	Fatal if inhaled.			
H361d	Suspected of damaging the unborn child.			
H410	Very toxic to aquatic life with long lasting effects.			

ADAMA Page 2 of 16



Precautionary Statements:

General -

StatementPrecautionary StatementNumberP101If medical advice is needed, have product label or container at hand.P102Keep out of reach of children.

Prevention -

Statement Number	Precautionary Statement
P230	Obtain, read, and follow all safety instructions before use.
P260	Do not breathe fumes/ mist/ vapours or spray.
P264	Wash hands and face thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, and eye and face protection.
P284	Wear respiratory protection.

Response -

Statement	Precautionary Statement
Number	
P316	Get emergency medical help immediately.
P318	IF exposed or concerned, get medical advice.
P321	Specific treatment – see the information on the label and Section 4 of this SDS.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P316	IF SWALLOWED: Get emergency medical help immediately.
P302 + +352	IF ON SKIN: Wash with plenty of water under the safety shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333 + P317	If skin irritation or rash occurs: Get medical help.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Storage -

Statement Number	Precautionary Statement
P405	Store locked up.
P403 + P233	Store in a well-ventilated place. Keep containers tightly closed.

Precautionary Statement

Disposal - Statement

Number	
P501	Dispose of contents/container to a licensed waste facility and in accordance with local and
	national regulatory requirements.

ADAMA Page 3 of 16



Other Hazards

None known for the product.

3. Composition/Information on Ingredients

Mixture

Common Name: BROMOTRIL P 500 SC

IUPAC/Chemical Name-Active ingredient: 3,5-Dibromo-4-hydroxybenzonitrile

Chemical Family: Benzonitrile

Formulation: Bromoxynil 500g/L – Suspension concentrate

Ingredients with Hazard Concerns (GHS)

According to UN GHS criteria (9th Edition of the Purple Book).

Hazardous Component – Chemical Name	CAS Number	Weight - %	International GHS Classification
Bromoxynil	1689-84-5	30 -60%	Acute Toxicity, Oral, Category 3. Acute Toxicity, Inhalation, Category 2. Skin Sensitization, Category 1. Reproductive Toxicity, Category 2. Aquatic Toxicity, Acute, Category 1. Aquatic Toxicity, Chronic, Category 1. M-Factor - Aquatic Acute: 10. M-Factor - Aquatic Chronic: 10.
Ethane -1,2-diol (monoethylene glycol)	107-21-1	<10%	Acute Toxicity, Oral, Category 4. STOT RE, Category 2.

NOTE: The other ingredients do not cause or contrinute toward the correct GHS classification of BROMOTRIL P 500 SC and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed in the table above.

4. First-Aid Measures

Description of First-aid Measures

General Advice Provide this SDS to medical personnel for treatment. Emergency personnel

should wear protective clothing appropriate to the type and degree of

contamination.

Remove contaminated clothing and move the affected person away from the contamination area. Keep the person warm, calm, and comfortable. First Aid

personnel should pay attention to their own safety.

Eye Contact Rinse/flush the eyes gently with water from the eye wash fountain for several

minutes (at least 15 minutes), while holding the eyelids apart. Check for and remove contact lenses if easy to do so. Continue rinsing. Obtain medical

attention if irritation occurs and persists.



Skin Contact Remove all contaminated clothing and shoes. Immediately rinse the skin with

plenty of water for 15 to 20 minutes under the safety shower. Wash

contaminated clothing before re-use. Obtain medical attention.

Inhalation Remove the affected victim from exposure to an area with fresh air. Keep at

rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Immediately obtain medical

attention.

Ingestion Obtain immediate medical attention or call a poison control centre for treatment

advice. If conscious, rinse mouth thoroughly with water. Drink plenty of water. Never give anything by mouth to an unconscious or convulsing person. Do not induce vomiting unless directed to do so by a medical professional. If spontaneous vomiting occurs, have victim lean forward with head down to

avoid breathing in of vomits.

Emergency Responders Use Personal Protective equipment as required.

Most important symptoms/effects, acute and delayed

Suspected of harming the unborn child.

Indication of any immediate medical attention and special treatment needed Notes to physician:

Treat symptomatically and supportively.

5. Fire-Fighting Measures

Suitable (and unsuitable) extinguishing media

For small fires use dry chemical, carbon dioxide, or water spray.

For large fires use water spray, water fog or alcohol resistant foam. Contain

fire control water for later disposal.

NOTE: Use water in flooding quantities as fog. Solid streams of water may be ineffective. Do not use high volume water jets due to potential

contamination.

Specific hazards arising from the chemical including thermal decomposition products

The product is and contains a sensitizer. May cause sensitization by skin contact. Non-combustible, but fires involving the product may produce irritating or poisonous vapours: carbon dioxide, carbon monoxide, bromine compounds, cyanides, and oxides of nitrogen (NO, NO₂). Runoff

may pollute waterways.

Special protective equipment and precautions for fire-fighters

Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible.

Additional provisions

Stay at maximum distance. Act in accordance with the site's Internal Emergency Plan and the Workplace Specific Procedures for actions to be

taken after an accident or other emergencies. Keep container cool by spraying with water.

ADAMA Page 5 of 16



6. Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

As an immediate precautionary measure, isolate spill, or leak area in all directions for at least 10 meters for liquids. Do not breathe in fumes/vapour/spray and avoid contact with eyes, skin and clothes.

Do not touch or walk through spilled material as it could be slippery when spilt. Contain spills if it can be done without risk and clean-up immediately. Highly toxic, may be fatal if inhaled, swallowed, or absorbed through skin. Wear appropriate protective clothing recommended in Section 8 of the SDS.

Environmental precautions

Prevent spillage or further leakage if safe to do so.

Do not allow the spilt product to enter water courses and drains and avoid contact with soil.

Do not allow the spilt product to spread to other areas - keep the spilt material contained and isolated.

Report spills and releases as required to appropriate authorities if the spilt product has caused environmental pollution (sewers, water ways, soil, or air)

Contaminated soil layers must be dug out and disposed of as hazardous waste

DO NOT GET WATER INSIDE CONTAINERS.

Methods for cleaning up

For small spills, sweep up with damp absorbent material. Place into a labelled waste container with a shovel and cover for subsequent disposal. Dispose of collected spilt material as hazardous waste. Clean the contaminated surface with water to remove any residues of the spilt product. Keep the wash water out of drains, sewers, and waterways.

For large spills, do not wash away into sewers. Contain/dyke or cover to prevent dispersal using absorbent socks, pillows or pads supplied in a spill kit. Collect the spilt product and place it into suitable labelled containers for proper disposal as hazardous waste.

Reference to other SDS sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7. Handling and Storage

Precautions for safe handling

Always provide good ventilation in the work area. Prevent contact with eyes, skin, and clothing. Do not breathe in vapours/spray mist.

Wear protective clothing and equipment during handling as described in Section 8 of the SDS. Do not eat or drink during use. Wash the hands and face thoroughly with soap after handling. Keep containers closed when not in use.

Do not permit smoking in use or storage areas.

Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled. Remove contaminated clothing immediately if the product gets inside. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of work area and work clothing is recommended.

ADAMA

ADAMA Page 6 of 16



Keep unprotected persons away from the area where the product is being applied.

Handle the product only in closed system or provide appropriate exhaust ventilation.

Conditions for safe storage, including any incompatibilities

The entrance to storage facilities should be granted only to appropriately trained personnel. Always store locked up. Keep containers tightly closed when not in use and keep the product only in the original container. Check storage containers regularly for leaks.

The formulation is stable if stored well ventilated, out of direct sunlight, cool and free of moisture and high humidity. Avoid temperatures above 40°C. Keep out of reach of children, uninformed persons, and animals. Protect containers from physical damage. Do not contaminate water, food, or feed by storage or disposal. Avoid cross contamination with other agricultural products. Store away from incompatible materials like strong oxidising agents. It is recommended to have appropriate spill control kits equipped with absorbent material near storage areas (see Section 6). Store in accordance with national and local regulations.

8. Exposure Controls and Personal Protection

Components with workplace control parameters – National Occupational Exposure Limits

This product, as supplied, contains mono ethylene glycol for which an occupational exposure limit has been established by the South African Department of Labour and Employment.

Component	Type	Control Parameter	Update	Basis
Mono ethylene glycol	OEL-eight- hour TWA	50 ppm – Vapour Fraction	2021	South African RELs*
Mono eurytene giyeor	OEL – STEL/C	100 ppm – Vapour Fraction	2021	South African RELs*

*REL: Recommended Exposure Limit.

OEL- eight-hour TWA: Occupational Exposure Limit – Time Weighted Average.

Calculated over an eight-hour working day, for a five-day

working week.

OEL-STEL/C: Occupational exposure limit – short-term exposure limit,

ceiling limit

Appropriate engineering controls

Ventilation required. Use with local exhaust ventilation to maintain airborne concentrations and exposure as low as possible and within the legislated exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

with all eyewaen radiity and earety enewer.

ADAMA Page 7 of 16



Personal Protective Equipment

Respiratory protection: During spraying, mixing, and handling, an approved respirator (full face

mask) with a particulate filter and an organic vapour cartridge or supplied air respirator should be used. Institute a respiratory protection program that includes the selection, fit testing, training, maintenance, and inspection of the respiratory equipment. Consult with respirator manufacturer to determine respirator selection, use and limitations. For emergency conditions, use an

approved positive-pressure self-contained breathing apparatus.

Skin and hand protection: Select skin and hand protection based on the task being performed and the

risks involved with the task.

Impervious chemical resistant gloves recommended for hand protection (e.g., butyl rubber, nitrile rubber, etc.). The gloves should be replaced immediately

in case of damage or signs of wear.

Impervious coveralls, apron, shoes, and socks as required to prevent skin contact and contamination of personal clothing. Overalls must be buttoned to

the neck and sleeves worn over the gloves.

Eye/face protection: Safety eyewear compliant with an approved standard should be used when

a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or vapour. Wear safety glasses with side shields (or goggles)

to prevent contact with eyes and face from liquid and spray.

General safety and hygiene

measures:

The measures appropriate for a particular worksite depend on how this product is used and on the extent of exposure. Ensure that control systems

are properly designed and maintained.

Handle the product in accordance with good industrial hygiene and safety practice. An eye wash fountain and safety showers should be available and

easily accessible.

Keep the product away from food, drink, and animal feeding stuffs.

Wash the hands and/or face before breaks, eating, smoking, or using the

lavatory and at the end of the shift/working period.

Environmental exposure

controls

In accordance with the local legislation for the protection of the environment, it is recommended to avoid environmental spillage or releases of both the

product and its container.

9. Physical and Chemical Properties

Unless otherwise stated, the data is applicable to the formulated product.

Physical or Chemical Property

Value

Test Method or
Remarks

Appearance/physical state Liquid

Appearance Odour characteristics Faint odour

Colour White

ADAMA Page 8 of 16



Boiling point (°C)	No data available

Volatility Vapour pressure (mPa) at 20°C <1 at 20°C Bromoxynil (ISO)

Evaporation Rate at 20 °C No data available

Solubility in water (mg/L at 25 °C) 130 mg/l Bromoxynil (ISO)

Decomposition temperature (°C)

No data available

Melting point (°C)

No data available

Product
Descriptors

pH
3.0 – 4.5

Relative Density 1.28 – 1.32

Density (at 20°C) 1,30 +- 0,02 g/l

Specific Gravity 1.09 -1.10

Log P octanol / water at 20°C <2 Bromoxynil (ISO)

Flammable (Y/N) Not flammable

Flash point (°C) >90

Flammability Flammable limits-LEL No data available

Flammability limits -UEL No data available

Auto-ignition Temperature (°C)

No data available

Other Hazard Information

None known for the product.

10. Stability and Reactivity

Reactivity The product is not reactive under normal ambient and anticipated storage

and handling conditions of temperature and pressure. Decomposes at

elevated temperatures.

Chemical Stability Hazardous polymerization will not occur. Stable under normal ambient

conditions of use, storage, and transport.

Possibility of Hazardous

Reactions

None known under conditions of normal use.

Hazardous Decomposition

Products

Does not decompose when applied for intended uses.

Can decompose under fire or during burning and at high temperatures

releasing corrosive/toxic fumes of bromine, nitrogen oxides (NO, NO2), and

cyanides.

ADAMA Page 9 of 16



A	1141	- 4 - 1	A	
Con	ditions	s to /	4V0	เต

Shock and Friction	Contact with Air	Heat and Ignition Sources	Sunlight	Humidity or Moisture Conditions
Not applicable	Avoid storage without ventilation	Avoid exposing to excessive heat (>40°C)	Do not store in direct sunlight	Avoid moisture conditions during storage

Incompatible Materials

Incompatable with:

Strong Acids	Water	Combustive Materials	Strong Alkalis	Other Incompatible Substances
Yes	Not applicable	Not applicable	Yes	Strong oxidizing agents

11. Toxicological Information

Information on likely routes of exposure

The product may be absorbed into the body by inhalation of vapour or spray and/or by ingestion.

The product may come into contact with the skin or eyes.

Information on toxicological effects

The product is harmful if swallowed, fatal if inhaled, and may cause allergic skin reaction.

Acute toxicity:

Product Information	Fatal	Toxic	Harmful	May be Harmful	Not classified
Ingestion – Oral		$\sqrt{}$			
Dermal/Skin Contact					$\sqrt{}$
Inhalation	$\sqrt{}$				

Assessment of acute toxicity:

Experimental test data are not available for the product. Assessment of acute toxicity is based on the active ingredient using calculation.

Product/ingredient Name	Dose Acute -	Species	Test Result
BROMOTRIL P 500 SC	260 mg/kg	Rat	ATE _(MIX) Oral
BROMOTRIL P 500 SC	0.39 mg/L	Rat (4h)	ATE _(MIX) Inhalation (Dust/Mist)
Bromoxynil	>2 000 mg/kg	Rabbit	LD ₅₀ Dermal



Irritation - Dermal/Skin and Eyes:

Assessment of irritation effects (skin/eyes):

Based on available data, the classification criteria are not met.

Corrosion/Serious Damage - Skin and Eyes:

Assessment of corrosion/serious damage (skin/eyes):

Based on available data, the classification criteria are not met.

Respiratory/Skin Sensitization:

Assessment of sensitization:

Based on available data, the classification criteria are met for skin sensitization.

Bromoxynil: Sensitization possible through skin contact.

Germ cell mutagenicity:

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive and developmental toxicity:

Assessment of reproduction toxicity:

Based on available data, the classification criteria are met for developmental toxicity.

Bromoxynil: Suspected of damaging the unborn child. Pregnant women, women that plan to become pregnant, and those who are breastfeeding must be careful when handling reproductive materials to limit their exposure as much as possible.

Specific target organ toxicity (single exposure):

Assessment of STOT (single):

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure):

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical,

and toxicological characteristics

See Section 4.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin sensitizer and could cause allergic skin reactions.



12. Ecological Information

Ecotoxicity

No eco-toxicological data are available for the formulated product. This ecological assessment is based on data available for the active ingredient of the product. Bromoxynil is very toxic to aquatic life with long lasting effects.

The information below refers to Bromoxynil:

The information bolow follows to Bromokyimi				
Species and Genus	Exposure (hours/days)	Result in fresh water		
Crustacea (Daphnia magna)	48h	Acute EC ₅₀ : 12.5 mg/L (Pesticide Properties Database ¹)		
Fish (Oncorhynchus mykiss)	96h	Acute LC ₅₀ : 0.05 mg/L (ETOXNET ²)		
Algae (Navicula pelliculosa)	72h	Acute EC ₅₀ growth: 0.12 mg/l (Pesticide Properties Database ¹)		

References:

- 1: EU regulatory and evaluation data as published by EC, EFSA (RAR, DAR & Conclusion dossiers), EMA (e.g., EU Annex III PIC DGD) (EU Pesticides database; EFSA Scientific Publications). Verified data.
- 2: U.S. National Library of Medicine. Hazardous Substances Databank. Bethesda, MD, 1995.10-9.

Toxicity to Other Species

Bromoxynil is highly toxic to pheasants (LD₅₀ of 50 mg/kg) and is moderately toxic to hens (LD₅₀ of 240 mg/kg), quail (LD₅₀ of 100 mg/kg), and mallard ducks (LD₅₀ of 200 mg/kg)³.

Data source: Kidd, H. and James, D. R., Eds. The Agrochemicals Handbook, Third Edition. Royal Society of Chemistry Information Services, Cambridge, UK, 1991 (As Updated). 10-2.

Bees: Oral LD₅₀ µg/bee: 5.

Other Environmental and Adverse Effects:

Environmental effect	Environmental Effect Applicable to Ingredient	Description
Persistence and degradability:	Bromoxynil	Bromoxynil is rapidly biodegraded by soil microorganisms. Abiotic Degradation: Water DT_{50} days – 9.6 -16. Soil: DT_{50} days - <1.
Bioaccumulative potential:	Bromoxynil	An estimated BCF of 28 was calculated in fish for bromoxynil, using a log K_{ow} of 2.70 and a regression-derived equation. According to a classification scheme, this BCF suggests the potential for bioconcentration in aquatic organisms is low.
Mobility in soil:	Bromoxynil	A reported K_{oc} value of 302 indicates that bromoxynil is expected to have moderate mobility in soil. Volatilization from moist soil is not expected because the compound exists as an anion and anions do not volatilize. It is not expected to volatilize from dry soil surfaces based upon a vapor pressure of 1.28X10 ⁻⁷ mm Hg at 25 °C.

ADAMA Page 12 of 16



Other adverse effects:

Bromoxynil

None known.

13. Disposal Considerations

Waste handling and disposal

Avoid and minimize the generation of waste.

Dispose product related waste in accordance with all local regulations and prevent the contamination of water, food, or feed by storage or disposal of the waste. Do not use empty containers for any other purpose. The product or empty containers must not be disposed of as part of general waste.

Special help is available for the disposal of Agricultural Chemicals. The product label will supply general advice regarding disposal of small quantities, and how to cleanse containers.

General container handling

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Empty containers and offer for recycling if an available option. Recondition if appropriate, or puncture and dispose of in a hazardous waste landfill, or by other procedures approved by the local authorities. Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the product.

Additional special precautions

The product and its container must always be disposed of in a safe manner.

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. Transport Information

	Land Transport (ADR/RID)	Inland Waterways (AND/ADNR)	See Transport (IMDG)	Air Transport (ICAO-TI/IATA- DGR)
UN Number	2902	2902	2902	2902
UN Proper Shipping Name	PESTICIDE, LIQUID, TOXIC, N.O.S. (Bromoxynil)	PESTICIDE, LIQUID, TOXIC, N.O.S. (Bromoxynil)	PESTICIDE, LIQUID, TOXIC, N.O.S. (Bromoxynil)	PESTICIDE, LIQUID, TOXIC, N.O.S. (Bromoxynil)
Transport Hazard Class	6.1	6.1	6.1	6.1

ADAMA Page 13 of 16



Transport Hazard Class Pictograms























Transport Subsidary Class

9

9

9

9

Packaging Group

Ш

Yes

61, 274, 648.

Ш

Ш

Ш

Environmental

Yes

Yes - Marine pollutant

Yes

Hazard

Special

Code

61, 274.

61, 274.

A3, A4.

Provisions

Classifiction

T6

F-A, S-A (EmS-No.)

6L (ERG Code)

15. Regulatory Information

Safety, health, and environmental regulations specific for the product in question

Symbol

T+ - Very Toxic.

T - Toxic for Reproduction.

Xi - Sensitizing.

N - Dangerous for the Environment.

R- Phrase Number R Phrase

R22 Harmful if swallowed. Very toxic by inhalation. R26

May cause sensitization by skin contact. R43

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R61 May cause harm to the unborn child.

ADAMA Page **14** of **16**



No known specific country national and/or local regulations applicable to the product (including its ingredients). A summary of country specific general laws/regulations are supplied below.

South African safety, health, and environmental regulations specific for the product in question

Registration Requirements: Fertilizer, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Pesticide Handling, Storage and Disposal Safety: SANS10206: 2020.

Safety Data Sheet and Occupational Exposure Limit Requirements: Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. SANS11014: 2010.

Control of and handling of poisonous/hazardous and non-poisonous/non-hazardous substances/chemicals in workplaces: Hazardous Substances Act, 1973 (Act No.15 of 1973). Occupational Health and Safety Act No. 85 of 1993.

16. Other Information

Key to Abbreviations

AND European Provisions concerning the International Carraige od Dangerous Goods by

inland Waterways

ADR The European Agreement concerning the International Carraige of Dangerous Goods

by Road

ATE Acute Toxicity Estimate

CAS Number Chemical Abstracts Service Number

COD Chemical Oxygen Demand

GHS Globally Harmonised System of Classification and Labelling of Chemicals

IATA International Air Transport Association
ICAO International Civil Aviation Organisation
IMDG International Maritime Dangerous Goods

Logarithm of the octanol/water partition coefficient

LD₅₀ Lethal Dose 50

LC₅₀ Lethal Concentration 50

RID The Regulations concerning the International Carraige of Dangerous Goods by Rail

SDS Safety Data Sheet

STOT SpecificTarget Organ Toxicity
TWA Time Weighted Average

UN United Nations

Document Control

Date of preparation of the SDS 26 May 2022

Revision date 19 September 2024

Revision NoteChanges made to the last version are labelled with the

sign ***.

NOTE: The previous revision incorporates the GHS requirements for **BROMOTRIL P 500 SC** and therefore

the total content of the SDS has been revised.



The Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Classification of the Mixture - Classification Procedure

H Statement Number	H Statement	Classification Basis: Test Data/Calculation Method
H301	Toxic if swallowed.	Calculation.
H317	May cause allergic skin reaction.	Calculation.
H330	Fatal if inhaled.	Calculation.
H361d	Suspected of damaging the unborn child.	Calculation.
H410	Very toxic to aquatic life with long lasting effects.	Calculation.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
