

CITRUS

PEST MANAGEMENT CHEAT SHEET

For more detailed information on each product, including safe usage, type the product name into the search bar on [our website](#).



PEST	PRODUCT TO USE	ACTIVE INGREDIENT	HAZARD STATEMENT	PRODUCT CATEGORY	RECOMMENDED SPRAY TIME	PRE-HARVEST INTERVAL (PHI)SA MRL
Citrus Thrips, Psylla, Red Scale, Leaf Miner, Aphids	Kohinor® 350 SC Reg. no. L8447 Act 36 of 1947. Warning. Read the label.	Imidacloprid	Very toxic to aquatic life with long-lasting effects.	IRAC 4A	This is a soil-drench product. Use before the end of September from the green-tip to white-bud stage	212 days PHI as registered
Red Scale, Soft Green Scale Waxy Scale, African Bollworm, Mealy bug, Orange Dog, Aphids	Methomex® 900 SP Reg. no. L5254 Act 36 of 1947. Danger. Read the label.	Methomyl	Fatal if swallowed. Fatal if inhaled. Very toxic to aquatic life with long lasting effects.	IRAC 1A	Use early in the season, after harvest of previous crop, and spray at the first signs of pests	60 days PHI as for all registered usages
Citrus Thrips, Psylla, Red Scale, Mealy bug, Leaf Miner	Mulan® 20 SP Reg. no. L9167 Act 36 of 1947. Warning. Read the label.	Acetamiprid	Harmful if swallowed.	IRAC 4A	Apply from bud swell to 90% pedal fall	150 days PHI as registered
Citrus Thrips, Red Scale, Mealy bug	Trivor® Reg. no. L10879 Act 36 of 1947. Warning. Read the label.	Acetamiprid + Pyriproxyfen	Harmful if swallowed. Very toxic to aquatic life with long lasting effects.	IRAC 4A + 7C	Apply at 90% pedal fall and repeat only once, 14 days later, if needed	84 days PHI as registered
Citrus Thrips	Klartan® 240 EW Reg. no. L5096 Act 36 of 1947. Warning. Read the label.	Tau-fluvalinate	Very toxic to aquatic life with long lasting effects	IRAC 3A	Apply at first signs of flowering	43 days PHI as for all registered usages



PEST	PRODUCT TO USE	ACTIVE INGREDIENT	HAZARD STATEMENT	PRODUCT CATEGORY	RECOMMENDED SPRAY TIME	PRE-HARVEST INTERVAL (PHI)SA MRL
Citrus Thrips	<p>ADAMA Abamectin Reg. no. L11053 Act 36 of 1947.</p> <p>Danger. Read the label.</p>	Abamectin	Flammable liquid and vapour. Toxic if swallowed or if inhaled. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause damage to organs (central nervous system, liver, kidneys) through prolonged or repeated exposure (via inhalation). Suspected of damaging fertility or the unborn child. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	IRAC 6	Apply between December and April	3 days PHI as registered
Fruit Fly (Natal and Mediterranean)	<p>Devipan™ 100 Reg. no. L4669 Act 36 of 1947.</p> <p>Danger. Read the label.</p>	Dichlorvos	Flammable liquid and vapour. Toxic if swallowed. May be fatal if swallowed and enters airways (aspiration hazard). Fatal in contact with skin. Causes skin irritation. May cause allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer. Very toxic to aquatic life.	IRAC 1B	Apply as soon as the pest is noticed. Should not be used within 21 days of harvesting	21 days PHI as registered

Emergency contacts:

Griffon Poison Information Centre: +27 82 446 8946
Tygerberg Poison Information Centre: +27 861 555 777

ADAMA offices:

Cape Town: +27 21 982 1460
Johannesburg +27 11 635 4300

99 Jip de Jager Drive, The Vineyards Oce Estate, Simeka House, De Bron, 7530, South Africa

Disclaimer: Please read the GHS label information and safety data sheets available for download on [our website](#). The information in the SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. Each SDS was prepared and is to be used only for the product it pertains.