

SAFETY DATA SHEET

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Merpan 80 WDG (Seeddressing)

Revision date 08-Jun-2023

Version 2 Supersedes Date: 17-Mar-2020

20

Print Date 08-Jun-2023

1. Identification

Product identifier

Merpan 80 WDG (Seeddressing)

Other means of identification

Synonyms	Merpan 80 WDG
Formulation type	WDG
Registration Number(s)	L5416
Pure substance/mixture	Mixture

Recommended use of the chemical and restrictions on use

Recommended use	Fungicide; Professional use
Uses advised against	No information available

Detailed information about the manufacturer, supplier, and/or importer

Supplier

ADAMA SOUTH AFRICA (PTY) LTD Ground Floor, Simeka House The Vineyards Office Estate 99 Jip de Jager Drive Bellville 7530

Emergency telephone number

Emergency Telephone	+27 82 446 8946 (Griffon Poison Centre)
	+27 86 155 5777 (Tygerberg Poison Information Centre)
	+27 86 100 6366 and +27 83 253 6618 (SPILL TECH)

E-mail address

infocpt@adama.com

2. Hazard(s) identification

Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Acute aquatic toxicity	Category 1 - (H400)

Product Code(s) FNG56785-27/1 MCW-3002 9201600

Label elements	
Signal word	Warning
Hazard pictograms	
Hazard statements	H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H351 - Suspected of causing cancer H400 - Very toxic to aquatic life
Precautionary statements	 P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P203 - Obtain, read and follow all safety instructions before use P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 + P265 - Wash face, hands and any exposed skin thoroughly after handling. Do not touch eyes P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P318 - If exposed or concerned get medical advice. P321 - Specific treatment (see supplemental first aid instructions on this label) P333+317 - If skin irritation or rash occurs get medical help P362+364 - Take off contaminated clothing and wash it before reuse P405 - Store locked up P501 - Dispose of contents/ container to an approved waste disposal plant
Additional information	This product is classified as hazardous according to the criteria in South Africa - GHS classification and labelling of chemicals – SANS10234 and the Regulations for Hazardous Chemical Agents - 2021.

Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

3. Composition/information on ingredients

Substance

Not applicable

<u>Mixture</u>

Synonyms

Merpan 80 WDG

Chemical name	CAS No	Weight-%	EC No	INTERNATIONAL GHS CLASSIFICATION	M-Factor
Captan	133-06-2	75 - 85	205-087-0	Acute Tox. 3 (H331)	M=10

				Eye Dam. 1 (H318) Skin Sens. 1 (H317) Carc. 2 (H351) Aquatic Acute 1 (H400)	
AlkyInaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	2 - 4	614-476-8	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt	102980-04-1	1 - 4		Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	
disodium maleate	371-47-1	< 1	206-738-1	Acute Tox. 4 (H302) Skin Sens. 1B (H317) STOT SE 3 (H335)	

Full text of H- and EUH-phrases: see section 16

Additional information

Note: The other ingredients do not cause or contribute towards the correct GHS classification of Merpan 80 WDG (Seeddressing) and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021, Regulation 14(b), not listed in the table above.

4. First-aid measures	
-----------------------	--

Description of necessary first aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). First aider: Pay attention to self-protection.		
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if symptoms occur.		
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.		
For emergency responders			
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms/effects, acute and delayed			
Symptoms	None known.		
Indication of immediate medical at	tention and special treatment needed, if necessary		
Note to physicians	Treat symptomatically.		
5. Fire-fighting measures			
Suitable Extinguishing Media			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams. Specific hazards arising from the chemical Specific hazards arising from the Product is or contains a sensitizer. May cause sensitization by skin contact. chemical **Explosive properties** Not an explosive. Specific/special fire-fighting measures Specific/special fire-fighting No information available. measures Special protective equipment and precautions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. fire-fighters Use personal protection equipment. 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Environmental precautions **Environmental precautions** See Section 12 for additional Ecological Information. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Pick up and transfer to properly labeled containers. Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards Other information Refer to protective measures listed in Sections 7 and 8. 7. Handling and storage

Preventive measures for safe handling

Advice on safe handlingAvoid generation of dust. Handle in accordance with good industrial hygiene and safety
practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of
insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke
when using this product. Take off contaminated clothing and wash before reuse.Precautions for safe handlingDo not eat, drink or smoke when using this product. Wash hands before breaks and
immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear
suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV
Captan	TWA: 5 mg/m ³ inhalable particulate matter
133-06-2	

Appropriate engineering controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.		
Individual protection measures, such as personal protective equipment			
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Hand protection	Wear suitable gloves.		
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear suitable protective clothing.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.		
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained.		

9. Physical and chemical properties

Information on basic physical and chemical properties

Property	Values	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: Solid		
Color	: beige		
Odor	: Aromatic		
Odor threshold	: No data available		
pH	: 8.9 - 9.9	CIPAC MT 75.3	solution (1%)
Melting point / freezing point °C	: No data available		
Boiling point / boiling range °C	: No data available		
Flash point °C	: No data available		Not Applicable
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not flammable	EEC A.10	
Upper/lower flammability or	: No data available		
explosive limits			
Vapor pressure kPa	: No data available		
Vapor density	: No data available		
Relative density	: No data available		
Solubility(ies) mg/l	: No data available		
Partition coefficient Log Pow	:		See Section 12 for additional Ecological Information

FNG56785-27/1 - Merpan 80 WDG (Seeddressing)

Autoignition temperature °C Decomposition temperature °C Kinematic viscosity mm2/s 40 °C	: 382 C : No data available : Not applicable	EEC A.16		
Explosive properties Oxidizing properties Surface tension	 Not an explosive Not oxidizing No data available 	EEC A.14		
Particle Size	: 125 and 500 um		CIPAC MT170	
Other information Bulk density g/ml	: 0.62 CIPAC MT 186			
10. Stability and reactivity				
Reactivity				
Reactivity	No information available.			
Chemical stability				
Stability	Stable under normal conditions	5.		
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.			
Possibility of hazardous reactions				
Possibility of hazardous reactions	None under normal processing	J.		
Conditions to avoid				
Conditions to avoid	None known based on informa	tion supplied.		
Incompatible materials				
Incompatible materials	None known based on informa	tion supplied.		
Hazardous decomposition products				
Hazardous decomposition products None known based on information supplied.				

11. Toxicological information

Information on toxicological effects

Acute toxicity

	Values	Species	Method	Remarks
Oral LD50 mg/kg	: > 2000	Rat	OECD 401	
Dermal LD50 mg/kg	: > 5000	Rat	OPPTS 870.120	00
Inhalation LC50 LC50	: No data available			Not Applicable granules
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	-
Serious eye damage/eye irritation	: Irritating to eyes	Rabbit	OECD 405	
Sensitization	: Skin sensitizer	Guinea pig	OECD 406	

Chronic toxicity

Germ cell mutagenicity Chemical name

Captan	:	Not classified
Carcinogenicity Chemical name Captan	•	H351 - Suspected of causing cancer
Reproductive toxicity . Chemical name Captan	:	Not toxic for the reproductive system
STOT - Single Exposure Chemical name Captan	:	Not classified
STOT - Repeated Exposure Chemical name Captan	:	Not classified
Aspiration hazard Chemical name Captan	:	Not classified

12. Ecological information

Ecotoxicity

Aquatic toxicity				
Acute toxicity	Values	<u>Species</u>	Method	Remarks
Fish 96-hour LC50 mg/l	: 0.17	Oncorhynchus mykiss	OECD 203	Static
Crustacea 48-hour EC50 mg/l	: 4.30	Daphnia magna	OECD 202	semi-static
Algae 72-hour EC50 mg/l	: 4.07	Scenedesmus subspicatus	OECD 201	Static
Other plants EC50 mg/l	: No data available			No data available
Chronic aquatic toxicity Fish NOEC mg/l Crustacea NOEC mg/l Algae NOEC mg/l Other plants NOEC mg/l	Values: 0.24: 0.675: No data available: No data available		<u>Method</u>	<u>Remarks</u>
Terrestrial Toxicity Birds Oral LD50 mg/kg Chemical name Captan	: >2000	Mallard duck		
Bees Oral LD50 μg/bee Chemical name Captan	: >100			
Abiotic Degradation Water DT50 days Chemical name Captan	: <1			251 °C
Soil DT50 days Chemical name Captan	: 0.5 - 5.7			aerobic 251 °C

Biodegradation Chemical name Captan	: Not readily biodegradable	OECD 301 B	
Log Pow Chemical name	Values	Method	<u>Remarks</u>
Captan	: 2.57		рН 7; 25 ° С
Bioconcentration factor (BCF)			
Captan	: 113 - 250		
Adsorption/Desorption	Values	Method	<u>Remarks</u>
Captan	: 29 - 198		KOC

13. Disposal considerations			
Disposal methods			
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.		
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal.		

14. Transport information

ADR 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Labels 14.4 Packing group Description	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan) 9 III UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9, III, (-)
 14.5 Environmental hazard 14.6 Special Precautions for Users Special Provisions Classification code Tunnel restriction code 	Yes 274, 335, 601, 375 M7 (-)
<u>RID</u> 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Labels 14.4 Packing group Description	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan) 9 III UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9, III
14.5 Environmental hazard 14.6 Special Precautions for Users Special Provisions Classification code	Yes 274, 335, 375, 601 M7
IMDG 14.1 UN number	UN3077

14.2 UN proper shipping name 14.3 Hazard Class	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan) 9
14.4 Packing group	
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9 III, Marine pollutant
14.5 Marine pollutant	Ρ
Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 966, 967, 969
EmS-No	F-A. S-F
IMDG Stowage and segregation) -
14.7. Transport in bulk according to	
Annex II of MARPOL and the IBC	
Code	
IATA	
14.1 UN number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)
14.3 Transport hazard class(es)	9
14.4 Packing group	
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9
	Yes
14.5 Environmental hazard	
14.5 Environmental hazard 14.6 Special Precautions for Users	
	A97, A158, A179, A197, A215



* Note: UN3077 & UN3082 – These products may be transported as non-dangerous goods under the special provisions of IMDG Code 2.10.2.7; ADR SP375 and ICAO/IATA A197 when packed in single or inner packaging of up to 5L for liquids or 5 kg or less for solids

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Registration Requirements: Fertilizer, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).Pesticide Handling, Storage and Disposal Safety: SANS10206: 2020.Safety Data Sheet and Occupational Exposure Limit Requirements: Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. SANS11014:2010.Control of and handling of poisonous/hazardous and non-poisonous/non-hazardous substances/chemicals in workplaces: Hazardous Substances Act, 1973 (Act No.15 of 1973). Occupational Health and Safety Act No. 85 of 1993.

16. Other information

Full text of H-Statements referred to under section 3

- H228 Flammable solid
- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation

H335 - May cause respiratory irritation H351 - Suspected of causing cancer H400 - Very toxic to aquatic life H412 - Harmful to aquatic life with lo				
Date of preparation of the SDS	No data available			
Revision date	08-Jun-2023			
Revision Note	Changes made to the last version are labeled with this sign ***.			
Key or legend to abbreviations an	d acronyms used in the	e safety data sh	neet	
IMDGInternational Maritime Dangerous Goods (IMDG)IATAInternational Air Transport Association (IATA)ADREuropean Agreement concerning the International Carriage of Dangerous Goods by Road				
LegendSection 8: EXPOSURE CCTWATWA (time-weighCeilingMaximum limit vaA3A3 - Animal Carc	ated average) alue	STEL *	STEL (Short Term Exposure Limit) Skin designation	
Abbreviations and acronymsADR -European Agreement concerning the International Carriage of Dangerous Goods by RoadADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland WaterwaysCAS Number -Chemical Abstracts Service numberEC Number -EINECS and ELINCS NumberEINECS - European Inventory of Existing Commercial SubstancesELINCS - European List of notified Chemical SubstancesIATA -International Air Transport AssociationICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by AirIMDG -International Maritime Dangerous GoodsLC50 -Lethal Concentration to 50 % of a test populationLD50 -Lethal Dose to 50% of a test population (Median Lethal Dose)OECD -Organization for Economic Co-operation and DevelopmentPBT -Persistent, Bioaccumulative and Toxic substanceRID -Regulations concerning the International Carriage of Dangerous Goods by RailSTOT -Specific Target Organ ToxicityvPvB -Very Persistent and Very Bioaccumulative				
The Globally Harmonized System Classification of the mixture	of Classification and L		nicals (GHS) sification procedure	

Classification of the mixture H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H351 - Suspected of causing cancer H400 - Very toxic to aquatic life Classification procedure Classification based on test data Classification based on test data Classification based on Calculation method Classification based on test data

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet