



SAFETY DATA SHEET

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Prometrex 500 SC

Revision date 31-Aug-2023

Version 1 Supersedes Date: 31-Aug-2023

Product Code(s)

HRB05080-27

Print Date 31-Aug-2023

ADM.06200.H.1.A 29602

1. Identification

Product identifier

Prometrex 500 SC

Other means of identification

Synonyms	Prometryn 500 SC
Formulation type	SC
Registration Number(s)	L8858
Pure substance/mixture	Mixture

Recommended use of the chemical and restrictions on use

Recommended use	Professional use; Herbicide
Uses advised against	No information available

Detailed information about the manufacturer, supplier, and/or importer

Supplier

ADAMA SOUTH AFRICA (PTY) LTD
Ground Floor, Simeka House
The Vineyards Office Estate
99 Jip de Jager Drive
Bellville 7530

Emergency telephone number

Emergency Telephone	+27 82 446 8946 (Griffon Poison Centre) +27 86 155 5777 (Tygerberg Poison Information Centre) +27 86 100 6366 and +27 83 253 6618 (SPILL TECH)
---------------------	--

E-mail address	infocpt@adama.com
----------------	-------------------

2. Hazard(s) identification

Classification of the substance or mixture

Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Label elements

Signal word Warning

Hazard pictograms



Hazard statements

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand
 P102 - Keep out of reach of children
 P103 - Read label before use
 P273 - Avoid release to the environment
 P391 - Collect spillage
 P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product is classified as hazardous according to the criteria in South Africa - GHS classification and labelling of chemicals – SANS10234 and the Regulations for Hazardous Chemical Agents - 2021.

Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

3. Composition/information on ingredients

Substance

Not applicable

Mixture

Synonyms

Prometryn 500 SC

Chemical name	CAS No	Weight-%	EC No	INTERNATIONAL GHS CLASSIFICATION	M-Factor
Prometryn	7287-19-6	44-50	230-711-3	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	
ethane-1,2-diol	107-21-1	5-8	203-473-3	Acute Tox. 4 (H302) STOT RE 2 (H373)	

Full text of H- and EUH-phrases: see section 16

Additional information

Note: The other ingredients do not cause or contribute towards the correct GHS classification of Prometrex500 SC and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021, Regulation 14(b), not listed in the table above.

4. First-aid measures

Description of necessary first aid measures

General advice

In case of accident or if you feel unwell, seek medical advice immediately (show the label)

where possible). First aider: Pay attention to self-protection.

Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.

For emergency responders

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms/effects, acute and delayed

Symptoms None known.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Specific/special fire-fighting measures

Specific/special fire-fighting measures No information available.

Special protective equipment and precautions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Preventive measures for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Precautions for safe handling

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV
Prometryn 7287-19-6	TWA: 2 mg/m ³ inhalable particulate matter
ethane-1,2-diol 107-21-1	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction

Other information South Africa for ethane-1,2-diol, CAS. no.: 107-21-1: OEL eight-hour TWA - 50 ppm, OEL-STEL/C - 100 ppm, 20 mg/m³ (SKIN)

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact (recommendation: protection index 6, corresponding > 480 minutes Permeability time (permeation) according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: Liquid		
Color	: white		
Odor	: characteristic		
Odor threshold	: No data available		
pH	: 6 - 8	CIPAC MT 75	
Melting point / freezing point °C	: NA		Not applicable
Boiling point / boiling range °C	: Not Applicable		
Flash point °C	: > 115		
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not applicable		
Upper/lower flammability or explosive limits	: No data available		
Vapor pressure kPa	: No data available		
Vapor density	: No data available		
Relative density	: 1.02 - 1.12		
Solubility(ies) mg/l	: No data available		
Partition coefficient Log Pow	:		See Section 12 for additional Ecological Information
Autoignition temperature °C	: No data available		
Decomposition temperature °C	: No data available		
Kinematic viscosity mm ² /s 40 °C	: Not applicable		
Explosive properties	: Not an explosive		
Oxidizing properties	: No		
Surface tension	: 0.0451 N/m		22°C
Particle Size	: Not applicable		
Other information			
Bulk density g/ml	: Not applicable		

10. Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on toxicological effects

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: 2812	Rat	OECD 423	
Dermal LD50 mg/kg	: > 4000	Rat	OECD 402	
Inhalation LC50	: > 0.7	Rat	OECD 403	Maximum attainable concentration
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Not irritating to eyes	Rabbit	OECD 405	
Sensitization	: Not a skin sensitizer	Guinea pig	OECD 406	

Chronic toxicity

Germ cell mutagenicity

Chemical name

Prometryn : No data available

Carcinogenicity

Chemical name

Prometryn : No data available

Reproductive toxicity

Chemical name

Prometryn : No data available

STOT - Single Exposure

Chemical name

Prometryn : No data available

STOT - Repeated Exposure

Chemical name

Prometryn : No data available

Aspiration hazard

Chemical name

Prometryn : No data available

12. Ecological information

Ecotoxicity

Aquatic toxicity

Acute toxicity	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish 96-hour LC50 mg/l	: 8.41	Oncorhynchus mykiss	OECD 203	
Crustacea 48-hour EC50 mg/l	: 1.98	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: 0.06	S. capricornutum	OECD 201	
Other plants EC50 mg/l	: No data available			

Chronic aquatic toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish NOEC mg/l	: No data available			
Crustacea NOEC mg/l	: No data available			
Algae NOEC mg/l	: No data available			
Other plants NOEC mg/l	: No data available			

Terrestrial Toxicity**Birds Oral LD50 mg/kg**

Chemical name				
Prometryn	: > 4640	Mallard duck		8 days

Bees Oral LD50 µg/bee

Chemical name				
Prometryn	: > 99			

Abiotic Degradation**Water DT50 days**

Chemical name				
Prometryn	: ----			No data available

Soil DT50 days

Chemical name				
Prometryn	: 50			Field

Biodegradation

Chemical name				
Prometryn	: No data available			

Log Pow

Chemical name	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Prometryn	: 3.1		

Bioconcentration factor (BCF)

Chemical name				
Prometryn	:			No data available

Adsorption/Desorption

Chemical name	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Prometryn	: 113 - 493		KOC

13. Disposal considerations**Disposal methods**

Waste from residues/unused products Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal.

14. Transport information

ADR

14.1 UN number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn)
14.3 Transport hazard class(es)	9
Labels	9
14.4 Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn), 9, III, (-)
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 601, 375
Classification code	M6
Tunnel restriction code	(-)

RID

14.1 UN number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn)
14.3 Transport hazard class(es)	9
Labels	9
14.4 Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn), 9, III
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 375, 601
Classification code	M6

IMDG

14.1 UN number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn)
14.3 Hazard Class	9
14.4 Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn), 9, III, Marine pollutant
14.5 Marine pollutant	P
Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 969
EmS-No	F-A, S-F
IMDG Stowage and segregation	Category A
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

IATA

14.1 UN number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prometryn), 9, III
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	A97, A158, A197
ERG Code	9L



* Note: UN3077 & UN3082 – These products may be transported as non-dangerous goods under the special provisions of IMDG Code 2.10.2.7; ADR SP375 and ICAO/IATA A197 when packed in single or inner packaging of up to 5L for liquids or 5 kg or less for solids

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Registration Requirements: Fertilizer, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947). Pesticide Handling, Storage and Disposal Safety: SANS10206: 2020. Safety Data Sheet and Occupational Exposure Limit Requirements: Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. SANS11014:2010. Control of and handling of poisonous/hazardous and non-poisonous/non-hazardous substances/chemicals in workplaces: Hazardous Substances Act, 1973 (Act No.15 of 1973). Occupational Health and Safety Act No. 85 of 1993.

16. Other information

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
 H302 - Harmful if swallowed
 H310 - Fatal in contact with skin
 H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H330 - Fatal if inhaled
 H373 - May cause damage to organs through prolonged or repeated exposure
 H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects

Date of preparation of the SDS No data available
Revision date 31-Aug-2023
Revision Note Changes made to the last version are labeled with this sign ***.

Key or legend to abbreviations and acronyms used in the safety data sheet

IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Abbreviations and acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 CAS Number - Chemical Abstracts Service number
 EC Number - EINECS and ELINCS Number
 EINECS - European Inventory of Existing Commercial Substances
 ELINCS - European List of notified Chemical Substances

IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
OECD - Organization for Economic Co-operation and Development
PBT - Persistent, Bioaccumulative and Toxic substance
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT - Specific Target Organ Toxicity
vPvB - Very Persistent and Very Bioaccumulative

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Classification of the mixture

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure

Classification based on Calculation method

Classification based on Calculation method

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet