



SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Annex II

TOPIK

Revision Date 18-Jan-2021

Version 1

Product No HRB01086-44

Publish Date 18-Jan-2021

ADM.01750.H.3.A 9510129

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

TOPIK

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Herbicide; Professional use
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier Address ADAMA Agricultural Solutions UK Ltd
Third Floor East
1410 Arlington Business Park
Theale
READING
RG7 4SA
Tel: 01635 860555
Fax: 01635 861555

For further information, please contact

Email address ukenquiries@adama.com

1.4. Emergency telephone number

Emergency Telephone National Chemical Emergency Centre (UK):
Tel: 01865 407333 (24 hours)
National Poisons Information Centre (Republic of Ireland)
Tel: 01 809 2166 (8am – 10pm 7 days a week)

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard Category 1 - (H304)
Specific target organ toxicity (repeated exposure) Category 2 - (H373)

Acute aquatic toxicity Category 1 - (H400)
 Hazardous to the Aquatic Environment - Chronic Hazard Category 1 - (H410)

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Signal word Danger

Hazard Statements
 H304 - May be fatal if swallowed and enters airways
 H373 - May cause damage to organs through prolonged or repeated exposure
 H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements
 P102 - Keep out of reach of children
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 P331 - Do NOT induce vomiting
 P391 - Collect spillage
 P501 - Dispose of contents/ container to an approved waste disposal plant

EU Specific Hazard Statements
 EUH401 - To avoid risks to human health and the environment, comply with the instructions for use
 EUH066 - Repeated exposure may cause skin dryness or cracking
 EUH208 - Contains Clodinafop-propargyl and cloquintocet-mexyl. May produce an allergic reaction.

Additional phrases for PPP
 SP1 - Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3. Other hazards
 No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Chemical Name	Weight-%	CAS No	EC No	Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	M-Factor	REACH Registration Number
Clodinafop-propargyl	19-25	105512-06-9	600-662-6	607-625-00-3	Acute Tox. 4 (H302) Skin Sens. 1 (H317) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	M=1 M=1	-
cloquintocet-mexyl	4-7	99607-70-2	619-447-3	-	Acute Tox. 4(H332) Skin Sens. 1(H317) STOT RE 2(H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	M=1	01-2119381871-32
Hydrocarbons, C10-C13, aromatics,	50-56	N/A	922-153-0	-	Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411)		01-2119451097-39-0002

<1% naphthalene					(EUH066)	
Butyrolactone	12-16	96-48-0	202-509-5	-	STOT SE 3 (H336) Eye Dam. 1 (H318) Acute Tox. 4 (H302)	01-2119471839 -21-0000
Poly(oxy-1,2-ethanediy l), .alpha.-[tris(1-phenylet hyl)phenyl]-.omega.-hy droxy-	1-3	99734-09-5	619-457-8	-	Aquatic Chronic 3 (H412)	-
Benzenesulphonic acid, 4-C10-14-alkyl derivs., calcium salts	0.5-2	N/A	932-231-6	-	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	01-2119560592 -37
Isobutanol	<1	78-83-1	201-148-0	603-108-00-1	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H332) STOT SE 3 (H335) STOT SE 3 (H336) Flam. Liq. 3 (H226)	-

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection!.
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Rinse mouth. Immediate medical attention is required.
Self-protection of the first aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

5.2. Special hazards arising from the substance or mixture

No specific hazard known.

5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Other Information

See also section 8,13

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Butyrolactone 96-48-0					Skin
Isobutanol 78-83-1		STEL: 75 ppm STEL: 231 mg/m ³ TWA: 50 ppm TWA: 154 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³	TWA: 50 ppm TWA: 154 mg/m ³	TWA: 100 ppm TWA: 310 mg/m ³ Ceiling / Peak: 100 ppm Ceiling / Peak: 310 mg/m ³
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Butyrolactone 96-48-0				TWA: 50 ppm TWA: 14 mg/m ³ STEL: 250 ppm STEL: 70 mg/m ³ Skin	
Isobutanol 78-83-1		TWA: 50 ppm		STEL: 75 ppm STEL: 230 mg/m ³	Ceiling: 50 ppm Ceiling: 150 mg/m ³ Skin
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Isobutanol 78-83-1	STEL 200 ppm STEL 600 mg/m ³ TWA: 50 ppm TWA: 150 mg/m ³	STEL: 50 ppm STEL: 150 mg/m ³ TWA: 50 ppm TWA: 150 mg/m ³	STEL: 200 mg/m ³ TWA: 100 mg/m ³ Skin	Skin Ceiling: 25 ppm Ceiling: 75 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 75 ppm STEL: 225 mg/m ³

8.2. Exposure controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Hand Protection

Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact (recommendation: protection index 6, corresponding > 480 minutes Permeability time (permeation) according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

Body Protection

Use suitable protective clothing and equipment if required, such as safety goggles certified to EN 166, gloves certified to EN 374, protective boots certified to EN 13832, and/or a water repellent woven coverall with 65% polyester and 35 % cotton.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Property	Values	Method	Remarks
Appearance			
Physical state	: liquid		
Color	: brown		
Odor	: characteristic		
Odor threshold	: No data available		
pH	: 5.1-6.1	CIPAC MT 75.3	1%, 25°C
Melting point/freezing point °C	: No data available		
Boiling point/boiling range °C	: No data available		
Flash point °C	: 84-88	EEC A.9	
Evaporation rate	: Not Applicable		

Flammability (solid, gas)	:	Not Applicable		
Upper/lower flammability or explosive limits	:	No data available		
Vapor pressure kPa	:	No data available		
Vapor density	:	No data available		
Relative density	:	1.037-1.137	OECD 109	
Solubility(ies) mg/l	:	No data available		
Partition Coefficient (n-octanol/water) Log Pow	:			See Section 12 for more information
Autoignition temperature °C	:	485-495	EC A.15	
Decomposition temperature °C	:	No data available		
Kinematic viscosity mm²/s 40 °C	:	5.2	OECD 114	
Explosive properties	:	Not an explosive	EEC A.14	
Oxidizing properties	:	Not oxidizing	UM Test O.2	

9.2. Other information

Bulk density g/ml	:	Not Applicable		
Surface tension mN/m neat, 25°C	:	37.8	EEC A.5	neat, 25°C

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: >2000	Rat	OECD 425	No data available
Dermal LD50 mg/kg	: >2000	Rat	OECD 402	
Inhalation LC50 mg/l/4h	:			
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Not irritating to eyes	Rabbit	OECD 405	
Respiratory/skin sensitization	: Not a skin sensitizer	Guinea pig	OECD 406	

Chronic toxicity

Germ cell mutagenicity

Chemical Name

Clodinafop-propargyl : Not classified
 cloquintocet-mexyl : Not classified

Carcinogenicity

Chemical Name

Clodinafop-propargyl : Not Carcinogenic
 cloquintocet-mexyl : Not Carcinogenic

Reproductive toxicity

Chemical Name

Clodinafop-propargyl : Not toxic for the reproductive system
 cloquintocet-mexyl : Not toxic for the reproductive system

STOT - single exposure

Chemical Name

Clodinafop-propargyl : No data available
 cloquintocet-mexyl : No data available

STOT - repeated exposure

Chemical Name

Clodinafop-propargyl : H373 - May cause damage to organs through prolonged or repeated exposure
 cloquintocet-mexyl : H373 - May cause damage to organs through prolonged or repeated exposure

Aspiration hazard

Chemical Name

Clodinafop-propargyl : No data available
 cloquintocet-mexyl : No data available

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Aquatic toxicity

Acute toxicity	Values	Species	Method	Remarks
Fish 96-hour LC50 mg/l	: 3.6	Oncorhynchus mykiss	OECD 203	
Crustacea 48-hour EC50 mg/l	: 9.5	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: 1.3	P. subcapitata	OECD 201	
Other plants EC50 mg/l	: 0.667	Glyceria maxima	OECD 221	7 days

Chronic aquatic toxicity	Values	Species	Method	Remarks
Fish NOEC mg/l	: No data available			
Crustacea NOEC mg/l	: No data available			
Algae NOEC mg/l	: 0.22	P.subcapitata	OECD 201	
Other plants NOEC mg/l	: No data available			

Terrestrial Toxicity

Birds Oral LD50 mg/kg

Chemical Name

Clodinafop-propargyl : > 2000 Bobwhite quail EPA-OPPTS 850.2100
 cloquintocet-mexyl : > 2000 Mallard duck

Bees Oral LD50 µg/bee

Chemical Name

Clodinafop-propargyl : > 104 OECD 213, OECD 214
 cloquintocet-mexyl : > 100

12.2. Persistence and degradability

Abiotic Degradation	Values	Method	Remarks
Water DT50 days			
Chemical Name			
Clodinafop-propargyl	: 4.8		pH 7, 25 ° C
cloquintocet-mexyl	: < 1		
Soil DT50 days			
Chemical Name			
Clodinafop-propargyl	: < 0.1	BBA IV 4-1	20 °C
cloquintocet-mexyl	: 0.5 - 2.4		
Biodegradation			
Chemical Name			
Clodinafop-propargyl	: No data available		
cloquintocet-mexyl	: No data available		

12.3. Bioaccumulative potential

Partition Coefficient (n-octanol/water) Log Pow			
Chemical Name			
Clodinafop-propargyl	: 3.9		25 °C
cloquintocet-mexyl	: 5.03		25 °C

Bioconcentration factor (BCF)			
Chemical Name			
Clodinafop-propargyl	:		Low
cloquintocet-mexyl	: ----		No data available

12.4. Mobility in soil

Adsorption/Desorption	Values	Method	Remarks
Chemical Name			
Clodinafop-propargyl	: 252 - 2364		KOC
cloquintocet-mexyl	: ----		Low mobility in soil

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORTATION INFORMATION

IMDG/IMO


14.1 UN/ID No * 3082
 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clodinafop-propargyl; Cloquintocet-mexyl)
 14.3 Hazard Class 9
 14.4 Packing Group III
 14.5 Marine pollutant Yes
 14.6 Special precautions for user

RID/ADR

14.1 UN/ID No * 3082
 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clodinafop-propargyl; Cloquintocet-mexyl)
 14.3 Hazard Class 9
 14.4 Packing Group III
 14.5 Environmental hazard Yes
 14.6 Special precautions for user
 14.7 Tunnel restriction code -

ICAO/IATA

14.1 UN/ID No * 3082
 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clodinafop-propargyl; Cloquintocet-mexyl)
 14.3 Hazard Class 9
 14.4 Packing Group III
 14.5 Environmental hazard Yes
 14.6 Special precautions for user
 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not Applicable



* Note: UN3077 & UN3082 – These products may be transported as non-dangerous goods under the special provisions of IMDG Code 2.10.2.7; ADR SP375 and ICAO/IATA A197 when packed in single or inner packaging of up to 5L for liquids or 5 kg or less for solids.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Trade name	Registration number	Registration date
Not Applicable	Not Applicable	Not Applicable

15.2. Chemical safety assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required. A risk assessment was performed according to directive (EC) No. 91/414 or according to regulation (EC) No. 1107/2009.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness
H373 - May cause damage to organs through prolonged or repeated exposure if inhaled
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects
EUH066 - Repeated exposure may cause skin dryness or cracking

List of Acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CAS Number - Chemical Abstracts Service number
EC Number - EINECS and ELINCS Number
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
OECD - Organization for Economic Co-operation and Development
PBT - Persistent, Bioaccumulative and Toxic substance
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT - Specific Target Organ Toxicity
vPvB - Very Persistent and Very Bioaccumulative

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Revision Note Changes made to the last version are labeled with this sign ***.

Process of classification evaluation in accordance with CLP regulation.

Classification of the mixture

H304 - May be fatal if swallowed and enters airways
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Classification procedure

Classification based on test data
Classification based on Calculation method
Classification based on test data
Classification based on Calculation method

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet