



SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

NIMROD

Revision date 06-Aug-2024

Version 6.01 Supersedes Date: 08-Mar-2024

Product Code(s)

FNG56787-44

Print Date 06-Aug-2024

ADM.00550.F.1.B / MCW-5382

9511367

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NIMROD

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Fungicide; Professional use
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

ADAMA Agricultural Solutions UK Ltd
Third Floor East
1410 Arlington Business Park
Theale
READING
RG7 4SA
Tel: 01635 860555
Fax: 01635 861555

For further information, please contact

E-mail address ukenquiries@adama.com

1.4. Emergency telephone number

Emergency Telephone

Republic of Ireland: National Poisons Information Centre, Beaumont Hospital:
Tel: 01 809 2166 or 01 837 9964 (8am - 10pm 7 days a week) or
the UK National Chemical Emergency Centre on
Tel: +44 (0)1865 407333 (24 hours, 7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Aspiration hazard	Category 1 - (H304)
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 2 - (H351)

Specific target organ toxicity — single exposure	Category 3 - (H335,H336)
Chronic aquatic toxicity	Category 1 - (H410)
Flammable liquids	Category 3 - (H226)

2.2. Label elements

Labelling according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Contains Hydrocarbons, C10, aromatics, <1% naphthalene, Hydrocarbons C11-C14, n-alkanes, isoalkanes, cyclics <2% aromatic, Bupirimate, n-Butan-1-ol

Hazard pictograms



Signal word

Danger

Hazard statements

H226 - Flammable liquid and vapour
 H304 - May be fatal if swallowed and enters airways
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H351 - Suspected of causing cancer
 H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P102 - Keep out of reach of children
 P201 - Obtain special instructions before use
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
 No smoking
 P243 - Take precautionary measures against static discharge
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing
 P331 - Do NOT induce vomiting
 P501 - Dispose of contents/ container to an approved waste disposal plant

EU Specific Hazard Statements

EUH066 - Repeated exposure may cause skin dryness or cracking
 EUH208 - Contains (Bupirimate). May produce an allergic reaction
 EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Additional phrases for PPP

SP1 - Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3. Other hazards

PBT & vPvB

The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information

None known.

Persistent Organic Pollutants

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	Index No	Weight-%	Classification according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567	Specific concentration limit (SCL)	M-Factor	REACH Registration Number
n-Butan-1-ol	71-36-3	200-751-6	603-004-00-6	31-36	STOT SE 3 (H335) STOT SE 3 (H336) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 4 (H302) Flam Liq. 3 (H226)			01-211948463 0-38-0001
Bupirimate	41483-43-6	255-391-2	612-288-00-0	25-30	Carc. 2 (H351) Skin Sens. 1B (H317) Aquatic Chronic 1 (H410)		M=1	No data available
Hydrocarbons, C10, aromatics, <1% naphthalene	-	918-811-1		17-22	STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) (EUH066)			01-211946358 3-34-0005
Hydrocarbons C11-C14, n-alkanes, isoalkanes, cyclics <2% aromatic	-	926-141-6		9-12	Asp. Tox. 1 (H304) (EUH066)			01-211945662 0-43
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1335202-81-7	932-231-6		1-3	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)			01-211956059 2-37

Acute toxicity estimates (ATEs) according to Part 3 of Annex VI to Regulation (EC) No 1272/2008 are indicated in this table, if available

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
---	---

5.3. Advice for firefighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,
---------------------------	---

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
n-Butan-1-ol 71-36-3	STEL: 50 ppm STEL: 154 mg/m ³ Sk*
butan-1-ol 71-36-3	STEL: 50 ppm STEL: 154 mg/m ³ Sk*

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Hand protection

Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact (recommendation: protection index 6, corresponding > 480 minutes Permeability time (permeation) according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

Skin and body protection

Use suitable protective clothing and equipment if required, such as safety goggles certified to EN 166, gloves certified to EN 374, protective boots certified to EN 13832, and/or a water repellent woven coverall with 65% polyester and 35 % cotton.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: Liquid		
Colour	: light yellow		
Odour	: chemical		
Odour threshold	: No data available		
pH	: 8.4 - 9.4	CIPAC MT 75.2	solution (1%)
Melting point / freezing point °C	: No data available		
Boiling point / boiling range °C	: No data available		
Flash point °C	: 40	CIPAC MT 12.2	
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not applicable		
Upper/lower flammability or explosive limits	: No data available		
Vapour pressure kPa	: No data available		
Vapour density	: No data available		
Relative density	: 0.88 - 0.98	EEC A.3	
Solubility(ies) mg/l	: No data available		
Partition coefficient Log Pow	:		See Section 12 for additional Ecological Information
Autoignition temperature °C	: No data available		
Decomposition temperature °C	: No data available		
Kinematic viscosity mm ² /s 40 °C	: ----		No data available
Surface tension	: No data available		
Particle Size	: Not applicable		

9.2. Other information

Bulk density g/ml : Not applicable

9.2.1. Information with regards to physical hazard classes

Explosive properties : Not an explosive
Oxidising properties : Not oxidizing

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: > 2000	Rat	OECD 425	
Dermal LD50 mg/kg	: > 2000	Rat	OECD 402	
Inhalation LC50 mg/l	: > 5.3	Rat	OECD 403	
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Irritating to eyes	Rabbit	OECD 405	
Sensitisation	: Not a skin sensitiser	Guinea pig	OECD 406	

Chronic toxicity

Germ cell mutagenicity

Chemical name

Bupirimate : Not classified

Carcinogenicity

Chemical name

Bupirimate : H351 - Suspected of causing cancer

Reproductive toxicity

Chemical name

Bupirimate : Not toxic for the reproductive system

STOT - Single Exposure

Chemical name

Bupirimate : No data available

STOT - Repeated Exposure

Chemical name

Bupirimate : No data available

Aspiration hazard

Chemical name

Bupirimate : No data available

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

<u>Acute toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish 96-hour LC50 mg/l	: 6.2	Oncorhynchus mykiss		
Crustacea 48-hour EC50 mg/l	: 11.9	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: 1.55	P. subcapitata	OECD 201	
Other plants EC50 mg/l	: ----			Not available

<u>Chronic aquatic toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish NOEC mg/l	: No data available			
Crustacea NOEC mg/l	: No data available			
Algae NOEC mg/l	: 1	P.subcapitata	OECD 201	
Other plants NOEC mg/l	: No data available			

Terrestrial Toxicity**Birds Oral LD50 mg/kg**

Chemical name

Bupirimate : >5000 Japanese quail

Bees Oral LD50 µg/bee

Chemical name

Bupirimate : > 200 Oral

12.2. Persistence and degradability**Abiotic Degradation****Water DT50 days**

Chemical name

Bupirimate : 165 SETAC

Soil DT50 days

Chemical name

Bupirimate : 22-69

Biodegradation

Chemical name

Bupirimate : Not readily biodegradable OECD 301 D

12.3. Bioaccumulative potential**Partition Coefficient (n-octanol/water) Log Pow**

Chemical name

Bupirimate : 3.68 EEC A.8 pH 7.7 °C

Bioconcentration factor (BCF)

Chemical name

Bupirimate : Not available

12.4. Mobility in soil**Adsorption/Desorption**

Chemical name

Bupirimate : 882 - 2822 OECD 106 KOC

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

12.6. Endocrine disrupting properties**Endocrine disrupting properties** No information available.**12.7. Other adverse effects**

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information**ADR**

14.1 UN number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol), 3, III, (D/E), Environmentally Hazardous
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 601
Classification code	F1
Tunnel restriction code	(D/E)

RID

14.1 UN number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol), 3, III, Environmentally Hazardous
Environmental hazard	Yes
Special Precautions for Users	
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 601
Classification code	F1

IMDG

14.1 UN number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol), 3, III, (40°C C.C.), Marine pollutant
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
14.5 Marine pollutant	P
Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	223, 274, 955
EmS-No	F-E, S-E
IMDG Stowage and segregation	Category A No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

IATA

14.1 UN number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (n-Butan-1-ol), 3, III
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	A3
ERG Code	3L



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Trade name / designation	Registration Number(s)	Date
Not Applicable	Not Applicable	Not Applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Report	A risk assessment was performed according to directive (EC) No. 91/414 or according to regulation (EC) No. 1107/2009
-------------------------------	--

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour
H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H351 - Suspected of causing cancer
 H410 - Very toxic to aquatic life with long lasting effects
 H411 - Toxic to aquatic life with long lasting effects
 EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision date 06-Aug-2024

Reason for revision General revision

Abbreviations and acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 CAS Number - Chemical Abstracts Service number
 EC Number - EINECS and ELINCS Number
 EINECS - European Inventory of Existing Commercial Substances
 ELINCS - European List of notified Chemical Substances
 IATA - International Air Transport Association
 ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
 IMDG - International Maritime Dangerous Goods
 LC50 - Lethal Concentration to 50 % of a test population
 LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
 OECD - Organization for Economic Co-operation and Development
 PBT - Persistent, Bioaccumulative and Toxic substance
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 STOT - Specific Target Organ Toxicity
 vPvB - Very Persistent and Very Bioaccumulative

Classification according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**Classification of the mixture**

H226 - Flammable liquid and vapour
 H304 - May be fatal if swallowed and enters airways
 H319 - Causes serious eye irritation
 H351 - Suspected of causing cancer
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H410 - Very toxic to aquatic life with long lasting effects

Classification procedure

Classification based on test data
 Classification based on test data
 Classification based on test data
 Classification based on Calculation method
 Classification based on Calculation method
 Classification based on Calculation method
 Classification based on Calculation method

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet