

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CONCORDE

Product Registration number : MAPP 18570

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide

1.3 Details of the supplier of the safety data sheet

Company : Adama Agricultural Solutions UK Ltd
Third Floor East
1410 Arlington Business Park
Theale, READING, RG7 4SA
UK
Telephone : +44 (0) 1635 860 555
Telefax : +44 (0) 1635 861 555
E-mail address of person responsible for the SDS : ukenquiries@adama.com

1.4 Emergency telephone number

Emergency telephone number National Chemical Emergency Centre (UK)
01865 407333 (24 hours)
National Poisons Information Centre (Republic of Ireland)
Tel: 01 809 2166 (8am – 10pm 7 days a week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (**REGULATION (EC) No 1272/2008**)

Acute toxicity, Category 4

H332: Harmful if inhaled.

Reproductive toxicity, Category 2

H361: Suspected of damaging fertility or the unborn child.

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

Acute aquatic toxicity, Category 1

H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1

H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H304 May be fatal if swallowed and enters airways.
H332 Harmful if inhaled.
H351 Suspected of causing cancer
H361 Suspected of damaging fertility or the unborn child
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements :

EUH208 Contains isopyrazam, cyprodinil. May produce an allergic reaction.
EUH066 Repeated exposure may cause skin dryness or cracking.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements :

Prevention:

P202 Do not handle until all safety precautions have been read and understood
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash hands thoroughly after handling
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P331 Do NOT induce vomiting.
P337 + P313 If eye irritation persists: Get medical advice/attention
P391 - Collect spillage
P501 - Dispose of contents/ container to an approved waste disposal plant
SP1 - Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

Hazardous components which must be listed on the label:

solvent naphtha (petroleum), heavy arom.

isopyrazam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
mixture of octanoic acid- decanoic acid- N,N-dimethylamide	1118-92-9 214-272-5 01-2119974115-37	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 20 - < 30
triethyl phosphate	78-40-0 201-114-5 015-013-00-7 01-2119492852-28	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 20 - < 30
solvent naphtha (petroleum), heavy arom.	64742-94-5 265-198-5 649-424-00-3 01-2119451151-53	Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 10 - < 20
cyprodinil (ISO)	121552-61-2 612-242-00-X	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-	99734-09-5	Aquatic Chronic 3; H412	>= 2.5 - < 10
isopyrazam	881685-58-1	Skin Sens. 1B; H317 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 3 - < 10

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	8 ppm 50 mg/m ³	Supplier
cyprodinil (ISO)	121552-61-2	TWA	5 mg/m ³	Syngenta
isopyrazam	881685-58-1	TWA	1 mg/m ³	Syngenta

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks : No special protective equipment required.

Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a particle filter (EN 143)
The filter class for the respirator must be suitable for the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

- Filter type : Particulates type (P)
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.
-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

: uniform, clear, mobile

Colour : amber to brown

Odour : characteristic

Odour Threshold : No data available

pH : > 6.0 - 8.0 (20 - 25 °C)
Concentration: 1.0 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 133 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure :
No data available

Relative vapour density : No data available

Density : 1.02 g/cm³

Solubility(ies)
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

Auto-ignition temperature	:	450 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	14.7 mPa.s (20 °C)
		7.06 mPa.s (40 °C)
Viscosity, kinematic	:	6.97 mm ² /s (40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension : 24.5 mN/m, 25 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid

: None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure

: Ingestion

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity

: LD50 (Rat, female): 3,129 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: The toxicological data has been taken from products of similar composition.

Acute inhalation toxicity

: LC50 (Rat, male and female): 2.62 - < 5.24 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.
Remarks: The toxicological data has been taken from products of similar composition.

Acute dermal toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: The toxicological data has been taken from products of similar composition.

Components:

triethyl phosphate:

Acute oral toxicity

: LD50 (Rat): 1,600 mg/kg
Acute toxicity estimate: 500 mg/kg
Method: Converted acute toxicity point estimate

Acute inhalation toxicity

: LC50 (Rat): 8.817 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity

: LD50 (Rabbit): 20,000 mg/kg

cyprodinil (ISO):

Acute oral toxicity

: LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity

: LC50 (Rat, male and female): > 1.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Acute oral toxicity

: LD50 Oral (Rat): 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity

: LD50 Dermal (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

isopyrazam:

Acute oral toxicity

: LD50 (Rat, female): > 2,000 mg/kg

LD50 (Rat, female): 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity

: LC50 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit

Result: Mild skin irritation

Remarks: The toxicological data has been taken from products of similar composition.

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species: Rabbit

Result: Irritating to skin.

cyprodinil (ISO):

Species: Rabbit

Result: No skin irritation

isopyrazam:

Species: Rabbit

Result: No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Remarks: The toxicological data has been taken from products of similar composition.

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species: Rabbit

Result: Risk of serious damage to eyes.

triethyl phosphate:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

cyprodinil (ISO):

Species: Rabbit

Result: No eye irritation

isopyrazam:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Test Type: Buehler Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Remarks: The toxicological data has been taken from products of similar composition.

Components:

cyprodinil (ISO):

Species: Guinea pig

Result: The product is a skin sensitiser, sub-category 1B.

isopyrazam:

Species: Mouse

Result: The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Components:

triethyl phosphate:

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

cyprodinil (ISO):

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Germ cell mutagenicity-
Assessment : In vitro tests did not show mutagenic effects

isopyrazam:

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

triethyl phosphate:

Carcinogenicity -
Assessment : Animal testing did not show any carcinogenic effects.

cyprodinil (ISO):

Carcinogenicity -
Assessment : No evidence of carcinogenicity in animal studies.

isopyrazam:

Carcinogenicity -
Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

triethyl phosphate:

Reproductive toxicity -
Assessment : No toxicity to reproduction

cyprodinil (ISO):

Reproductive toxicity -
Assessment : No toxicity to reproduction

isopyrazam:

Reproductive toxicity -
Assessment : Some evidence of adverse effects on development, based on animal experiments., Animal testing did not show any effects on fertility., Evidence of developmental toxicity at high doses (reduction in eye size).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Repeated dose toxicity

Components:

cyprodinil (ISO):

Remarks: No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Components:

solvent naphtha (petroleum), heavy arom.:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.36 mg/l
Exposure time: 96 h
Remarks: Based on test results obtained with similar product.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.22 mg/l
aquatic invertebrates : Exposure time: 48 h
Remarks: Based on test results obtained with similar product.

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 6.6
mg/l
Exposure time: 96 h
Remarks: Based on test results obtained with similar product.

EbC50 (Pseudokirchneriella subcapitata (green algae)): 3.5
mg/l
Exposure time: 96 h
Remarks: Based on test results obtained with similar product.

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Toxicity to fish

: LC50 : 14.8 mg/l
Exposure time: 96 h

triethyl phosphate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 2,985 mg/l
Exposure time: 30 min

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 31.6 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

solvent naphtha (petroleum), heavy arom.:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

cyprodinil (ISO):

Toxicity to fish

: LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2.41 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.033 mg/l
Exposure time: 48 h
Test Type: flow-through test

LC50 (*Americamysis bahia* (Mysid shrimp)): 0.0081 mg/l
Exposure time: 96 h

Toxicity to algae : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 5.2 mg/l
Exposure time: 72 h

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0.4 mg/l
End point: Growth rate
Exposure time: 72 h

EC50 (*Skeletonema costatum* (marine diatom)): 1.78 mg/l
Exposure time: 72 h

NOEC (*Skeletonema costatum* (marine diatom)): 0.541 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10, Annex VI - Harmonised

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0082 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

NOEC: 0.0019 mg/l
Exposure time: 28 d
Species: *Americamysis bahia* (Mysid shrimp)

M-Factor (Chronic aquatic toxicity) : 10, Annex VI - Harmonised

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

toxicity)

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): 21 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

isopyrazam:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.063 mg/l
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.034 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.13 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 4
mg/l
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.31
mg/l
End point: Growth rate
Exposure time: 96 h

M-Factor (Acute aquatic : 10
toxicity)

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic : NOEC: 0.00287 mg/l
toxicity) Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : NOEC: 0.013 mg/l
aquatic invertebrates Exposure time: 21 d
(Chronic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 10
toxicity)

12.2 Persistence and degradability

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Biodegradability

: Result: Readily biodegradable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

Stability in water : Remarks: Product is not persistent.

triethyl phosphate:

Biodegradability : Result: Not readily biodegradable.

cyprodinil (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: ca. 10 d
Remarks: Product is not persistent.

isopyrazam:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 21 d
Remarks: Product is not persistent.

12.3 Bioaccumulative potential

Components:

cyprodinil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.0 (25 °C)

isopyrazam:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.1 (25 °C)

log Pow: 4.4 (25 °C)

12.4 Mobility in soil

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Stability in soil : Remarks: Product is not persistent.

cyprodinil (ISO):

Distribution among environmental compartments : Remarks: Cyprodinil has low to slight mobility in soil.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

Stability in soil : Dissipation time: 0.1 - 2 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

isopyrazam:

Distribution among environmental compartments : Remarks: Isopyrazam has low to slight mobility in soil.

Stability in soil : Dissipation time: 70 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

triethyl phosphate:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

cyprodinil (ISO):

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

isopyrazam:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

12.6 Other adverse effects

Product:

Additional ecological information : Classification of the product is based on the summation of the concentrations of classified components.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

Waste Code : uncleaned packagings
150110, packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(ISOPYRAZAM AND CYPRODINIL)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(ISOPYRAZAM AND CYPRODINIL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(ISOPYRAZAM AND CYPRODINIL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

IATA : N.O.S.
(ISOPYRAZAM AND CYPRODINIL)
: Environmentally hazardous substance, liquid, n.o.s.
(ISOPYRAZAM AND CYPRODINIL)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version
7.0

Revision Date:
02.11.2017

SDS Number:
S1501382095

This version replaces all previous versions.

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2,500 t	25,000 t

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H361d	: Suspected of damaging the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CONCORDE

Version 7.0 Revision Date: 02.11.2017 SDS Number: S1501382095 This version replaces all previous versions.

Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H332
Repr. 2	H361d
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

On basis of test data.
Calculation method
Calculation method
On basis of test data.
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN