

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 05/02/2018

Revision date: 29/10/2019

Supersedes: 05/02/2018

Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : TELSEE  
Product code : Ethephon 480g/L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Phytosanitary

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Société Financière de Pontarlier  
11, Boulevard de la Grande Thumine - Parc d'Ariane - Bât. B  
13090 AIX EN PROVENCE - FRANCE  
T +33 (0)4 42 52 72 12 - F +33 (0)4 42 52 68 52  
[contact@sfprd.fr](mailto:contact@sfprd.fr)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	-

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 H290  
Skin Irrit. 2 H315  
Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

##### Classification according to Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC (United Kingdom)

Met. Corr. 1 H290  
Skin Irrit. 2 H315  
Eye Dam. 1 H318

Registration no.: 16325

Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Corrosive to the respiratory tract. May be corrosive to metals. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC (United Kingdom)

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazardous ingredients :

Ethephon

Hazard statements (CLP) :

H315 - Causes skin irritation.  
H318 - Causes serious eye damage.  
H290 - May be corrosive to metals.

Precautionary statements (CLP) :

P261 - Avoid breathing spray, vapours.  
P264 - Wash hands thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P280 - Wear protective gloves, protective clothing, eye protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P332+P313 - If skin irritation occurs: Get Obtain medical attention.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER/doctor.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents/container to an approved waste disposal plant.

EUH-statements : EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.  
EUH071 - Corrosive to the respiratory tract.

### 2.3. Other hazards

Other hazards not contributing to the classification : None, to our knowledge.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethephon	(CAS-No.) 16672-87-0 (EC-No.) 240-718-3 (EC Index-No.) 015-154-00-4	<= 40	Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen. If experiencing respiratory symptoms: Call a poison center or a doctor.  
First-aid measures after skin contact : Remove all contaminated clothing and footwear. Wash with plenty of water. In case of redness or irritation, call a doctor.  
First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist immediately, even if there are no immediate symptoms.  
First-aid measures after ingestion : Rinse mouth out with water. If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Immediately consult a doctor/medical service.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Corrosive to the respiratory tract.  
Symptoms/effects after skin contact : Burns. Skin irritation.  
Symptoms/effects after eye contact : Serious eye damage/irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Powder. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Presents no particular fire or explosion hazard.  
Hazardous decomposition products in case of fire : On combustion or on thermal decomposition (pyrolysis) releases : Nitrogen oxides, Carbon monoxide, hydrogenchloride.

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 5.3. Advice for firefighters

- Firefighting instructions : Isolate fire area. Evacuate downwind. Do not breathe fumes. Contain the extinguishing fluids by bunding. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Clear the danger area. Avoid contact with skin and eyes. Do not attempt to take action without suitable protective equipment.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spilled material by bunding.

### 6.3. Methods and material for containment and cleaning up

- For containment : Liquid spill: take up in sand, earth, vermiculite.
- Methods for cleaning up : Cautiously neutralize remainder. Wash contaminated area with large amounts of water.
- Other information : Dispose of contaminated materials in accordance with current regulations.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours.
- Hygiene measures : Always wash hands after handling the product. Do not drink, eat or smoke in the workplace. If on skin, take off contaminated clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a cool, well-ventilated place. Keep container tightly closed.
- Incompatible materials : Steel.
- Packaging materials : Original packaging.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Impermeable protective gloves. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. Breakthrough time : refer to the recommendations of the supplier

#### Eye protection:

Sealed safety goggles. Face-shield

#### Skin and body protection:

Protective clothing (with elasticated cuffs and closed neck)

#### Respiratory protection:

Filtering respiratory protective device with a pesticide canister

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Odour	: Slight.
Odour threshold	: Not determined
pH	: 1.2 (20 °C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not determined
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Auto-ignition temperature	: 454 °C
Decomposition temperature	: Not determined
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 23 hPa (20 °C)
Relative vapour density at 20 °C	: Not determined
Relative density	: No data available
Density	: 1.21 g/ml (20 °C)
Solubility	: Water: completely miscible
Log Pow	: Not determined
Viscosity, kinematic	: 5900 mm <sup>2</sup> /s (40°C)
Viscosity, dynamic	: 15.6 mPa.s (20°C)
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

To our knowledge, the product does not present any particular risk.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

May be corrosive to metals.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Strong alkalis. Strong acids. Metals

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

TELSEE	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Ethepon (16672-87-0)	
LD50 oral rat	1564 mg/kg
LD50 dermal rabbit	983 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	3.26 mg/l/4h

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation	: Causes skin irritation. pH: 1.2 (20 °C)
Additional information	: Irritating to rabbits on cutaneous application (OECD 404 method)
Serious eye damage/irritation	: Causes serious eye damage. pH: 1.2 (20 °C)
Additional information	: (OECD 438 method)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Does not cause cutaneous sensitisation for guinea-pigs
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met).
Additional information	: Corrosive to the respiratory tract
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

TELSEE	
Viscosity, kinematic	5900 mm <sup>2</sup> /s (40°C)

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: To our knowledge, the product does not present any particular risk, under normal conditions of use.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

TELSEE	
LC50 fish	> 100 mg/l/96h <i>Onchorhyncus mykiss</i>
EC50 Daphnia	> 100 mg/l/48h ( <i>Daphnia magna</i> )
ErC50 (algae)	68 mg/l/72h ( <i>Desmodesmus subspicatus</i> )
NOEC chronic fish	100 mg/l
NOEC chronic crustacea	100 mg/l

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

TELSEE	
Log Pow	Not determined

#### 12.4. Mobility in soil

TELSEE	
Log Koc	3.47 (SIRIS)

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods	: After cleaning, recycle or dispose of at an authorised site. Do not allow into drains or water courses.
Product/Packaging disposal recommendations	: Dispose of in accordance with relevant local regulations.






# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830


### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3265	3265	3265	3265	3265
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ethephon(16672-87-0))	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ethephon(16672-87-0))	Corrosive liquid, acidic, organic, n.o.s. (Ethephon(16672-87-0))	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ethephon(16672-87-0))	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ethephon(16672-87-0))
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: C3
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	: 

Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

#### - Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stowage category (IMDG) : A  
MFAAG-No : 153

### - Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y841  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 852  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 856  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3  
ERG code (IATA) : 8L

### - Inland waterway transport

Classification code (ADN) : C3  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : C3  
Special provisions (RID) : 274  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T7  
Portable tank and bulk container special provisions (RID) : TP1, TP28  
Tank codes for RID tanks (RID) : L4BN  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

## SECTION 16: Other information

Indication of changes:

This sheet was updated (refer to the date at the top of this page). SDS changed sections : 10.

# TELSEE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources : ECHA - European Chemicals Agency. SDS of suppliers.  
Other information : Safety data sheet established by : LISAM - TELEGIS  
17 rue de la Couture F-60400 Passel  
www.lisam-telegis.fr.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	Practical experience
Skin Irrit. 2	H315	On basis of test data
Eye Dam. 1	H318	On basis of test data

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*