



SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Ipanema

Revision date 26-Apr-2022

Version 1 Supersedes Date: 26-Apr-2022

Product Code(s)

HRB05039-44

Print Date 26-Apr-2022

SFPE04

9511931

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ipanema

Other means of identification

Pure substance/mixture

Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Herbicide; Professional use

Uses advised against

No information available

1.3. Details of the supplier of the safety data sheet

Supplier

ADAMA Agricultural Solutions UK Ltd
Third Floor East
1410 Arlington Business Park
Theale
READING
RG7 4SA
Tel: 01635 860555
Fax: 01635 861555

For further information, please contact

E-mail address

ukenquiries@adama.com

1.4. Emergency telephone number

Emergency Telephone

National Chemical Emergency Centre (UK):
Tel: 01865 407333 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 2 - (H411)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Ethephon

Hazard pictograms



Signal word

Danger

Hazard statements

H315 - Causes skin irritation
H318 - Causes serious eye damage
H411 - Toxic to aquatic life with long lasting effects
H290 - May be corrosive to metals

Precautionary Statements

P102 - Keep out of reach of children
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P390 - Absorb spillage to prevent material damage
P501 - Dispose of contents/ container to an approved waste disposal plant

EU Specific Hazard Statements

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Additional phrases for PPP

SP1 - Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3. Other hazards

PBT & vPvB

The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information

None known.

Persistent Organic Pollutants

Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	REACH Registration Number
Ethephon	16672-87-0	240-718-3	015-154-00-4	37 - 42	Acute Tox. 3 (H311) Acute Tox. 4 (H332) Acute Tox. 4			No data available

					(H302) Skin Corr. 1C (H314) Aquatic Chronic 2 (H411) EUH071			
--	--	--	--	--	---	--	--	--

Acute toxicity estimates (ATEs) according to Part 3 of Annex VI to Regulation (EC) No 1272/2008 are indicated in this table, if available.

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). First aider: Pay attention to self-protection.
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a doctor if necessary.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a doctor.
Self-protection of the first aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	None known.
-----------------	-------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire	Dry chemical, CO2 or water spray
Large Fire	Move containers from fire area if you can do it without risk Dyke fire control water for later disposal; do not scatter the material Dry chemical, CO2, alcohol-resistant foam or water spray
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

A fire or explosion	Combustible material: may burn but does not ignite readily Contact with metals may evolve flammable hydrogen gas
----------------------------	---

Specific hazards arising from the chemical	When heated, vapours may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards Run-off may pollute waterways Containers may explode when heated No information available.
---	---

5.3. Advice for firefighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Health risk	Fire may produce irritating, corrosive and/or toxic gases Contact with molten substance may cause severe burns to skin and eyes TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death Run-off from fire control or dilution water may be corrosive and/or toxic and cause pollution Effects of contact or inhalation may be delayed Avoid any skin contact
Spill or leak statements	Prevent entry into waterways, sewers, basements or confined areas ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers Do not touch damaged containers or spilled material unless wearing appropriate protective clothing Stop leak if you can do it without risk DO NOT GET WATER INSIDE CONTAINERS
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.
Incineration	If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 metres (1/2 mile) in all directions; also, consider initial evacuation for 800 metres (1/2 mile) in all directions
Spill	Increase, in the downwind direction, as necessary, the isolation distance shown under "Public safety"

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Identified uses

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	United Kingdom
Propylene Glycol 57-55-6	TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment
Eye/face protection

Tight sealing safety goggles.

Hand protection

Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact (recommendation: protection index 6, corresponding > 480 minutes Permeability time (permeation) according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

Skin and body protection

Use suitable protective clothing and equipment if required, such as safety goggles certified to EN 166, gloves certified to EN 374, protective boots certified to EN 13832, and/or a water repellent woven coverall with 65% polyester and 35 % cotton.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: liquid		
Colour	: clear yellow		
Odour	: Slight		
Odour threshold	: No data available		
pH	: 1.7 - 2.0	CIPAC MT 75.3	@ 20.8 °C; 1 %
Melting point / freezing point °C	: No data available		
Boiling point / boiling range °C	: No data available		
Flash point °C	: ----		aqueous solution
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not applicable		
Upper/lower flammability or explosive limits	: No data available		
Vapour pressure kPa	: No data available		
Vapour density	: No data available		
Relative density	: 1.19 - 1.23	A.3	approx 20° C
Solubility(ies) mg/l	: No data available		
Partition coefficient Log Pow	:		See Section 12 for additional Ecological Information
Autoignition temperature °C	: 454	EEC A.15	
Decomposition temperature °C	: No data available		
Kinematic viscosity mm ² /s 40 °C	: 5900	OECD 114	
Surface tension	: No data available		
Particle Size	: Not applicable		

9.2. Other information

Bulk density g/ml : Not applicable

9.2.1. Information with regards to physical hazard classes

Explosive properties : Not an explosive

Oxidising properties : Not oxidizing

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: > 2000	Rat	OECD 401	
Dermal LD50 mg/kg	: > 2000	Rat	OECD 402	
Inhalation LC50 mg/l	: > 5			ATEmix
Skin corrosion/irritation	: Irritating to skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Causes serious eye damage	Rabbit	OECD 405	
Sensitisation	: Not a skin sensitiser	Guinea pig	OECD 406	

Chronic toxicity

Germ cell mutagenicity

Chemical name

Ethephon : Not classified

Carcinogenicity

Chemical name

Ethephon : Not Carcinogenic

Reproductive toxicity

Chemical name

Ethephon : Not toxic for the reproductive system

STOT - Single Exposure

Chemical name

Ethephon : May cause respiratory irritation

STOT - Repeated Exposure

Chemical name

Ethephon : Not classified

Aspiration hazard

Chemical name

Ethephon : No data available

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

<u>Acute toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish 96-hour LC50 mg/l	: > 100	Oncorhynchus mykiss	OECD 203	
Crustacea 48-hour EC50 mg/l	: > 100	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: > 68	D. Subspicatus	OECD 201	
Other plants EC50 mg/l	: > 100	Lemna gibba	OECD 221	

<u>Chronic aquatic toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish NOEC mg/l	: No data available			
Crustacea NOEC mg/l	: No data available			
Algae NOEC mg/l	: No data available			
Other plants NOEC mg/l	: No data available			

Terrestrial Toxicity

Birds Oral LD50 mg/kg

Chemical name

Ethephon : 1212 Bobwhite quail

Bees Oral LD50 µg/bee

Chemical name

Ethephon : > 100

12.2. Persistence and degradability

Abiotic Degradation

Water DT50 days

Chemical name

Ethephon : 1.51

Soil DT50 days

Chemical name

Ethephon : 9.18 RAPID

Biodegradation

Chemical name

Ethephon : Not readily biodegradable

12.3. Bioaccumulative potential

Partition Coefficient

(n-octanol/water) Log Pow

Chemical name

Ethephon : -1.89 pH 7

Bioconcentration factor (BCF)

Chemical name

Ethephon : ----

12.4. Mobility in soil

Adsorption/Desorption

Chemical name

Ethephon : No information available KOC

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

ADR

14.1 UN number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III, (E), Environmentally Hazardous
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C3
Tunnel restriction code	(E)

RID

14.1 UN number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III, Environmentally Hazardous
Environmental hazard	Yes
Special Precautions for Users	
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C3

IMDG

14.1 UN number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ethephon), 8, III, (0°C C.C.), Marine pollutant
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
14.5 Marine pollutant	P
Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	223, 274
EmS-No	F-A, S-B
IMDG Stowage and segregation	Category A SW2

15486
14.7 Maritime transport in bulk
according to IMO instruments

SGG1 SG36 SG49 No information available
No information available

IATA

14.1 UN number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	A3, A803
ERG Code	8L



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Trade name / designation	Registration Number(s)	Date
Not Applicable	Not Applicable	Not Applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Report	A risk assessment was performed according to directive (EC) No. 91/414 or according to regulation (EC) No. 1107/2009
-------------------------------	--

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision date 26-Apr-2022

Reason for revision Changes made to the last version are labeled with this sign ***

Abbreviations and acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CAS Number - Chemical Abstracts Service number
EC Number - EINECS and ELINCS Number
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
OECD - Organization for Economic Co-operation and Development
PBT - Persistent, Bioaccumulative and Toxic substance
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT - Specific Target Organ Toxicity
vPvB - Very Persistent and Very Bioaccumulative

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification of the mixture

H315 - Causes skin irritation
H318 - Causes serious eye damage
H411 - Toxic to aquatic life with long lasting effects

Classification procedure

Classification based on test data
Classification based on test data
Classification based on Calculation method

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet