



FOX[®]



ADAMA



HERBICIDES

Suspension concentrate

MAPP 11981

H



Ingredients

- Bifenox 480 g/l (40.6% w/w)



Crops

A herbicide recommended for the post-emergence control of a wide range of broad-leaved weeds in winter wheat, winter barley, winter rye and winter triticale.




Warning

Very toxic to aquatic life with long lasting effects.
Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Keep out of reach of children.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.



L11201PFR_J5



Scan for Safety Data Sheet

Or use the weblink : <https://bit.ly/3M8Rrj5>
 Alternatively, contact your supplier.



R 3.0.10 Oct 22

This label is compliant with the Voluntary Initiative Guidance.

NO VARNISH AREA

5Le



HERBICIDES

**Suspension
concentrate**

MAPP 11981



**SHAKE WELL BEFORE USE
PROTECT FROM FROST**

GROUP 14 HERBICIDES

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin and eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

When using do not eat, drink or smoke.

Keep away from food, drink and animal feeding stuffs.

KEEP OUT OF REACH OF CHILDREN.

Environmental Protection

DANGEROUS TO FISH OR OTHER AQUATIC LIFE. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

DO NOT RE-USE CONTAINER for any purpose.

If you feel unwell, seek medical advice (show label where possible).

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

For advice on medical emergencies, fires or major spills telephone the National Chemical Emergency Centre on 01865 407333.

IMPORTANT INFORMATION

FOR PROFESSIONAL USE ONLY AS AN AGRICULTURAL HERBICIDE

Crop:

Winter wheat, winter barley,
winter rye & winter triticale

Maximum individual dose:

1.5 L/ha

Maximum no. of treatments:

1 per crop

Latest time of application:

Before 2nd node detectable stage

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION.

ADAMA Agricultural Solutions UK Ltd
Third Floor East, 1410 Arlington Business Park, Theale,
Reading RG7 4SA
Tel: 01635 860555
Technical Helpline: 01635 876622
www.adama.com
Email: ukenquiries@adama.com



R 3.0.10 Oct 22

5 056325 500461

L112011PBB_145

Warning


Very toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Keep out of reach of children.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.



This leaflet is part of the approved label.

A suspension concentrate formulation containing 480 g/l (40.6% w/w) bifenox.

A herbicide recommended for the post-emergence control of a wide range of broad-leaved weeds in winter wheat, winter barley, winter rye and winter triticale.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

GENERAL INFORMATION

FOX® is a selective herbicide absorbed by the foliage, emerging shoots and roots of susceptible weeds. It is to be used to control a wide range of weeds in winter wheat, winter barley, winter rye and winter triticale.

RESTRICTIONS

DO NOT APPLY FOX to any crop suffering stress at the time of application from factors such as herbicide damage, physical stress, cold weather, periods of drought, if rain or frost is expected, or if the crop is wet.

Avoid drift onto broad-leaved plants outside the target area.

Crops should not be re-entered until spray residues are dry.

WEED CONTROL

Weed		Weed susceptibility	Maximum weed growth stage
English name	Latin name		
Cleavers	<i>Galium aparine</i>	MR	Up to 3 whorls, 5 cm diameter.
Common field-speedwell	<i>Veronica persica</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
Field pansy	<i>Viola arvensis</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.

Field poppy	<i>Papaver rhoeas</i>	MS	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
Forget-me-not	<i>Myosotis arvensis</i>	MS	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
Ivy-leaved speedwell	<i>Veronica hederifolia</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
Red dead-nettle	<i>Lamium purpureum</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
Shepherd's purse	<i>Capsella bursa-pastoris</i>	MR	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.

S = Susceptible, complete or near complete kill

MS = Moderately susceptible, effective suppression with or without mortality

MR = Moderately resistant, temporary suppression, the duration and degree depending on the vigour of the crop and weather

SPECIFIC CROP INFORMATION

FOX can safely be used on winter wheat, winter barley, winter rye and winter triticale.

RATE OF USE AND VOLUME

Apply 1.5 litres/ha in 200-400 litres water/ha. Use the higher volume where crop or weeds are dense to ensure good coverage. Pressure 1.5-3.5 bar as a MEDIUM quality spray defined by BCPC.

TIMING

Make one application from the 5 true leaves to before second node detectable stage, (BBCH 15-31).

MIXING

Before spraying it is important to check all hoses, filters and nozzles, and to ensure that the sprayer is clean and correctly set to give an even application at the correct volume.

Half fill the spray tank with clean water. Add the required amount of FOX and begin agitation. Add the remainder of the water and continue agitation until spraying is completed.

Wash equipment thoroughly after use. Fill the tank with clean water and leave overnight. Spray out before storage or using other products. Traces of the product may cause damage to susceptible crops sprayed later.

COMPANY ADVISORY SECTION

This section is not part of the Product Label under Regulation 1107/2009 (GB/NI) and provides additional advice on product use.

DISCLAIMER/CONDITIONS OF SUPPLY

The specified properties of our products and the mode of application stated on this label have been established on the basis of research and experience. Products conform to specification at the time of delivery but, as we exercise no control over their subsequent storage, handling, mixing or use or the weather conditions before, during and after application, all of which may affect the performance of the products, no responsibility or liability will be accepted by us or our re-sellers for any failure in performance, damage or injury to person or property whatsoever arising from the storage, handling, application or use of the products. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in or make recommendations concerning the use of such products. We recommend you contact your dealer to request advice on the suitability of this product for any new and/or unusual growing methods or for new varieties not listed on this label.

Authorised to & marketed by:

Adama Agricultural Solutions UK Ltd

Third Floor East

1410 Arlington Business Park

Theale

Reading

RG7 4SA

Tel: 01635 860555

Technical Helpline: 01635 876622

www.adama.com

Email: ukenquiries@adama.com

FOX® is a registered trademark of a company of the Adama Group.

© Adama Agricultural Solutions UK Ltd

SAMPLE