



SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

Captan 80 WDG

Revision date 08-Jan-2025

Version 3.01 Supersedes Date: 08-Jan-2025

Product Code(s)

FNG56785-44

Print Date 08-Jan-2025

MCW-3002

9201600

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Captan 80 WDG

Other means of identification

Pure substance/mixture

Mixture

Formulation type

WDG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Fungicide; Professional use

Uses advised against

No information available

1.3. Details of the supplier of the safety data sheet

Supplier

ADAMA Agricultural Solutions UK Ltd

Third Floor East

1410 Arlington Business Park

Theale

READING

RG7 4SA

Tel: 01635 860555

Fax: 01635 861555

For further information, please contact

E-mail address

ukenquiries@adama.com

1.4. Emergency telephone number

Emergency Telephone

UK: National Chemical Emergency Centre:

Tel: 01856 407333 (24 hours, 7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements**Labelling according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**

Contains Captan, disodium maleate

Hazard pictograms**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H351 - Suspected of causing cancer
 H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P102 - Keep out of reach of children
 P201 - Obtain special instructions before use
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P501 - Dispose of contents/ container to an approved waste disposal plant

EU Specific Hazard Statements

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Additional phrases for PPP

SP1 - Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3. Other hazards**PBT & vPvB**

The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information

None known.

Persistent Organic Pollutants

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	Index No	Weight-%	Classification according to GB-CLP Regulations UK SI	Specific concentration limit (SCL)	M-Factor	REACH Registration Number

					2019/720 and UK SI 2020/1567			
Captan	133-06-2	205-087-0	613-044-00-6	75 - 85	Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Carc. 2 (H351) Aquatic Acute 1 (H400)		M=10	No data available
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	614-476-8		2 - 4	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)			No data available
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt	102980-04-1	-		1 - 4	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)			No data available
disodium maleate	371-47-1	206-738-1		< 1	Acute Tox. 4 (H302) Skin Sens. 1B (H317) STOT SE 3 (H335)			No data available
Quartz (SiO ₂)	14808-60-7	238-878-4		< 0.1	No data available			No data available
phenol	108-95-2	203-632-7	604-001-00-2	< 0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Muta. 2 (H341) STOT RE 2 (H373) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: 1%≤C<3% Skin Corr. 1B :: C≥3% Skin Irrit. 2 :: 1%≤C<3%		01-211947132 9-32 01-211947132 9-31
Toluene	108-88-3	203-625-9	601-021-00-3	< 0.01	Skin Irrit. 2 (H315) Repr. 2 (H361d) STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Flam. Liq. 2 (H225)			01-211947131 0-51

Acute toxicity estimates (ATEs) according to Part 3 of Annex VI to Regulation (EC) No 1272/2008 are indicated in this table, if available

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). First aider: Pay attention to self-protection.
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a doctor if necessary.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a doctor.
Self-protection of the first aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	None known.
-----------------	-------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.
---	---

5.3. Advice for firefighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	United Kingdom
Captan 133-06-2	TWA: 5 mg/m ³ STEL: 15 mg/m ³
Talc 14807-96-6	TWA: 1 mg/m ³ STEL: 3 mg/m ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³
phenol 108-95-2	TWA: 2 ppm TWA: 7.8 mg/m ³ STEL: 4 ppm STEL: 16 mg/m ³ Sk*
Toluene	TWA: 50 ppm

108-88-3	TWA: 191 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ Sk*
----------	---

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection

Tight sealing safety goggles.

Hand protection

Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact (recommendation: protection index 6, corresponding > 480 minutes Permeability time (permeation) according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

Skin and body protection

Use suitable protective clothing and equipment if required, such as safety goggles certified to EN 166, gloves certified to EN 374, protective boots certified to EN 13832, and/or a water repellent woven coverall with 65% polyester and 35 % cotton.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: Solid		
Colour	: beige		
Odour	: Aromatic		
Odour threshold	: No data available		
pH	: 8.9 - 9.9	CIPAC MT 75.3	solution (1%)
Melting point / freezing point °C	: No data available		
Boiling point / boiling range °C	: No data available		
Flash point °C	: No data available		Not Applicable
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not flammable	EEC A.10	
Upper/lower flammability or explosive limits	: No data available		
Vapour pressure kPa	: No data available		
Vapour density	: No data available		
Relative density	: No data available		
Solubility(ies) mg/l	: No data available		
Partition coefficient Log Pow	:		See Section 12 for additional Ecological Information
Autoignition temperature °C	: 382 C	EEC A.16	

Decomposition temperature °C : No data available
 Kinematic viscosity mm²/s 40 °C : Not applicable
 Surface tension : No data available
 Particle Size : 125 and 500 µm CIPAC MT170

9.2. Other information

Bulk density g/ml : 0.62 CIPAC MT 186

9.2.1. Information with regards to physical hazard classes

Explosive properties : Not an explosive
 Oxidising properties : Not oxidizing

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
 Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: > 2000	Rat	OECD 401	
Dermal LD50 mg/kg	: > 5000	Rat	OPPTS 870.1200	
Inhalation LC50 mg/l	: No data available			Not Applicable granules
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Irritating to eyes	Rabbit	OECD 405	

Sensitisation : Skin sensitiser Guinea pig OECD 406

Chronic toxicity

Germ cell mutagenicity

Chemical name

Captan : Not classified

Carcinogenicity

Chemical name

Captan : H351 - Suspected of causing cancer

Reproductive toxicity

Chemical name

Captan : Not toxic for the reproductive system

Toluene : H361d - Suspected of damaging the unborn child

STOT - Single Exposure

Chemical name

Captan : Not classified

Toluene : H336 - May cause drowsiness or dizziness

STOT - Repeated Exposure

Chemical name

Captan : Not classified

Toluene : H373 - May cause damage to organs through prolonged or repeated exposure

Aspiration hazard

Chemical name

Captan : Not classified

Toluene : H304 - May be fatal if swallowed and enters airways

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

<u>Acute toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish 96-hour LC50 mg/l	: 0.17	Oncorhynchus mykiss	OECD 203	
Crustacea 48-hour EC50 mg/l	: 4.30	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: 4.07	Scenedesmus subspicatus	OECD 201	
Other plants EC50 mg/l	: No data available			
<u>Chronic aquatic toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish NOEC mg/l	: 0.24	Rainbow trout		
Crustacea NOEC mg/l	: 0.675	Daphnia magna		
Algae NOEC mg/l	: No data available			
Other plants NOEC mg/l	: No data available			

Terrestrial Toxicity

Birds Oral LD50 mg/kg

Chemical name

Captan : >2000 Mallard duck

Bees Oral LD50 µg/bee**Chemical name**

Captan : >100

12.2. Persistence and degradability**Abiotic Degradation****Water DT50 days****Chemical name**

Captan : <1 251 °C

Soil DT50 days**Chemical name**

Captan : 0.5 - 5.7 aerobic 251 °C

Biodegradation**Chemical name**

Captan : Not readily biodegradable OECD 301 B

12.3. Bioaccumulative potential**Partition Coefficient****(n-octanol/water) Log Pow****Chemical name**

Captan : 2.57 pH 7; 25 °C

Bioconcentration factor (BCF)**Chemical name**

Captan : 113 - 250

12.4. Mobility in soil**Adsorption/Desorption****Chemical name**

Captan : 29 - 198 KOC

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

12.6. Endocrine disrupting properties**Endocrine disrupting properties** No information available.**12.7. Other adverse effects**

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Waste from residues/unused products**

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

ADR

14.1 UN number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9, III, (-)
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 601, 375
Classification code	M7
Tunnel restriction code	(-)

RID


14.1 UN number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9, III
Environmental hazard	Yes
Special Precautions for Users	
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 375, 601
Classification code	M7

IMDG

14.1 UN number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9, III, Marine pollutant
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
14.5 Marine pollutant	P
Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	274, 335, 966, 967, 969
EmS-No	F-A, S-F
IMDG Stowage and segregation	Category A SW23 No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

IATA

14.1 UN number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan), 9, III
14.5 Environmental hazard	Yes
14.6 Special Precautions for Users	
Special Provisions	A97, A158, A179, A197, A215
ERG Code	9L



* Note: UN3077 & UN3082 – These products may be transported as non-dangerous goods under the special provisions of IMDG Code 2.10.2.7; ADR SP375 and ICAO/IATA A197 when packed in single or inner packaging of up to 5L for liquids or 5 kg or less for solids

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Trade name / designation	Registration Number(s)	Date
Not Applicable	Not Applicable	Not Applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Toluene - 108-88-3	48.	

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Report	A risk assessment was performed according to directive (EC) No. 91/414 or according to regulation (EC) No. 1107/2009
-------------------------------	--

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation

H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H331 - Toxic if inhaled
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H341 - Suspected of causing genetic defects
 H351 - Suspected of causing cancer
 H361d - Suspected of damaging the unborn child
 H373 - May cause damage to organs through prolonged or repeated exposure
 H400 - Very toxic to aquatic life
 H411 - Toxic to aquatic life with long lasting effects
 H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision date 08-Jan-2025

Reason for revision General revision

Further information This material safety data sheet complies with the provisions of Regulation (EC) No 1907/2006, as amended by Regulation (EU) 2020/878.

Abbreviations and acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 CAS Number - Chemical Abstracts Service number
 EC Number - EINECS and ELINCS Number
 EINECS - European Inventory of Existing Commercial Substances
 ELINCS - European List of notified Chemical Substances
 IATA - International Air Transport Association
 ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
 IMDG - International Maritime Dangerous Goods
 LC50 - Lethal Concentration to 50 % of a test population
 LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
 OECD - Organization for Economic Co-operation and Development
 PBT - Persistent, Bioaccumulative and Toxic substance
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 STOT - Specific Target Organ Toxicity
 vPvB - Very Persistent and Very Bioaccumulative

Classification according to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**Classification of the mixture**

H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H351 - Suspected of causing cancer
 H400 - Very toxic to aquatic life
 H412 - Harmful to aquatic life with long lasting effects

Classification procedure

Classification based on test data
 Classification based on test data
 Classification based on Calculation method
 Classification based on test data
 Classification based on test data

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet