



# FERRABAIT®



## ADAMA



### MOLLUSCICIDE

### Pelleted bait

### MAPP 21444

Rainproof formulation

STORE IN A COOL, DRY PLACE

This product must be sold only in England, Scotland and Wales.



#### Ingredients

- Elemental iron ..... 10 g/kg



#### Crops

A ready-for-use, pelleted bait for the reduction of slug damage in cereals, leafy vegetables, oilseed rape, peas, beans, root and tuber field crops, fruit crops and ornamentals and snail damage in strawberries.



#### Important information

IMPORTANT INFORMATION FOR PROFESSIONAL USE ONLY AS A MOLLUSCICIDE		
Crop	Maximum individual dose (kg product per hectare)	Maximum number of applications per year
Outdoor crops of barley, durum wheat, oats, rye, triticale, wheat	8	6
Outdoor crops of forage maize, grain maize, sweetcorn	8	6
Outdoor and protected crops of cabbage, kohlrabi, oriental cabbages, broccoli/calabrese, Brussels sprout, cauliflower, kale	8	6
Outdoor and protected crops of baby leaf crops, chicory - witloof, endive, lamb's lettuce, land cress, lettuce, purslane, red mustard, rocket, spinach beet	8	6
Outdoor crops of oilseed rape, linseed, sunflower, borage, crambe, mustard, hemp, gold of pleasure, poppy, sesame, soya bean	8	6
Outdoor crops of field bean, beans without pods (dry), chick pea, lupin, combining pea	8	6
Outdoor crops of lentil (fresh), broad beans (fresh), dwarf French beans, runner beans, beans without pods (fresh), edible podded pea, vining pea	8	6
Outdoor and protected crops of ornamental plant production	8	6
Outdoor and protected crops of strawberry, blackberry, raspberry, mulberry, elderberry	8	6
Outdoor crops of potato, sweet potato, carrot, celeriac, parsnip, red beet, horse radish, radish, swede, turnip, sugar beet, fodder beet, Jerusalem artichoke, parsley root, salsify, garlic, bulb onion, shallot, salad onion	8	6
Grassland (newly sown)	8	6

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

**IMPORTANT:** Note that goods treated under the terms of this Great Britain (GB) authorisation can be legally marketed in Northern Ireland if they are being moved under the Northern Ireland Retail Movement Scheme. All other treated goods can only be marketed in Northern Ireland if they are in accordance with the statutory EU Maximum Residue Level (MRL) set under Regulation No 396/2005. This may also apply to residues in animal products where treated crops are fed to livestock. Growers are advised to draw this to the attention of distributors and retailers so that EU MRL breaches and any associated enforcement against goods marketed in Northern Ireland are avoided.

ADAMA Agricultural Solutions UK Ltd  
Third Floor East,  
1410 Arlington Business Park,  
Theale, Reading, RG7 4SA  
Tel: 01635 860555  
Technical Helpline: 01635 876622  
www.adama.com  
Email: ukenquiries@adama.com

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

For advice on medical emergencies, fires or major spills telephone the National Chemical Emergency Centre on 01865 407333.

#### SAFETY PRECAUTIONS

##### Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the product.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH HANDS AND EXPOSED SKIN before meals and after work.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

##### Environmental protection

Pellets should not fall within 1 m of surface waters or ditches. To achieve this, users should determine the spread width of the applicator during product application (to the rear as well as the side of the applicator). Calibrate the applicator before use.

To protect birds and mammals remove spillages.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads

##### Storage and disposal

KEEP OUT OF REACH OF CHILDREN.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

#### Danger

Causes skin irritation.  
Causes serious eye damage.  
Wash contaminated body parts thoroughly after handling.  
Wear protective gloves, protective clothing, eye protection & face protection.  
IF ON SKIN: wash with plenty of soap and water.  
IF IN EYES: rinse cautiously with water for several minutes. Immediately call a POISON CENTRE or doctor/physician.  
If skin irritation occurs: get medical advice/attention.  
Take off contaminated clothing and wash before reuse.  
Collect spillage.  
Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site.  
To avoid risks to human health and the environment, comply with the instructions for use.



#### Scan for Safety Data Sheet

Or use the weblink :<https://bit.ly/ferrabait>  
Alternatively, contact your supplier.

Batch no.: see packaging

READ THE DIRECTIONS FOR USE – open here



This label is compliant with the Voluntary Initiative Guidance.



NO VARNISH AREA

# 20kg

DIRECTIONS FOR USE  
complete instructions  
in this leaflet.



L600631PFB\_01

Product name	FERRABAIT®		
Country	UK		
Package size			
Label code			
Label dimensions (w x h)	270mm x 345mm	Name	
Label date	11/04/20 20.01.26	Status	
Smallest font on page	4.94 pt	Template	Baq_20KG_1Lang_NA_UK-IE.indd

## DIRECTIONS FOR USE

**IMPORTANT:** This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

## RESTRICTIONS OR WARNINGS

Due to the mode of action of FERRABAIT®, no excessive slime secretions will be evident on, or around, the crop. The slugs retreat underground to die and dead slugs will not be visible. Effectiveness should therefore be measured by the decreased feeding damage to the crop.

## PESTS CONTROLLED

For the control of slugs in the crops listed above and snails in strawberry.

## CROP SPECIFIC INFORMATION

Can be applied with a maximum individual dose of 8 kg/ha with a maximum of 6 applications.

FERRABAIT provides protection during establishment for cereals, oilseeds, leafy vegetables, peas and beans, applying at later growth stages may not provide any benefit. Apply during fruiting in soft fruit to reduce feeding damage. Apply from beginning of crop cover (10% of plants meet between rows) to beginning of leaf yellowing in potatoes and roots beginning to expand to fully ripe in other root crops to reduce feeding damage to tubers/roots. In ornamentals, apply from emergence to inflorescence or flower buds visible, beginning of heading to reduce feeding damage.

### Time of application

Apply as a broadcast treatment as soon as damage is seen or indicated by test baiting. For some crops, e.g. cereals and oilseed rape, where slug activity is present prior to crop emergence, it is advised to treat the crop before emergence and after seed bed preparation is complete.

Application timing should be based on likely pest presence and the part of the crop attacked by the pest e.g. seeds, seedling plants or harvestable produce.

Repeat application may be required if pest pressure remains high.

## RATE OF USE

Maximum individual dose: 8 kg/ha

Maximum number of applications: 6 per year.

## FOLLOWING CROPS

There are no restrictions on following crops.

## APPLICATION

FERRABAIT should be applied by a correctly calibrated mechanical applicator.

A minimum interval of 5 days must be left between applications.

Apply evenly over the plants to be protected. Take care to ensure pellets do not remain lodged within foliage, florets or other parts of the plants.

Pellets should not fall within 1 m of surface waters or ditches. To achieve this, users should determine the spread width of the applicator during product application (to the rear as well as the side of the applicator).

Calibrate the applicator/all equipment before use.

## Slug Trapping

To establish the need for pellet application on winter wheat or winter oilseed rape, monitor for slug activity. Where bait traps are used, use a foodstuff attractive to slugs e.g. chicken layers' mash which has proven to be particularly effective.

For further information on slug control and damage risk assessment, please refer to the AHDB Information Sheet 04 (integrated slug control) which can be found at [www.ahdb.org.uk/slugcontrol](http://www.ahdb.org.uk/slugcontrol)

## Important

- Complete control of slugs/snails is difficult to achieve with any type of molluscicide so some crop loss may occur especially in wet seasons. Best control is achieved by a programme of good husbandry and properly timed applications of a pellet bait such as FERRABAIT.
- The first application of FERRABAIT is usually made as a preventative measure when slug activity is likely to be present. Follow-up applications may be required, especially in wet seasons. Assessment by test baiting will indicate when slugs are active at the soil surface and if conditions are suitable for further FERRABAIT treatments.
- Late application of pellets to broad-leaved plants may result in lodging of the pellets in foliage. Care should be taken to avoid this when making applications to edible crops, e.g. lettuce and cabbage.
- AVOID application if heavy rain is expected, as this may reduce effectiveness of the pellets.
- Best results are obtained when slugs and snails are actively feeding, generally following a period of light rain in mild conditions. Where a heavy attack is likely to occur, re-apply 2-3 weeks later or whenever test baiting shows it to be necessary.

## COMPANY ADVISORY INFORMATION

*This section is not part of the Product Label under the Plant Protection Products Regulations and provides additional advice on product use at the discretion of ADAMA Agricultural Solutions UK Ltd.*

## DISCLAIMER/CONDITIONS OF SUPPLY

The specified properties of our products and the mode of application stated on this label have been established on the basis of research and experience. Products conform to specification at the time of delivery but, as we exercise no control over their subsequent storage, handling, mixing or use or the weather conditions before, during and after application, all of which may affect the performance of the products, no responsibility or liability will be accepted by us or our re-sellers for any failure in performance, damage or injury to person or property whatsoever arising from the storage, handling, application or use of the products. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in or make recommendations concerning the use of such products. We recommend you contact your dealer to request advice on the suitability of this product for any new and/or unusual growing methods or for new varieties not listed on this label.

FERRABAIT® is a registered trademark of a company of the ADAMA Group.

© ADAMA Agricultural Solutions UK Ltd



Product name	FERRABAIT®	
Country	UK	
Package size		
Label code		
Label dimensions (w x h)	270mm x 345mm	Name
Label date	11/04/20 20.01.26	Status
Smallest font on page	12.45 pt	Template



# FERRABAIT®



## ADAMA



### MOLLUSCICIDE

### Pelleted bait

### MAPP 21444

Rainproof formulation  
Wales.

STORE IN A COOL, DRY PLACE

This product must be sold only in England, Scotland and



#### Ingredients

- Elemental iron ..... 10 g/kg



#### Crops

A ready-for-use, pelleted bait for the reduction of slug damage in cereals, leafy vegetables, oilseed rape, peas, beans, root and tuber field crops, fruit crops and ornamentals and snail damage in strawberries.



#### Important information

IMPORTANT INFORMATION FOR PROFESSIONAL USE ONLY AS A MOLLUSCICIDE		
Crop	Maximum individual dose (kg product per hectare)	Maximum number of applications per year
Outdoor crops of barley, durum wheat, oats, rye, triticale, wheat	8	6
Outdoor crops of forage maize, grain maize, sweetcorn	8	6
Outdoor and protected crops of cabbage, kohlrabi, oriental cabbages, broccoli/calabrese, Brussels sprout, cauliflower, kale	8	6
Outdoor and protected crops of baby leaf crops, chicory - witloof, endive, lamb's lettuce, land cress, lettuce, purslane, red mustard, rocket, spinach beet	8	6
Outdoor crops of oilseed rape, linseed, sunflower, borage, crambe, mustard, hemp, gold of pleasure, poppy, sesame, soya bean	8	6
Outdoor crops of field bean, beans without pods (dry), chick pea, lupin, combining pea	8	6
Outdoor crops of lentil (fresh), broad beans (fresh), dwarf French beans, runner beans, beans without pods (fresh), edible podded pea, vining pea	8	6
Outdoor and protected crops of ornamental plant production	8	6
Outdoor and protected crops of strawberry, blackberry, raspberry, mulberry, elderberry	8	6
Outdoor crops of potato, sweet potato, carrot, celeriac, parsnip, red beet, horse radish, radish, swede, turnip, sugar beet, fodder beet, Jerusalem artichoke, parsley root, salsify, garlic, bulb onion, shallot, salad onion	8	6
Grassland (newly sown)	8	6

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

IMPORTANT: Note that goods treated under the terms of this Great Britain (GB) authorisation can be legally marketed in Northern Ireland if they are being moved under the Northern Ireland Retail Movement Scheme. All other treated goods can only be marketed in Northern Ireland if they are in accordance with the statutory EU Maximum Residue Level (MRL) set under Regulation No 396/2005. This may also apply to residues in animal products where treated crops are fed to livestock. Growers are advised to draw this to the attention of distributors and retailers so that EU MRL breaches and any associated enforcement against goods marketed in Northern Ireland are avoided.

ADAMA Agricultural Solutions UK Ltd  
Third Floor East,  
1410 Arlington Business Park,  
Theale, Reading, RG7 4SA  
Tel: 01635 860555  
Technical Helpline: 01635 876622  
www.adama.com  
Email: ukenquiries@adama.com

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.  
For advice on medical emergencies,



#### Scan for Safety Data Sheet

Or use the weblink :<https://bit.ly/ferrabait>  
Alternatively, contact your supplier.

Batch no.: see packaging

fires or major spills telephone the National Chemical Emergency Centre on 01865 407333.

#### SAFETY PRECAUTIONS

##### Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the product.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH HANDS AND EXPOSED SKIN before meals and after work.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

##### Environmental protection

Pellets should not fall within 1 m of surface waters or ditches. To achieve this, users should determine the spread width of the applicator during product application (to the rear as well as the side of the applicator). Calibrate the applicator before use.

To protect birds and mammals remove spillages.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads

##### Storage and disposal

KEEP OUT OF REACH OF CHILDREN.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

#### Danger

Causes skin irritation.  
Causes serious eye damage.  
Wash contaminated body parts thoroughly after handling.  
Wear protective gloves, protective clothing, eye protection & face protection.  
IF ON SKIN: wash with plenty of soap and water.  
IF IN EYES: rinse cautiously with water for several minutes. Immediately call a POISON CENTRE or doctor/physician.  
If skin irritation occurs: get medical advice/attention.  
Take off contaminated clothing and wash before reuse.  
Collect spillage.  
Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site.  
To avoid risks to human health and the environment, comply with the instructions for use.



This label is compliant with the Voluntary Initiative Guidance.



OTHER  
R3.0 Jan 26

NO VARNISH AREA

# 20kg

1600631PFB\_01