



ADAMA PEANUT PROTECTION

For peanut growers who need a cost-effective program to combat yield-robbing diseases.

14-DAY INTERVALS WITH FIRST APPLICATION 30-45 DAYS AFTER PLANTING

	At Plant (In Furrow)	A: Leaf Spot	B: Leaf Spot WM/SB*	C: Leaf Spot WM/SB*	D: Leaf Spot	E: Leaf Spot WM/SB*	F: Leaf Spot	G: Leaf Spot
ADAMA Rx LOW RISK	Abound® 0.6 oz	Bravo WS® 1.5 pt		Vantana™ 24 oz + Bravo WS 1.5 pt		Vantana 24 oz + Bravo WS 1.5 pt		Bravo WS 1.5 pt
ADAMA Rx MODERATE RISK WHITE MOLD/ SOUTHERN BLIGHT	Abound 0.6 oz		Tebuconazole 7.2 oz + Bravo WS 1.5 pt	Vantana 16 oz + Bravo WS 1.5 pt	Vantana 16 oz + Bravo WS 1.5 pt	Vantana 16 oz + Bravo WS 1.5 pt	Bravo WS 1.5 pt	Bravo WS 1.5 pt
ADAMA Rx HIGH RISK LEAF SPOT + WHITE MOLD/ SOUTHERN BLIGHT	Abound 0.6 oz	Bravo WS 1.5 pt	Tebuconazole 7.2 oz + Bravo WS 1.5 pt	Vantana 24 oz + Bravo WS 1.5 pt	Vantana 16 oz + Bravo WS 1.5 pt	Vantana 24 oz + Bravo WS 1.5 pt	Bravo WS 1.5 pt	Bravo WS 1.5 pt + Incognito 10 fl oz

*White Mold/Southern Blight

Ask about the other ADAMA peanut products such as Diamond®, Acephate, Silencer® VXN, Alias® and Fanfare®.



Always read and follow label directions. Alias, Bravo Weather Stik, Diamond, Fanfare, Incognito, Silencer and Vantana are registered trademarks or trademarks of an ADAMA Group Company. Abound is a registered trademark of a Syngenta Group Company. ©2022 ADAMA.