

INSECTICIDE

Rimon™ 100EC


Novaluron 100 g/L

Control of larval stages of all insect pests.

Control des stades larvaires de tous les insectes.

Crops: Cotton, vegetables, mango, citrus and maize.

Culture: Coton, maraîchage, mangues, citrus et maïs.



5L



Fabriqué par:
Adama Makhteshim Ltd,
P. O. Box 60, Industrial Zone,
Beer Sheva 84100, Israel.
Tel/Fax: +972-3-6106666



Distributor/Distributeur:
Société de Louis Dreyfus
Commodities
ZI de Bonaberi, BP. 2368 DOUALA
Phone N°: 33399116
Télécopie: 33391639

Lot n°/Batch No.

Date de Fabrication/
Date of Manufacture:

Date de péremption/Expiry date

Two years from date of manufacturing
2 ans à partir de la date de fabrication

Registration / Homologation n°:

**INSECTICIDE CNPC-CAMEROUN
2015/2016. UTILISATION STRICTEMENT
INTERNE. VENTE INTERDITE**



DESCRIPTION AND MODE OF ACTION:

RIMON®100 EC is a novel benzoylphenyl urea compound (B.P.U.) acting on the larvae of various insects, including members of the orders: Lepidoptera, Coleoptera, Hemiptera, Diptera and Siphonaptera. It is an Insect Growth Regulator (IGR) which acts by inhibiting chitin formation, thereby causing abnormal endocuticular deposition and abortive moulting. It fits well in IPM modules.

SAFETY PRECAUTIONS:

Do not eat, drink or smoke during application. Keep out of reach of children, food and feedstuffs. Possible irritant to skin and eyes; wear protective clothing and gloves to avoid contact with skin or eyes. Do not inhale the RIMON 100 EC spray. Do not spray against the wind. After handling, store left-over RIMON 100 EC in its original container and keep under lock. Wash the spraying machine, clothing and body thoroughly with soap and water. Do not re-use empty containers; destroy and bury them away from water bodies.

FIRST AID MEASURES:

If inhaled: Remove victim to fresh air, keep him warm and at rest. If not breathing, give artificial respiration. If skin contact: Remove affected clothing and wash all exposed skin area with soap and water, followed by warm rinse. Wash clothing separately before re-use. If eye contact: Immediately flush eyes with clean water for 10-15 minutes. If swallowed: Do not induce vomiting. Wash out mouth with plenty water. Never give anything by mouth to an unconscious person. In all cases: Immediately seek medical attention; show label or container to the physician. Note to the physician: There is no known specific antidote; treat symptomatically and give supportive therapy.

TOXICOLOGICAL CLASSIFICATION:

Oral (Rat) LD50 > 5000 mg/kg, Dermal (Rat) LD50 > 2000 mg/kg, Inhalation LC50 > 5.15 mg/L

WHO toxicity class: II (Moderately hazardous)

CROPS, TARGET PESTS AND DOSAGE:

CROPS	PESTS	DOSAGES		
		200L of water (ha)	80L of water (acre)	15L of water (Knapsack)
COTTON	Ball Worm, Leaf worm, White fly	250-720ml	100-200ml	20-35 ml
VEGETABLES	Ball worm, Leaf worm, Diamond back moth	250-720ml	100-200ml	20-35 ml
MANGO	Larvae of fruit flies, Stone weevil	250-720ml	100-200ml	20-35 ml
CITRUS	Leaf miner White fly	250-720ml	100-200ml	20-35 ml
MAZE	Stalk borer Ball worm Army worm	250-720ml	100-200ml	20-35 ml

DESCRIPTION ET MODE D'ACTION:

RIMON®100 EC est un benzoylphenyl qui agit par contact et ingestion; il est extrêmement actif sur les chenilles carphages exocarpiques et tous les stades larvaires de multiples variétés d'insectes des ordres de: Lépidoptère, Coléoptère, Hémiptère, Diptère et Siphonaptère. C'est un régulateur de développement anormal des insectes qui inhibe la formation de la chitine. Il est utilisé en lutte intégrée.

PRECAUTIONS D'EMPLOI:

Ne pas manger, boire ou fumer pendant l'application. Tenir à l'écart des denrées alimentaires et hors de portée des enfants. Conserver le produit dans son emballage d'origine et fermé. Éviter tout contact avec les yeux et la peau. Porter des vêtements de protection. Ne pas respirer le nuage de pulvérisation. Ne pas traiter contre le vent. Après utilisation, détruire les emballages vides et les enfouir. Ne pas les réutiliser.

Se laver soigneusement avec de l'eau et du savon après le traitement.

PREMIERS SECOURS:

En cas d'inhalation: Transporter la victime dans un endroit aéré, ventilé et le mettre au repos. S'il ne respire pas, réanimez le artificiellement. En cas de contact avec la peau: Enlevez les vêtements souillés et lavez toutes les parties de la peau souillées avec l'eau et le savon. Lavez le vêtement de façon séparée avant la réutilisation.

En cas de contact avec les yeux: rincez immédiatement à grande eau pendant 10 à 15 mn. En cas d'ingestion: Ne pas provoquer de vomissement. Lavez la bouche avec beaucoup d'eau et ne pas faire passer par la bouche une chose en cas d'inconscience. Dans tous les cas: recherchez immédiatement l'assistance d'un médecin en lui montrant l'étiquette du produit.

Note au médecin: Il n'existe pas d'antidote spécifique connu. Le traitement est symptomatique en fonction des réactions du patient.

CLASSIFICATION TOXICOLOGIQUE:

La LD50 orale (Rat) > 5000 mg/kg, La LD50 dermale (Rat) > 2000 mg/kg, La CL50 > 5.15 mg/L

CLASSE de danger pour l'OMS: II (Modérément dangereux)

CULTURES, PESTES VISES ET DOSES:

CROPS	PESTS	DOSAGES		
		200L of water (ha)	80L of water (acre)	15L of water (Knapsack)
COTON	-chenilles carphage -chenilles foliaires -mouches blanches	250-720ml	100-200ml	20-35 ml
MARACHAGE	-Toutes larves des feuilles et des fruits	250-720ml	100-200ml	20-35 ml
MANGUIERS	-Larves des mouches de fruits, -Toutes larves foliaires	250-720ml	100-200ml	20-35 ml
CITRUS	-Mineurs des feuilles - -Mouches blanches	250-720ml	100-200ml	20-35 ml
MAÏS	-Borers de tiges, -Toutes larves de feuilles.	250-720ml	100-200ml	20-35 ml

INSECTICIDE CNPC-CAMEROUN 2015/2016. UTILISATION STRICTEMENT INTERNE. VENTE INTERDITE



CAUTION

