

#### PRECAUTION/HAZARD MEASURES:

Harmful to fish-do not contaminate water bodies. Avoid inhaling spray mist. Always wear protective clothing when handling concentrated product. Wash with soap and water after use and in the event of skin contact. In case of eye contact rinse eyes with clean running water for at least 15-20 minutes. Wash contaminated clothing after use. Do not eat, drink, or smoke while mixing or applying the product or before washing hands and face. Avoid drift of spray onto other crops, grazing fields, rivers, dams, and areas not under treatment.

#### HANDLING/STORAGE/DISPOSAL:

Keep in original container tightly closed in a dry, cool safe place and away from food, drinks, and animal feedstuffs. Clean applicator after use. Dispose of rinsate where it will not contaminate crops, grazing fields, rivers, dams, and boreholes. Do not bury or donate the container to any other parties that may use it as a container for food or beverages. Prevent contamination of food, feed, drinking water and eating utensils.

#### FIRST AID INSTRUCTIONS:

If **inhaled**: call a physician or poison control center immediately. Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. Remove victim to fresh air and keep at rest in a position comfortable for breathing. **Contact with skin**: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. If **in eyes**:

immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15-20 minutes. Keep eye wide open while rinsing. Keep victim under observation. If **swallowed**: do not delay start of treatment. Immediately go to doctor or hospital. If more than 15 minutes to hospital, induce vomiting. Rinse mouth. Immediate medical attention is required. **Note to physician**: treat symptomatically.



## MAIZINE 30 OD



#### Composition

● Atrazine 20% + Mesotrione 7% + Nicosulfuron 3%




#### HERBICIDE OD



#### Culture

A selective early post-emergent herbicide for the control of annual grasses and broadleaf weeds in cultivated maize crop.

Crop: Maize



#### Information

Batch No.	Date of Manuf.:	Expiry date:
EPA Registration No.:		

#### Distributor:

Adama West Africa Ltd.  
No. 4, 4th Norla Street, North Labone.  
P.O Box KT 194, Accra-Ghana.  
Tel: +233 544325030

#### Manufacturer:

Sinochem International  
Plaza, No. 233 North Changqing Rd.  
Pudong New District,  
Shanghai, 200125, P.R.C



#### Scan for originality

KEEP OUT OF REACH OF CHILDREN . READ LABEL BEFORE USE

1 L

#### APPLICATION AND TIMING

MAIZINE 30 OD can be applied by any suitable ground applicator such as knapsack and tractor mounted sprayers, provided it is equipped with an efficient agitation mechanism. Use flat fan nozzles. Use at least 200 L spray mixture/ha to obtain complete coverage of weeds. Avoid spraying weeds and crops under stress conditions such as drought and water logging. Apply MAIZINE 30 OD two weeks after crop has emerged and established and weeds are at 2-5 leaves stage.

#### Application instructions:

Use this product when the maize crop is at 2-5 leaves stage and weeds are also at 2-5 leaves stage of growth. Preferably, two (2) weeks after the emergence of the crop. Use the product once each season. Do not use this product if there will be wind or rains within an hour.

#### Dosage:

Apply MAIZINE 30 OD at 50mls-65mls to a 15L knapsack (0.65-0.85 l/ha in 200 l of water) depending on the density of weeds for the control of post-emergence weeds associated with maize cultivation.

**Mixing:** Half-fill the knapsack with clean water. Add the required quantity of MAIZINE 30 OD. Gently agitate the machine. Fill the tank with water to the required level while agitating continuously. Do not allow the spray mixture to stand overnight. Ensure thorough agitation of the mixture in the tank during mixing and application.

**Pre-harvest interval:** None

#### Re-entry period

Do not enter treated area until spray deposit has dried unless wearing protective clothing.

WHO CLASS III (slightly toxic)



Caution

