

FORCEFIGHTER[®] M

3 active ingredients and 2 modes of action to fight herbicide resistance and provide post-emergent control of broadleaf weeds in wheat and barley.



Active Ingredients:

Fluroxypyr 180 g/L, Bromoxynil 225 g/L, MCPA 2 EH Ester 225 g/L = EC

Application Rates and Acres Treated:

Rate: 500 ml/ac Bromoxynil/MCPA Ester 600; 240 ml/ac Fluroxypyr

Acres Treated: 40 ac/case; 480 ac/pallet

Packaging:

Case: Bromoxynil/MCPA Ester 600: 2 × 10 L jugs; Fluroxypyr: 1 × 9.6 L jug

Pallet: Bromoxynil/MCPA Ester 600: 2 × 120 L drums; Fluroxypyr: 1 × 115.2 L drum

Water Volume:

Ground: 20-40 L/ac (5-10 US gal/ac) Aerial: Do not apply.

Rainfastness:

1 hour

GROUP 4 & 6

REGISTERED CROPS:

Barley

WEEDS CONTROLLED:

- American Nightshade
- Bluebur
- Burdock
- Canada Thistle¹
- Chickweed
- Cleavers (including group 2 resistant biotypes)
- Cocklebur
- Common Groundsel
- Cow Cockle
- Flixweed
- Hempnettle
- Kochia (including group 2 and glyphosate-resistant biotypes)
- Lady's Thumb

¹Top growth control.

HOW IT WORKS:

Quickly causes plants to stop growing. Convenient co-pack controls a wide range of weeds, including glyphosate-resistant and Group 2 resistant kochia, Group 2 resistant cleavers and Group 2 resistant wild mustard.

- Wheat (spring, durum)
- Lamb's-Quarters
- Night-Flowering Catchfly
- Perennial Sow Thistle
- Russian Thistle

- Stinkweed
- Vetch
- Volunteer Canola
- Volunteer Sunflower
- Wild Buckwheat
- Wild Mustard (including group 2 resistant biotypes)

- Redroot Pigweed
 - Shepherd's Purse
- Smartweed

- - Wild Radish
 - Wormseed Mustard

FORCEFIGHTER[®] M

CROP STAGING:

Crop	Stage
Wheat	2 leaf to early flag leaf
Barley	2 leaf to early flag leaf

REGISTERED AND SUPPORTED TANK MIXES:

Spring wheat:

- BISON® 400 L
- BRAZEN[®] II
- Everest[®] 3.0
- LADDER ALL IN®
- Simplicity[®] GoDRI
- Refine[®] SG
- Traxos[®]

Durum wheat:

- Everest[®] 3.0
- LADDER ALL IN[®]
- Simplicity[®] GoDRI
- Traxos®

Barley:

- BISON[®] 400 L
- BRAZEN[®]

This product may be tank mixed with a fertilizer, a supplement, or with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions For Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact ADAMA Agricultural Solutions Canada Ltd. at 1-855-264-6262 for information before applying any tank mix that is not specifically recommended on this label.

MIXING INSTRUCTIONS:

- 1. Fill spray tank ½ full with water.
- 2. Add the required amount of FORCEFIGHTER® M and agitate thoroughly.
- **3.** Add any tank-mix partners.
- 4. Fill the tank and agitate again before use.

CROP ROTATIONS:

Can be seeded the following year to barley, canola, flax, forage grasses, lentils, mustard, field peas, rye, and wheat.

PRE-HARVEST INTERVAL:

60 days

GRAZING RESTRICTIONS:

30 days

STORAGE:

Do not freeze.

CLICK HERE FOR FULL PRODUCT DETAILS.



FORCEFIGHTER® M's activity is influenced by weather conditions. The optimal temperature is 12 – 24° C. Avoid application 3 days before or after frost. Do not apply before the 2-leaf stage as crop injury may occur. Use 38 L/ac application volume when there is a heavy canopy or when most weeds are at an advanced stage of growth. Do not apply by air.



Always read and follow label directions. Toll-free:1.855.264.6262 | Website: ADAMA.COM

BISON®, BRAZEN®, FORCEFIGHTER® and LADDER ALL IN® are registered trademarks of an ADAMA Group Company. All other products are trademarks of their respective companies. © 2025 ADAMA Agricultural Solutions Canada Ltd.