

Active Ingredients



Pre-Seed Solutions

Tank-Mix:	Spring crop can be planted to:	Benefits:	Target weeds – please see label for full list of weeds controlled:
Glyphosate + 2,4-D Ester 700	Wheat (spring & winter), Barley, Rye	Control of emerged vol. canola up to 2-leaf stage. Increase rates of 2,4-D if staging is larger	 Annual Grasses Annual Broadleaves Horsetail Volunteer Canola (all biotypes)
Glyphosate + EMPHASIS™	Wheat (spring & durum), Barley, Oats, Canola	Two modes of action plus glyphosate provide a complete burndown. Non-residual removes any risks ahead of canola.	 Annual Grasses Annual Broadleaves Cleavers Kochia Narrow-Leaved Hawk's Beard Volunteer Canola (all biotypes)
Glyphosate + HOTSHOT®	Wheat (spring, durum & winter), Barley, Oats	Multi-mode of action with no cropping restrictions, and extended control from the florasulam.	 Annual Grasses Annual Broadleaves Perennial Broadleaves Cleavers Cow Cockle Lamb's Quarters Sow Thistles



Active Ingredients



Tank-Mix:	Spring crop can be planted to:	Benefits:	Target weeds please see label for full list of weeds controlled:
Glyphosate + PRIORITY®	Wheat (spring, durum & winter), Barley, Oats	Extended control of broadleaf weeds for up to 21 days - florasulam is broken down by the sun and heat, cooler temperatures are ideal for longer results	 Annual Grasses Cow Cockle Dandelion Narrow-Leaved Hawk's Beard Cleavers Vol. Canola (all types) Wild Buckwheat
*Glyphosate + INVOLVE®	Wheat (spring & durum), Barley, Oats, Canary Seed, Dry Beans, Faba Beans, Lentils, Peas, Soybeans	Slower systemic herbicide controls right down to the roots and helps to prevent re-growth.	 Annual Grasses Narrow-Leaved Hawk's Beard¹ Dandelion² Hempnettle² Kochia² Lady's Thumb² Redroot Pigweed² Vol. Canola (all types)² Canada Thistle³ Vol. Cereals



Active Ingredients



Tank-Mix:	Spring crop can be planted to:	Benefits:	Target weeds please see label for full list of weeds controlled:
Glyphosate + INVOLVE® + ADAMA 2,4-D Ester	Wheat (spring & durum), Barley	Resistance Management - 3 modes of action Controls 1-3 leaf volunteer canola (all types) and group 2 & 9 resistant kochia.	 Cow Cockle Shepherd's Purse Flixweed Stinkweed Kochia Lamb's Quarters Wild Mustard Narrow-Leaved Hawk's Beard Prickly Lettuce Lady's Thumb Vol. Canola (all types)

1 up to 8 cm; 2-up to 15 cm; 3 Rosette; 4 some antagonism shown on barnyard grass; 5- up to 8-15 cm; 6 - 0.6 1.5L/ha

 $^{^*}$ Do not use in front of pulses or legumes, when there is coarse textured (sandy soil) >50% sand Always read and follow label directions.