



Safety Data Sheet

Issue Date: 04-Jan-2024

Revision Date: 19-Aug-2025

Version 3

1. IDENTIFICATION

Product identifier

Product Name Brazen All In

Other means of identification

SDS # ADAMA-364-CA

Synonyms None

Registration Number(s) Pest Control Reg. No. 35086

UN/ID No UN3082

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial supplier identifier

ADAMA Agricultural Solutions Canada Ltd.
300-191 Lombard Avenue
Winnipeg, Manitoba R3B 0X1
1-855-264-6262

Emergency telephone number

Emergency Telephone For fire, spill and/or leak contact INFOTRAC:
1-800-535-5053 (North America) 1-352-323-3500 (International)
For medical emergencies and health/safety inquiries, contact ProPharma Group:
1-877-250-9291

2. HAZARDS IDENTIFICATION

Appearance Yellow amber liquid

Physical state Liquid

Classification

Skin corrosion/irritation	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Signal word**Danger****Hazard statements**

Causes skin irritation

Suspected of causing cancer

May damage fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Combustible liquid

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

IN CASE OF FIRE: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Naphtha (petroleum), heavy aromatic	64742-94-5	30-60	-	-
Tetrahydrofurfuryl alcohol	97-99-4	10-30	-	-
Pinoxaden	243973-20-8	5.0505	-	-
Isobutanol	78-83-1	1-5	-	-
Cloquintocet-mexyl	99607-70-2	1-5	-	-
Calcium Dodecylbenze Sulfonate	26264-06-2	1-5	-	-
Naphthalene	91-20-3	0.1-1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.
Skin contact	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Immediate medical attention is required.
Ingestion	Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes skin irritation. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Water spray. Alcohol resistant foam. Dry chemical. Carbon dioxide (CO ₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire Large Fire	Water spray. Alcohol-resistant foam. Dry chemical. Carbon dioxide (CO ₂). Alcohol resistant foam.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Flash back possible over considerable distance.
Hazardous combustion products	Smoke, fumes or vapors, and oxides of carbon.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Take precautionary measures against static discharge.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Refer to protective measures listed in sections 7 and 8.
For emergency responders	Follow all fire fighting procedures in Section 5. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. For waste disposal, see section 13 of the SDS. Clean preferably with a detergent; avoid use of solvents.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
--------------------------------	---

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep away from combustible material. Keep away from food, drink and animal feeding stuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure Limits**

Chemical name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Isobutanol 78-83-1	TWA: 50 ppm TWA: 152 mg/m ³	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm TWA: 152 mg/m ³
Naphthalene 91-20-3	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm	TWA: 10 ppm Skin	TWA: 10 ppm

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

No special equipment required in normal use. If necessary, refer to appropriate regulations and standards.

Hand protection

Wear protective gloves. If necessary, refer to appropriate regulations and standards.

Skin and body protection

Use body protection appropriate for task. If necessary, refer to appropriate regulations and standards.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Yellow amber liquid
Color	Yellow amber
Odor	Not determined
Odor Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	4.5	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	84 °C / 183.2 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor Pressure	Not determined	
Vapor Density	No data available	
Relative Density	1.014 g/mL	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	300 °C / 572 °F	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	Not an explosive.	
Oxidizing properties	Not an oxidizer.	
<u>Other information</u>		
Softening Point	Not determined	
Molecular weight	Not determined	
VOC content	No data available	
Liquid Density	Not determined	
Bulk density	Not determined	

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to Avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Avoid contact with eyes.
Skin contact	Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5,000 mg/kg

ATEmix (dermal) >5,000 mg/kg

ATEmix (inhalation-dust/mist) >2.53 mg/L

Unknown acute toxicity No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha (petroleum), heavy aromatic 64742-94-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 590 mg/m ³ (Rat) 4 h
Tetrahydrofurfuryl alcohol 97-99-4	= 1600 mg/kg (Rat)	-	-
Pinoxaden 243973-20-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 5.22 mg/L (Rat) 4 h
Calcium Dodecylbenze Sulfonate 26264-06-2	1086 - 1980 mg/kg (Rat)	-	-
Isobutanol 78-83-1	= 2460 mg/kg (Rat)	= 3400 mg/kg (Rabbit)	> 18.18 mg/L (Rat) 6 h
Cloquintocet-mexyl 99607-70-2	-	> 2000 mg/kg (Rat)	> 935 mg/m ³ (Rat) 4 h
Naphthalene 91-20-3	= 1110 mg/kg (Rat)	= 1120 mg/kg (Rabbit)	> 0.4 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity May damage fertility or the unborn child.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Marine Pollutant This material ships as a marine pollutant when single container exceeds 119 gal/ 882 lbs.

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha (petroleum), heavy aromatic 64742-94-5	-	LC50: =19mg/L (96h, Pimephales promelas) LC50: =2.34mg/L (96h, Oncorhynchus mykiss) LC50: =1740mg/L (96h, Lepomis macrochirus) LC50: =45mg/L (96h, Pimephales promelas) LC50: =41mg/L (96h, Pimephales promelas)	-	EC50: =0.95mg/L (48h, Daphnia magna)
Tetrahydrofurfuryl alcohol 97-99-4	-	LC50: >101mg/L (96h, Oryzias latipes)	-	-
Calcium Dodecylbenze Sulfonate 26264-06-2	-	LC50: =10.8mg/L (96h, Oncorhynchus mykiss)	-	-
Isobutanol 78-83-1	-	LC50: =375mg/L (96h, Pimephales promelas) LC50: 1370 - 1670mg/L (96h, Pimephales promelas) LC50: 1480 - 1730mg/L (96h, Lepomis macrochirus) LC50: 1120 - 1520mg/L (96h, Oncorhynchus mykiss)	-	EC50: =1300mg/L (48h, Daphnia magna) EC50: 1070 - 1933mg/L (48h, Daphnia magna)
Naphthalene 91-20-3	-	LC50: 5.74 - 6.44mg/L (96h, Pimephales promelas) LC50: =1.6mg/L (96h, Oncorhynchus mykiss) LC50: 0.91 - 2.82mg/L (96h, Oncorhynchus mykiss) LC50: =1.99mg/L (96h, Pimephales promelas) LC50: =31.0265mg/L (96h, Lepomis macrochirus)	-	LC50: =2.16mg/L (48h, Daphnia magna) EC50: =1.96mg/L (48h, Daphnia magna) EC50: 1.09 - 3.4mg/L (48h, Daphnia magna)

Persistence/Degradability No information available.

Bioaccumulation No information available.

Chemical name	Partition coefficient
Naphtha (petroleum), heavy aromatic 64742-94-5	6.5
Tetrahydrofurfuryl alcohol 97-99-4	-0.14
Isobutanol 78-83-1	1

Cloquintocet-mexyl 99607-70-2	5.24
Naphthalene 91-20-3	3.4

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT

UN/ID No UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (PINOXADEN, SOLVENT NAPHTHA)
Transport hazard class(es) 9
Packing Group III
Marine Pollutant This material ships as a marine pollutant when single container exceeds 119 gal/ 882 lbs.

TDG

UN/ID No UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (PINOXADEN, SOLVENT NAPHTHA)
Transport hazard class(es) 9
Packing Group III
Marine Pollutant Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle.

IATA

UN number or ID number UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (PINOXADEN, SOLVENT NAPHTHA)
Transport hazard class(es) 9
Packing group III
Description This material ships as a marine pollutant when inner packagings exceed 5L/5KG

IMDG

UN number or ID number UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (PINOXADEN, SOLVENT NAPHTHA)
Transport hazard class(es) 9
Packing Group III
Marine Pollutant This material ships as a marine pollutant when inner packagings exceed 5L/5KG

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Chemical name	TSCA	DSL/NDL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Naphtha (petroleum), heavy aromatic	X	X	X		X	X	X	X
Tetrahydrofurfuryl alcohol	X	X	X	X	X	X	X	X
Pinoxaden	X							
Isobutanol	X	X	X	X	X	X	X	X
Cloquintocet-mexyl	X				X			
Calcium Dodecylbenze Sulfonate	X	X	X	X	X	X	X	X
Naphthalene	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards -	Flammability -	Instability -	Special hazards -
<u>HMIS</u>	Health hazards -	Flammability -	Physical hazards -	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation

Revision Date: 19-Aug-2025

Revision Note: Regulatory update.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet