

## Active Ingredients



## Pre-seed Solutions

Tank-Mix	Spring crop can be planted to:	Benefits:	Target weeds – please see label for full list of weeds controlled:
Glyphosate + 2,4-D Ester 700	Wheat (spring & winter), Barley, Rye	Control of emerged vol. canola up to 2 leaf stage. Increase rates of 2,4-D if staging is larger.	<ul> <li>Annual Grasses</li> <li>Annual Broadleaves</li> <li>Horsetail</li> <li>Volunteer Canola (all biotypes</li> </ul>
Glyphosate + EMPHASIS™	Wheat (spring & durum), Barley, Oats, Canola	Two modes of action plus glyphosate provide a complete burndown. Non-residual removes any risks ahead of canola.	<ul> <li>Annual Grasses</li> <li>Annual Broadleaves</li> <li>Cleavers</li> <li>Kochia</li> <li>Narrow-leaved hawk's-beard</li> <li>Volunteer Canola (all biotypes)</li> </ul>
Glyphosate + HOTSHOT®	Wheat (spring, durum & winter), Barley, Oats	Multi-mode of action with no cropping restrictions, and extended control from the florasulam.	<ul> <li>Annual Grasses</li> <li>Annual Broadleaves</li> <li>Perennial Broadleaves</li> <li>Cleavers</li> <li>Cow Cockle</li> <li>Lamb's Quarters</li> <li>Sow Thistles</li> </ul>
Glyphosate + PRIORITY®	Wheat (spring, durum & winter), Barley, Oats	Extended control of broadleaf weeds for up to 21 days – florasulam	<ul><li>Annual Grasses</li><li>Cow Cockle</li><li>Dandelion</li></ul>



## Active Ingredients



		is broken down by the sun and heat, cooler temperatures are ideal for longer results	<ul> <li>Narrow Leaved Hawk's Beard</li> <li>Cleavers</li> <li>Vol. Canola (all types)</li> <li>Wild Buckwheat</li> </ul>
*Glyphosate + INVOLVE®	Wheat (spring & durum), Barley, Oats, Canary Seed, Dry Beans, Faba Beans, Lentils, Peas, Soybeans	Slower systemic herbicide controls right down to the roots and helps to prevent regrowth.	Annual Grasses  Narrow Leaved Hawk's Beard¹  Dandelion²  Hempnettle²  Kochia²  Lady's Thumb²  Redroot Pigweed²  Vol. Canola (all types)²  Canada Thistle³  Vol. Cereals
Glyphosate + ADAMA 2,4-D Ester	No restrictions	One of the most effective treatments shown on grasses, biennials & perennials	<ul> <li>Annual Grasses<sup>4</sup></li> <li>Narrow Leaved Hawk's Beard<sup>5</sup></li> <li>Hempnettle</li> <li>Kochia</li> <li>Lamb's Quarters</li> <li>Russian Thistle</li> <li>Vol. Canola (all types)<sup>6</sup></li> <li>Vol. Cereals</li> </ul>
Glyphosate + INVOLVE® + ADAMA 2,4-D Ester	Wheat (spring & durum), Barley	Resistance Management - 3 modes of action Controls 1-3 leaf volunteer canola (all types) and group 2 & 9 resistant kochia.	<ul> <li>Cow Cockle</li> <li>Shepherd's Purse</li> <li>Flixweed</li> <li>Stinkweed</li> <li>Kochia</li> <li>Lamb's Quarters</li> <li>Wild Mustard</li> <li>Narrow Leaved</li> <li>Hawk's Beard</li> <li>Prickly Lettuce</li> </ul>







	• Lady's Thumb
	<ul> <li>Vol. Canola (all</li> </ul>
	types)

1– up to 8 cm; 2-up to 15 cm; 3 – Rosette; 4 – some antagonism shown on barnyard grass; 5- up to 8-15 cm; 6 - 0.6 – 1.5L/ha

\*Do not use in front of pulses or legumes, when there is coarse textured (sandy soil) >50% sand Always read and follow label directions.