



WE ARE

Active  
Ingredients



## Pre-Seed Solutions

Tank-Mix	Spring crop can be planted to:	Benefits:	Target weeds please see label for full list of weeds controlled:
Glyphosate + 2,4-D Ester 700	Wheat (spring & winter), Barley, Rye	Control of emerged vol. canola up to 2 leaf stage. Increase rates of 2,4-D if staging is larger.	<ul style="list-style-type: none"><li>• Annual Grasses</li><li>• <b>Annual</b> Broadleaf's</li><li>• <b>Horsetail</b></li><li>• <b>Volunteer Canola</b> (all biotypes)</li></ul>
Glyphosate + EMPHASIS™	Wheat (spring & durum), barley, oats, canola	Two modes of action plus glyphosate provide a complete burndown. Non-residual removes any risks ahead of canola.	<ul style="list-style-type: none"><li>• <b>Annual Grasses</b></li><li>• <b>Annual</b> Broadleaf's</li><li>• <b>Cleavers</b></li><li>• <b>Kochia</b></li><li>• <b>Narrow-leaved hawk's-beard</b></li><li>• <b>Volunteer Canola</b> (all biotypes)</li></ul>
Glyphosate + HOTSHOT®	Wheat (spring, durum & winter), Barley, Oats	Multi-mode of action with no cropping restrictions, and extended control from the florasulam.	<ul style="list-style-type: none"><li>• Annual Grasses</li><li>• <b>Annual</b> Broadleaf's</li><li>• <b>Perennial</b> Broadleaf's</li><li>• <b>Cleavers</b></li><li>• <b>Cow Cockle</b></li><li>• <b>Lamb's Quarters</b></li><li>• <b>Sow Thistles</b></li></ul>



WE ARE

# Active Ingredients



Tank-Mix	Spring crop can be planted to:	Benefits:	Target weeds please see label for full list of weeds controlled:
Glyphosate + PRIORITY®	Wheat (spring, durum & winter), Barley, Oats	Extended control of broadleaf weeds for up to 21 days florasulam is broken down by the sun and heat, cooler temperatures are ideal for longer results	<ul style="list-style-type: none"> <li>• Annual Grasses</li> <li>• Cow Cockle</li> <li>• Dandelion</li> <li>• Narrow Leaved Hawk's Beard</li> <li>• Cleavers</li> <li>• Vol. Canola (all types)</li> <li>• Wild Buckwheat</li> </ul>
*Glyphosate + INVOLVE®	Wheat (spring & durum), Barley, Oats, Canary Seed, Dry Beans, Faba Beans, Lentils, Peas, Soybeans	Slower systemic herbicide controls right down to the roots and helps to prevent regrowth.	<ul style="list-style-type: none"> <li>• Annual Grasses</li> <li>• Narrow Leaved Hawk's Beard<sup>1</sup></li> <li>• Dandelion<sup>2</sup></li> <li>• Hempnettle<sup>2</sup></li> <li>• Kochia<sup>2</sup></li> <li>• Lady's Thumb<sup>2</sup></li> <li>• Redroot Pigweed<sup>2</sup></li> <li>• Vol. Canola (all types)<sup>2</sup></li> <li>• Canada Thistle<sup>3</sup></li> <li>• Vol. Cereals</li> </ul>
Glyphosate + ADAMA 2,4-D Ester	No restrictions	One of the most effective treatments shown on grasses, biennials & perennials	<ul style="list-style-type: none"> <li>• Annual Grasses<sup>4</sup></li> <li>• Narrow Leaved Hawk's Beard<sup>5</sup></li> <li>• Hempnettle</li> <li>• Kochia</li> <li>• Lamb's Quarters</li> <li>• Russian Thistle</li> <li>• Vol. Canola (all types)<sup>6</sup></li> <li>• Vol. Cereals</li> </ul>



WE ARE

Active  
Ingredients



Tank-Mix	Spring crop can be planted to:	Benefits:	Target weeds please see label for full list of weeds controlled:
Glyphosate + INVOLVE® + ADAMA 2,4-D Ester	Wheat (spring & durum), Barley	Resistance Management - 3 modes of action Controls 1-3 leaf volunteer canola (all types) and group 2 & 9 resistant kochia.	<ul style="list-style-type: none"> <li>• Cow Cockle</li> <li>• Shepherd's Purse</li> <li>• Flixweed</li> <li>• Stinkweed</li> <li>• Kochia</li> <li>• Lamb's Quarters</li> <li>• Wild Mustard</li> <li>• Narrow Leaved Hawk's Beard</li> <li>• Prickly Lettuce</li> <li>• Lady's Thumb</li> <li>• Vol. Canola (all types)</li> </ul>

1– up to 8 cm; 2-up to 15 cm; 3 – Rosette; 4 – some antagonism shown on barnyard grass; 5- up to 8-15 cm; 6 - 0.6 – 1.5L/ha

\*Do not use in front of pulses or legumes, when there is coarse textured (sandy soil) >50% sand

**Always read and follow label directions.**