

# **Active Ingredient:**

Imidacloprid

# **Insecticide Group:**

Group 4

# Formulation:

Imidacloprid 240 g/L = SC

# Application Rates and Packaging:

- 70 190 ml/ac or 20 54 ac/3.785 L jug
- 4 × 3.785 L jugs/case

### **REGISTERED CROPS:**

- Apples
- Brussels sprouts
- Caneberries (Crop subgroup 13A)
- Cherries1
- Cole (Crop group 5)
- Eggplant

<sup>1</sup>BC, ON only

 $^2\, BC$  only

<sup>3</sup>BC, ON, PQ, PEI, NS only

# Highbush blueberries<sup>2</sup>

- Lettuce<sup>3</sup>
- Nectarines
- Peaches
- Potatoes
- Tomatoes

#### **KEY INSECTS CONTROLLED:**

- Aphids
- Black cherry fruit fly
- Colorado potato beetle
- Leaf hoppers
- Mullein bug

- Potato flea beetle
- Soybean aphid
- Tentiform leafminer
- Western cherry fruit fly

#### **HOW IT WORKS:**

Neonicotinoid chemistry provides control of insect pests through a combination of contact and ingestion.

#### **APPLICATION TIMING AND CROP STAGING:**

The need and timing of application should be based on the presence of pests at vulnerable developmental stages and significant populations as determined by local monitoring. Consult label for specific crop and insect timing.



# ALIAS® 240 SC FOLIAR APPLICATION

#### **WATER VOLUME:**

Apply by ground application in a water volume that provides good coverage of foliage and insect pests. Do not apply by air.

#### **RAINFASTNESS:**

Avoid application when heavy rain is forecast.

#### **REGISTERED AND SUPPORTED TANK MIXES:**

None registered

#### **MIXING INSTRUCTIONS:**

- 1. Shake well before using.
- 2. Add a portion of the required amount of water to the spray tank with agitation.
- 3. Add required amount of ALIAS® 240 SC.
- 4. Complete filling the tank with balance of water.
- 5. Maintain sufficient agitation during mixing and application.

#### **CROP ROTATIONS:**

- Cereal grains (wheat, barley, oats): minimum 30 days
- Field peas and beans: 9 months
- All other food and feed crops: 12 months

#### **PRE-HARVEST INTERVAL:**

- Caneberries (Crop subgroup 13A): 4 days
- Apples, Brussels sprouts, Cole (Crop Group 5), Eggplant, Field lettuce, Nectarines, Peaches,

Potatoes: 7 days • Cherries: 10 days

• Highbush blueberries: 14 days

#### **GRAZING RESTRICTIONS:**

Do not graze or harvest cover crops for food or feed.

#### **STORAGE:**

Store in cool, dry place.

# **QUICK TIPS:**

For optimal control, good coverage of the foliage is needed.

