



ADAMA

BRAZEN™ II

One of the most trusted and widely used graminicides for grassy weed control in spring wheat and barley with great tank-mix flexibility.



HERBICIDE

GROUP 1

Active Ingredient:

Pinoxaden 100 g/L
(contains Cloquintocet-mexyl
at 25 g/L as a safener)

Application Rates & Acres Treated:

Rate: 160 – 240 ml/ac

Acres Treated: 40 – 60 ac/case;
320 – 485 ac/drum

Packaging:

Case: BRAZEN™ II: 1 × 9.7 L jug;
Cohere™ Adjuvant: 1 × 11.3 L jug

Bulk: BRAZEN™ II: 77.6 L drums;
Cohere™ Adjuvant: 90.4 L drum

Water Volume:

Ground: 20 – 40 L/ac (5 – 10 US gal/ac)
Aerial: 12 L/ac (3 US gal/ac)

Rainfastness:

1 hour

KEY BENEFITS:

- Safe to use on both spring wheat and barley up to flag leaf on both crops – saving time in spray season
- Broad-spectrum annual grass control including wild oats, green foxtail, yellow foxtail, Persian dandelion, volunteer oats, volunteer canary seed and proso millet
- Works quickly on grassy weeds removing the competition fast
- Wide application window (1 – 6 leaf, up to the 3rd tiller stage of grassy weeds)
- Multiple tank-mix options for one-pass weed control
- Multiple years of testing showed outstanding results in field tests across Western Canada

(BRAZEN™ II is not registered for use on durum wheat)




BRAZEN™ II

Field Test Results

Summary

ADAMA conducted 12 replicated trials throughout Western Canada and results concluded the addition of Cohere™ adjuvant showed an increase in efficacy on both green foxtail and wild oats.



HOW IT WORKS:

BRAZEN™ II is absorbed by the leaves and is rapidly translocated to the growing points of leaves and stems. Thorough coverage of the plants is essential for consistent control. Actively growing susceptible grasses stop growing within 48 hours of treatment. Depending on species, growing conditions and crop competition, leaves and growing points turn yellow within 1–3 weeks after application. Further colour changes and loss of vigour will be observed, followed by a browning and control 3–5 weeks after application.

CROP STAGING:

Crops/Weeds	Growth Stage
Barley, Spring wheat	1 leaf to flag leaf stage (BBCH 11–45)
Green and yellow foxtail, Persian darnel, Proso millet, Volunteer canary seed, Volunteer oats, Wild oats	1–6 leaf, prior to 4 th tiller (BBCH 11–23)

REGISTERED AND SUPPORTED TANK MIXES¹

Herbicides:

- BADGE®
- Barricade® II
- BROMOTRIL®
- Buctril® M⁴
- Cirpreme™ XC
- Curtail® M⁴
- ESTEEM®
- Exhilarate™
- FORCEFIGHTER® M
- Infinity®⁴

- Infinity FX®
- MCPA Ester⁴ 600
- MCPA Amine
- OUTSHINE®
- Pixxaro®
- Pulsar®
- Refine® SG
- TOPLINE®
- Travallas®
- TROPHY®⁴

Fungicides:

- BUMPER® 432 EC
- TOPNOTCH™

¹Always consult the label of the broadleaf herbicide prior to use.

²Addition of surfactants other than ADAMA Adjuvant 80 are not required.

³Suppression only of green foxtail.

⁴For control of common ragweed and suppression of round-leaved mallow.



BRAZEN™ II

MIXING INSTRUCTIONS:

1. Clean spray tank and ½ fill with clean water. Start agitation or bypass system.
2. If a broadleaf herbicide is to be used, add the product first prior to adding BRAZEN™ II and agitate for 2–3 minutes.
3. Add correct amount of BRAZEN™ II.
4. Agitate for 2–3 minutes.
5. Add correct amount of Cohere™ Adjuvant.
6. Agitate for 1–2 minutes before adding remainder of water and then maintain constant agitation.
7. After any break in spraying operations, agitate thoroughly before spraying again.
8. Use the spray suspension as soon as it is prepared.

CROP ROTATIONS:

No restrictions.

PRE-HARVEST INTERVALS:

Grain, Straw: 60 days

Hay: 30 days

GRAZING RESTRICTIONS:

7 days

STORAGE:

If frozen, allow product to thaw and agitate thoroughly prior to use.

Quick Tips

Apply to actively growing weeds for best results. An early application will maximize crop yields by reducing weed competition. Weeds emerging after application of BRAZEN™ II will not be controlled. Although BRAZEN™ II does not control broadleaf weeds, BRAZEN™ II can be tank-mixed with a range of broadleaf herbicides to provide broad spectrum weed control in spring wheat and barley.



ADAMA

Always read and follow label directions.
Toll-free: 1.855.264.6262
Website: ADAMA.COM

BADGE®, FORCEFIGHTER® M, INVOLVE® 50 WDG, OUTSHINE®, TOPLINE® and TOPNOTCH® are registered trademarks, and BRAZEN™ and ESTEEM™ are trademarks of ADAMA Agricultural Solutions Canada Ltd. © 2023 ADAMA Agricultural Solutions Canada Ltd.