



ADAMA

NEW

ASCENTRA F3 Cereals™

POWERFUL PROTECTION. RIGHT FROM THE START.

Protect yield potential from the start through a multi-mode-of-action solution that combines the benefits of systemic and contact activity against key seed and soil-borne diseases.



Active Ingredients:

Suspension
 Sedaxane 24.8 g/L +
 Fludioxonil 24.8 g/L +
 Tebuconazole 9.87 g/L = SC

Application Rates & Quantity of Seed Treated:

Rate: 200 ml/100 kg seed

Packaging:

Case: 2 x 6.1 L jugs

GROUPS 3, 7, & 12

REGISTERED CROPS:

- Barley
- Wheat (spring, winter)

SEED TREATMENT RATE:

Rate: 200 ml/100 kg seed

WHEAT		
Test weight (lb/bu)	bu seed treated / jug*	bu seed treated / case*
60	112	224
62	108	216
64	105	210
68	99	198

BARLEY		
Test weight (lb/bu)	bu seed treated / jug*	bu seed treated / case*
48	140	280
50	134	268
52	129	258
54	125	250
56	120	240
58	116	232

* Bushels per jug and case will vary with seed test weight. Always calibrate the rate based on actual seed weight.

HOW IT WORKS:

Sedaxane (Group 7), fludioxonil (Group 12), and tebuconazole (Group 3) provide three distinct modes of action targeting fungal pathogens through different biochemical pathways. Together, they deliver broad-spectrum protection against seed and soil-borne diseases, helping protect seeds and emerging seedlings during critical early growth stages.

KEY BENEFITS:

- A user-friendly formulation ideal for both on-farm and commercial seed treatment.
- Excellent formulation designed for superior flowability, smooth application, and uniform seed coverage.
- Protect yield potential from the start through a multi-mode-of-action solution that combines the benefits of systemic and contact activity against key seed and soil-borne diseases.
- Exceptional protection against major seed and soil-borne diseases.



FUNGICIDE



ASCENTRA F3 Cereals™

CONTROLLED DISEASES:

- Seed Rot, Seedling Blight, Damping-Off, and Root Rot caused by seed and soil-borne *Fusarium* spp.
- Seed Rot and Seedling Blight and Damping-Off caused by *Rhizoctonia Solani*
- Loose Smut

MIXING INSTRUCTIONS:

- ASCENTRA F3 Cereals™ concentrated formulation may be applied with water to optimize seed coverage across different seed-treating equipment and setups. A 1:1 dilution is the maximum that would be needed.
- Follow the manufacturer's application instructions for the seed treatment equipment being used.

GRAZING RESTRICTIONS:

DO NOT graze or feed livestock on treated area for 45 days after planting labelled crops.

CROP ROTATIONS:

DO NOT plant any crop other than small cereal grains (barley, oats, rye, wheat, triticale), corn and soybean within 120 days to fields in which seed treated with ASCENTRA F3 Cereals™ were planted.

STORAGE:

Ideal storage temperature is above freezing and below 30°C.



[CLICK HERE FOR FULL
PRODUCT DETAILS.](#)



Always read and follow label directions.
Toll-free: 1.855.264.6262 | Website: ADAMA.COM

ASCENTRA F3 Cereals™ is a trademark of an ADAMA Group Company. All other products are trademarks of their respective companies. © 2026 ADAMA Agricultural Solutions Canada Ltd.

QUICK TIPS:

Add water directly to the 6.1 L of ASCENTRA F3 Cereals™ in the jug, topping it up to the 10 L mark. This provides a well-diluted slurry for excellent seed coverage.