



ADAMA

ARMORY® 240

Provides more precise harvest timing with fast drydown of crops, protecting yield and grade, and reducing disease transmission late in the season.



GROUP 22

Active Ingredient

Diquat 240 g/L = EC

Packaging

Case: 2 x 10 L jugs

Application Rates & Acres Treated

Ground: 360–1860 ml/ac

Aerial: 690–1090 ml/ac

Acres Treated: 7–28 ac/jug

Water Volume

Ground: 90–200 L/ac
(24–53 US gal/ac)

Aerial: Minimum 18 L/ac
(5 US gal/ac)

Rainfastness

30 minutes

REGISTERED CROPS

- Alfalfa
- Beans (white and red kidney, adzuki)
- Birdsfoot trefoil
- Canola
- Chickpeas
- Lentils
- Peas (field and dry)
- Potatoes
- Red and white clover
- Soybeans
- Sunflowers

USES AND WEEDS CONTROLLED

- Potato vines
- Corn spurry in oats
- Desiccation for beans, and legume forage seed crops
- Weeds in stale seedbeds (vegetables and field crops)
- Weeds in vegetables (inter-row directed)
- Suppression of perennial grasses under apple trees

APPLICATION RATES

Crop	Rate
Potatoes	<ul style="list-style-type: none"> • Ground: 510–1420 ml/ac • Aerial: 690–930 ml/ac
Vegetables	<ul style="list-style-type: none"> • Ground: 930–1860 ml/ac • Aerial: Do not apply by air.
Fruit	<ul style="list-style-type: none"> • Ground: 1860 ml/ac
Beans, canola, chickpeas, field peas, flax, lentils, mustard, sunflowers	<ul style="list-style-type: none"> • Ground: 500–690 ml/ac • Aerial: 690–930 ml/ac
Legumes	<ul style="list-style-type: none"> • Ground: 690–1090 ml/ac • Aerial: 690–1090 ml/ac
Oats	<ul style="list-style-type: none"> • Ground: 360–510 ml/ac • Aerial: Do not apply by air.



ARMORY® 240

HOW IT WORKS

ARMORY® 240 works on contact to disrupt plant cells and is rainfast in 30 minutes, leading to more rapid drydown of plants and weeds when compared to systemic herbicides. Harvesting can typically begin within 4–10 days, depending on crop and weather conditions.

REGISTERED AND SUPPORTED TANK MIXES

- Agral® 90, LI 700®, Liberate®, other non-ionic surfactants
- Carfentrazone

MIXING INSTRUCTIONS

1. Fill the spray tank 3/4 full with water.
2. Add the required amount of ARMORY® 240 into the sprayer.
3. Agitate until the herbicide is thoroughly mixed.
4. Continue agitation while adding the required amount of recommended registered surfactant at 0.10% v/v non-ionic surfactant (NIS) or 0.25% v/v Li700.
5. Complete filling the tank to the desired level with water.

ADJUVANT RATE

- 0.25% v/v LI 700®
- 0.10% v/v NIS

GRAZING RESTRICTIONS

Crop waste remaining after harvest (e.g. pea vines, alfalfa stems) may be used as a feed supplement for livestock.

STORAGE

Do not freeze.

QUICK TIPS:

Best results under cloudy conditions or in the evening. Suggested conditions for aerial applications are a temperature below 25° C, humidity above 50% and wind speed below 9 km/hr at flying height.



ADAMA

Always read and follow registered product label instructions. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.
1.855.264.6262 ADAMA.COM

© ARMORY is a registered trademark of ADAMA Agricultural Solutions Canada Ltd. All other products are trademarks of their respective companies.
© 2022 ADAMA Agricultural Solutions Canada Ltd.