

**Product name: ISONET-L**

## 1. Identification of the substance/mixture and of the company

### Product identifier:

Identification of the substance: European grapevine moth (*Lobesia botrana*) pheromone technical

Substance name: (E, Z)-7, 9-Dodecadien-1-yl acetate

EC No. : 259-127-7

CAS No. : 54364-62-4

### Relevant identified uses of the substance or mixture and uses advised against:

This technical is the mixture of (E, Z)-7, 9-dodecadienyl acetate and stabilizers.

Pheromone for mating disruption.

### Important Notice

This product contains mixture.

This SDS applies only in case that the container breaks and the mixture is set free.

All information given hereinafter refer to the contained mixture, the product is safe for use.

Due to the small amount of the chemicals in the product, in case that the container is damaged, a spill of the mixture is highly unlikely.

### Details of the supplier of the safety data sheet:

Shin-Etsu Chemical Co., Ltd.

Organic Chemicals Division Fine Chemicals Department (9:00 - 18:00)

4-1, Marunouchi 1-chome, Chiyoda-ku, Tokyo 100-0005, Japan

+81-3-6812-2442 (Tokyo Japan)

URL: <http://www.shinetsu.co.jp>

E-mail contact: [pheromone@shinetsu.jp](mailto:pheromone@shinetsu.jp)

### Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC (24hrs)

+1 703-741-5970 / 1-800-424-9300

## 2. Hazards identification

### 2.1 Classification of the substance:

#### GHS Classification

##### Physical Hazards

Flammable liquids: Not classified

Self-reactive substances: Not classified

Pyrophoric liquids: Not classified

Self-heating substances: Not classified

Substances which, in contact with water, emit flammable gases: Not classified

Oxidizing liquids: Not classified

**Product name: ISONET-L****Health Hazards**

Acute toxicity: Not classified  
Skin irritation: Category 2  
Eye irritation: Not available  
Respiratory sensitization: Not available  
Skin sensitization: Not available  
Germ cell mutagenicity: Not classified  
Carcinogenicity: Not available  
Reproductive toxicity: Not available  
Specific target organ toxicity single exposure: Not available  
Specific target organ toxicity repeated exposure: Not available  
Aspiration hazard: Not available

**Environmental Hazards**

Acute aquatic toxicity: Category 1  
Chronic aquatic toxicity: Category 1

**2.2 Label elements**

Pictograms or symbols:



Signal word: "Warning"

Hazard Information:

H303: May be harmful if swallowed  
H333: May be harmful if inhaled  
H315: Causes skin irritation  
H317: May cause allergic skin reaction  
H320: May cause eye irritation  
H400: Very toxic to aquatic life  
H415: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P210: Away from Heat/Spark/Open flame/Ignition sources like a high temperature. – No smoking  
P261: Avoid breathing mist/vapours/spray/gas/fume/dust.  
P262: Do not get in eyes, on skin, or clothing.  
P264: Wash hands thoroughly after handling.  
P271: Use only in well-ventilated place or in open air.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: If on skin: Wash with plenty of soap and water.  
P304+P340: In case of inhalation: Transfer to fresh air place, rest with easily respirable posture.  
P305+P351+P338: In case of eye contact: Wash with water carefully for several minutes. When easily take off contact lenses are worn, take them off.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P337+P313: In case of holding eye irritation: Have medical doctor's diagnosis.

<b>Product name: ISONET-L</b>
-------------------------------

P362+P364: Put off polluted wear and wash before reuse.

Precautionary statement for environment pollution:

P273: Avoid release to the environment without necessity.

P391: Collect spillage.

P501: Discard contents/container according to local regulations/ country laws.

### 3. Composition / information on ingredients

#### Description of the mixture:

This technical is the mixture of (E, Z)-7, 9-dodecadienyl acetate and stabilizers.

#### Composition/Ingredients:

Identification name	(E, Z)-7,9-dodecadienyl acetate
Synonyms	E7Z9-dodecadien-1-ol acetate
Chemical formula	C <sub>14</sub> H <sub>24</sub> O <sub>2</sub>
Molecular weight	224
CAS NO.	54364-62-4
TSCA NO. (USA)	54364-62-4
EINECS NO. (EU)	259-127-7
Impurities contribute to classification	No data
Concentration/Range(wt%)	>75%

### 4. First aid measures

Persons using this product should consult a physician or other medical professional if an accident involving this product in injury. Specific first-aid measures are as follows:

**After inhalation:** Supply fresh air; seek medical advice in case of symptoms. When feeling woozy or badly, get medical attention. When victim vomiting, turn his face to sideway for taking breath.

**After skin contact:** Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, seek medical advice. Take off all contaminated clothes.

**After eye contact:** Gently rinse the affected eyes, including under the eyelids, with clean water for at least 15 minutes. To make it effective, widen the eyelid with fingers and move the eyeball. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible. When wearing contact lenses, remove them and rinse with clean water for 15 minutes.

#### Prospective acute or late symptoms:

Eye or skin contact: reddening, pain, chemical attack.

Inhalation: dizziness, drowsiness, headache, nausea, weakness feeling.

**Product name: ISONET-L**

## 5. Firefighting measures

When igniting high concentrated vapour or mist of this material, may explosion break out by the explosive decomposition. In high oxygen concentrated atmosphere, it has the possibility of combustion or explosion.

### Extinguishing media:

Suitable extinguishing agents: CO<sub>2</sub>, extinguishing powder or alcohol-resistant foam.

Unsuitable extinguishing agents: High volume water jet.

### Special hazards arising from the substance or mixture:

If exposed to heat or flame, it decomposes and may generate toxic irritating gases. Special hazards caused by the material, its products of combustion or flue gases: Carbon monoxide and carbon dioxide.

### Specific extinction method:

Work for firefighting from windward. Fire could be expanded by water spray, use appropriate extinguishing media. Transfer the container from near fire to out of area, if safely possible. If it is impossible, cooling down the container by plenty of water spraying. Don't use high volume water jet.

### Advice for firefighters:

Use self-contained breathing apparatus, chemical cartridge respirator for organic gases, gloves, or other protective equipments for fire-fighting.

Additional information: Collect contaminated firefighting water separately. It must not enter drains.

## 6. Accidental release measures

Mark off the area near around leakage by the roping, and seal off except authorized.

### Note for preventing hazards:

Enough time ventilation is necessary until finishing the clean-up in the case of indoor leakage. Wear and use self-contained breathing apparatus, chemical cartridge respirator for organic gases, protective gloves, protective goggle, protective boots or other protective apparels for handling vapour concentrated around.

### Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to federal law. Ensure adequate ventilation. Mark contaminated area. After indoor leakage ensure enough ventilation to finish cleaning up. Wear and use self-contained breathing apparatus, chemical cartridge respirator for organic gases, protective gloves, protective goggle, protective boots or other protective equipment.

**For small spills:** Absorb spill with dry sand, earth or charcoal, then place in chemical waste container so as not to run out to sewage or drainage trench or penetration into.

**For large spills:** Collect with pump and transfer to a metal container with seal. Absorb spill with dry sand or charcoal, and prevent spill from entering sewers, watercourses or low areas, and prevent the penetration into the

**Product name: ISONET-L**

ground. Mop up the residual spill with charcoal or absorbent materials.  
Contaminated absorbents must be disposed of by appropriate measures.  
Work at the position of windward.

**Note for preventing environment hazards:**

Salvage by removal methods as possible, comply environmental benchmarks of sewage, earth, water source.

**7. Handling and storage****General items:**

Smoking, eating and drinking should be prohibited in the handling or storage area. Keep away from open flames, hot surface and sources of ignition.

**Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace. Avoid contact to skin, eye and clothing.  
Keep ignition sources away. Do not smoke, eat or drink in work areas. Do not breathe vapours/mists.  
If you become bothered by odour, please stop working and take "first-aid measures" specified in the product SDS.  
To insulate you from unnecessary odour, it may be recommended to wear a protective apparatus, such as a mask, during operations.

**Conditions for safe storage, including any incompatibilities:**

Observe all local and national regulations for storage of water polluting products.  
Do not store together with oxidizing and acidic materials.  
Store in cool, dry conditions in tightly closed containers.  
Protect from heat and direct sunlight.

**8. Exposure controls and personal protection****Control parameters:**

This SDS applies only in case that container breaks and the chemicals are set free. All information given hereinafter refer to the contained chemicals.

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Exposure controls:**

Keep away from foodstuffs, beverages and food. Instantly remove any contaminated garments. Avoid contact with eyes and skin. Wash hands during breaks and at the end of the work.

Hand protection: Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection: Protective goggles. Face shield etc.

Protective wear for skin and body: Protective boots. Protective apron.

**Exposure limits:**

ACGH: Not listed.

**Product name: ISONET-L**

OSHA: Not listed.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties:

a)	Appearance:	Liquid, colourless to yellowish
b)	Odour:	Characteristic
c)	Odour threshold:	None
d)	pH (pH meter):	Not available
e)	Melting point/freezing point:	No data
f)	Initial boiling point, boiling range (OECD 103):	145-147°C/3mmHg
g)	Flash point (Cleveland open cup method):	151°C
h)	Evaporation rate:	No data
i)	Flammability (solid/gas)	No data
j)	Upper/lower flammability or explosive limits:	No data
k)	Vapour pressure (calculated):	$2.22 \times 10^{-3}$ mmHg(25°C)
l)	Vapour density:	Not required for authorisation
m)	Relative density (pycometer method):	0.881-0.882 (20°C)
n)	Solubilit(ies) (OECD 105):	insoluble in water, easily soluble in organic solvent except DMSO and ethylene glycol
o)	Partition coefficient: n-octanol/water (OECD 107):	more than 10,000
p)	Auto-ignition temperature:	Not tested
q)	Decomposition temperature:	No data
r)	Viscosity (Ubbelohde's method):	5.38 c.s.
s)	Explosive properties:	Not explosive (judgement)
t)	Oxidising properties:	Not oxidising (judgement)

## 10. Stability and reactivity

### Reactivity:

May react with oxygen and strong oxidizing agents, such as chlorates, peroxides, etc. Conditions to avoid heat, flames and sparks. Material to avoid oxidizing agents.

### Chemical stability:

This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### Conditions to avoid:

Avoid contact with excessive heat, sparks or open flame.

### Incompatible materials:

Oxidizing agents.

### Hazardous decomposition products:

May react with oxygen and strong oxidizing agents, such as chlorates, peroxides, etc.

**Product name: ISONET-L**

### 11. Toxicological information

#### Information on toxicological effects:

		Data	Note
Acute toxicity :	Oral LD50	>5,000mg/kg (Rats)	SCLP
		No Data	
	Dermal LC50	No Data	
	Inhalation(Gas)	No Data	
	Inhalation(Vapour)	No Data	
	Inhalation(Mist) LC50	No Data	
Skin corrosion/irritation :		Irritating for the skin	
Serious eye damage/Eye irritation :		slightly Irritating	
Respiratory or Skin sensitivity :		No Data	
Germ cell mutagenicity :		Ames test: Negative	
Carcinogenicity :	IARC	Not listed	
	NTP	Not listed	
	EPA	Not listed	
	ACGIH	Not listed	
	NITE	Not listed	
Reproductive toxicity :		No Data	
Specific target organ toxicity (Single exposure) :		No Data	
Specific target organ toxicity (Repeated exposure) :		No Data	
Aspiration hazard :		No Data	

### 12. Ecological information

#### Toxicity:

	Data	Note
Aquatic environment acute harmfulness :	EC <sub>50</sub> >0.4mg/L (48hr.Daphnids)	Company in house data
	LC <sub>50</sub> >3.16mg/L (96hr.Rainbow trout)	ditto

**Product name: ISONET-L**

Aquatic environment chronic harmfulness :

Toxic to aquatic life with long lasting effects\*

SCLP

\*Based on EFSA Journal 2014;12(1):3524

**Persistence and degradability:**

The product is easily biodegradable.

**13. Disposal considerations****Waste treatment methods:**

Use this material for its intended purpose. Do not allow product to reach sewage system. If this material must be discarded, meet to criteria of hazardous waste as defined by US EPA or other State and local regulations. If this material classified as hazardous waste, federal law require disposal at licensed hazardous waste disposal facility. When contaminated package is disposed, treated as same as material

**14. Transport information****UN number:** 3082**UN proper shipping name:** Environmentally hazardous substance, Liquid, N.O.S.**Transport hazard class:** 9**Packing group:** III**Special precautions for user:** Environment hazardous substance, marine pollutant (IMDG)**15. Regulatory information****Safety, health and environmental/legislation specific for the substance or mixture:**

Mixture evaluated according to Directive 91/414/EEC

**Chemical safety assessment:**

No chemical safety assessment according to article 14 of Regulation (EC)1907/2006 has been done.

**16. Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*This safety data sheet is offered solely for your information, consideration and investigation. The data described in this SDS consist of data on literature, our acquisition data and analogical inference by data of similar chemical substances or products. Shin-Etsu Chemical Co., Ltd. provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. Final determination of suitability of any material is the sole responsibility of the user.*